

# References Cited

- Adrian, B.M., Frisken, J.G., Briggs, P.H., Bradley, L.A., and Crock, J.G., 1986a, Analytical results and sample locality map of heavy-mineral-concentrate and rock samples from the Fort Piute Wilderness Study Area (CDCA-267), San Bernardino County, California: U.S. Geological Survey Open-File Report 86-584, 15 p.
- Adrian, B.M., Frisken, J.G., Malcolm, M.J., and Briggs, P.H., 1986b, Analytical results and sample locality map of heavy-mineral-concentrate and rock samples from the Cinder Cones Wilderness Study Area (CDCA-239), San Bernardino County, California: U.S. Geological Survey Open-File Report 86-403, 13 p.
- Adrian, B.M., Frisken, J.G., Malcolm, M.J., and Crock, J.G., 1986c, Analytical results and sample locality map of heavy-mineral-concentrate and rock samples from the Castle Peaks Wilderness Study Area (CDCA-266), San Bernardino County, California: U.S. Geological Survey Open-File Report 86-416, 18 p.
- Albin, A.L., and Karlstrom, K.E., 1991, Orthogonal Proterozoic fabrics in northwestern Arizona: multiple orogenic events or progressive deformation during continental assembly, *in* Karlstrom, K.E., ed., Proterozoic geology and ore deposits of Arizona: Arizona Geological Society Digest 19, p. 67-84.
- Albino, G.V., 1994, Time-pH-f<sub>O</sub><sub>2</sub> paths of hydrothermal fluids and the origin of quartz-alunite-gold deposits, *in* Berger, B.R., ed., Advances in research on mineral resources, 1994: U.S. Geological Survey Bulletin 2081, p. 33-42.
- Anderson, J.L., 1989, Proterozoic anorogenic granites of the southwestern United States, *in* Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 211-238.
- Anderson, J.L., Barth, A.P., Young, E.D., Davis, M.J., Farber, D., Hayes, E.M., and Johnson, K.A., 1988, Contrasting depth of emplacement across the Tujunga-North America terrane boundary [abs.]: Geological Society of America Abstracts with Programs, v. 20, no. 3, p. 139.
- 1992, Plutonism across the Tujunga-North American terrane boundary: a middle to upper crustal view of two juxtaposed arcs, *in* Bartholomew, M.J., Hyndman, D.W., Mogk, D.W., and Mason, R., eds., Characterization and comparison of ancient and Mesozoic continental margins: Dordrecht, Netherlands, Kluwer Academic Publishers, Proceedings of the 8th International Conference on Basement Tectonics, p. 205-230.
- Anderson, J.L., and Bender, E.E., 1989, Nature and origin of Proterozoic A-type magmatism in the southwestern United States of America: *Lithos*, v. 23, no. 1/2, p. 19-52.
- Anderson, J.L., Wooden, J.L., and Bender, E.E., 1993, Mojave province of southern California and vicinity, *in* Van Schmus, W.R., and Bickford, M.E., eds., Transcontinental Proterozoic provinces, *in* Reed, J.C., Jr., and others, eds., Precambrian: conterminous U.S.: Geological Society of America Decade of North American Geology Volume C-2, p. 176-188.
- Anderson, J.L., Young, E.D., Barth, A.P., Wooden, J.L., Tosdal, R.M., and Morrison, Jean, 1991, Mesozoic batholiths of the Mojave [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 3.
- Anderson, J.L., Young, E.D., Clarke, H.S., Orrell, S.E., and Winn, M., 1985, The geology of the McCullough Range Wilderness area, Clark County, Nevada: Los Angeles, University of Southern California, Final Technical Report to the U.S. Geological Survey, 26 p., scale 1:24,000.
- Anderson, P., and Guilbert, J.M., 1979, The Precambrian massive sulfide deposits of Arizona—a distinct metallogenic epoch and province: Nevada Bureau of Mines and Geology Report 33, Papers on mineral deposits of western North America, International Association on the Genesis of Ore Deposits, Fifth Quadrennial Symposium, v. 11, p. 39-48.
- Aronsson, Bertil, Lundström, Torsten, and Rundqvist, Stig, 1965, Borides, silicides, and phosphides. A critical review of their preparation, properties, and crystal chemistry: London, Methuen and Co., 120 p.
- Arth, J.G., 1976, Behavior of trace elements during magmatic processes—a summary of theoretical models and their applications: U.S. Geological Survey Journal of Research, v. 4, p. 41-47.
- Aruscavage, P.J., and Crock, J.G., 1987, Atomic absorption methods, *in* Baedeker, P.A., ed., Methods for geochemical analysis: U.S. Geological Survey Bulletin 1770, p. C1-C6.
- Ausburn, K.E., 1988, Tertiary volcanic hosted epithermal Au-mineralization at the Hart Mining District, Castle Mountains, northeastern San Bernardino County, California [abs.]: Geological Society of America Abstracts

- with Programs, v. 20, no. 3, p. 140.
- 1991, Ore-petrogenesis of Tertiary volcanic hosted epithermal gold mineralization at the Hart Mining District, Castle Mountains, NE San Bernardino County, California, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., *Geology and ore deposits of the Great Basin: Reno, Nev.*, Geological Society of Nevada, Symposium Proceedings, p. 1,147–1,188.
- Ayuso, R.A., and Shank, S.G., 1983, Quartz-molybdenite veins in the Priestly Lake granodiorite, north-central Maine: U.S. Geological Survey Open-File Report 83–800, 10 p.
- Babcock, R.C., 1993, A summary of the geology of the Bingham district, Utah [abs.]: Reno, Nev., Society of Mining Engineers and Society of Economic Geology, Annual Meeting, Program and Abstracts, p. 148.
- Baedecker, P.A., 1987, Methods for geochemical analysis: U.S. Geological Survey Bulletin 1770, 132 p.
- Bagby, W.C., and Berger, B.R., 1985, Geologic characteristics of sediment-hosted, disseminated precious-metal deposits in the western United States, *in* Berger, B.R., and Bethke, P.M., eds., *Geology and geochemistry of epithermal systems: Society of Economic Geologists Reviews in Economic Geology*, v. 2, p. 169–202.
- Bagby, W.C., and Cline, J.S., 1991, Constraints on the pressure of formation of the Getchell gold deposit, Humboldt County, as interpreted from secondary-fluid-inclusion data, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., *Geology and ore deposits of the Great Basin: Reno, Nev.*, Geological Society of Nevada, Symposium Proceedings, p. 793–804.
- Bagby, W.C., Menzie, W.D., Mosier, D.I., and Singer, D.A., 1986, Grade and tonnage model carbonate-hosted Au–Ag, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 175–177.
- Bailly, P.A., 1981, Today’s resource status—tomorrow’s resource problems: the need for research on mineral deposits, *in* National Research Council, *Mineral Resources: genetic understanding for practical applications: Washington, D.C.*, National Academy Press, p. 21–32.
- Baker, E.M., and Andrew, A.S., 1991, Geologic, fluid inclusion, and stable isotope studies of the gold-bearing breccia pipe at Kidston, Queensland, Australia: *Economic Geology*, v. 86, no. 4, p. 810–830.
- Ballhorn, R.K., 1989, Ore deposit genesis and characterization, *in* International Atomic Energy Agency, ed., *Uranium deposits in magmatic and metamorphic rocks: Vienna, International Atomic Energy Agency Proceedings, Salamanca, 29 Sept.–30 Oct., 1986*, p. 239–243.
- Barnum, E.C., 1989, Lanthology: applications of lanthanides and the development of Molycorp’s Mountain Pass operations, *in* The California desert mineral symposium, *Compendium: Sacramento, Calif.*, U.S. Bureau of Land Management, p. 245–249.
- Barth, A.P., Tosdal, R.M., and Wooden, J.L., 1990, A petrologic comparison of Triassic plutonism in the San Gabriel and Mule Mountains, southern California: *Journal of Geophysical Research*, v. 95, no. B112, p. 20,075–20,096.
- Barton, P.B., 1986, Commodity/geochemical index, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 303–317.
- Barton, P.B., Brew, D.A., Ludington, Steve, Lindsey, D.A., Ayuso, R.A., Force, E.R., Gamble, B.M., Goldfarb, R.J., John, D.A., and Johnson, K.M., 1995, Recommendations for assessments of undiscovered resources: U.S. Geological Survey Open-File Report 95–82, 90 p.
- Bateman, P.C., 1965, Geology and tungsten mineralization of the Bishop district, California, *with a section on Gravity study of Owens Valley*, by L.C. Pakiser and M.F. Kane, *and a section on Seismic profile*, by L.C. Pakiser: U.S. Geological Survey Professional Paper 470, 208 p.
- Battles, D.A., 1991, Hydrothermal alteration within the tilted Shamrock Batholith, Yerington district, Nevada, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., *Geology and ore deposits of the Great Basin: Reno, Nev.*, Geological Society of Nevada, Symposium Proceedings, p. 351–353.
- Beard, R.D., 1987, Geology and geochemistry of the central part of the Gold Hill mining district, Hidalgo and Grant Counties, New Mexico: Albuquerque, University of New Mexico, M.S. thesis, 110 p.
- Beckerman, G.M., Robinson, J.P., and Anderson, J.L., 1982, The Teutonia batholith: a large intrusive complex of Jurassic and Cretaceous age in the eastern Mojave Desert, California, *in* Frost, E.G., and Martin, D.M., eds., *Mesozoic-Cenozoic tectonic evolution of the Colorado River region, California, Arizona, and Nevada:*

- San Diego, Calif., Cordilleran Publishers, p. 205–220.
- Bender, E.E., Anderson, J.L., Wooden, J.L., Howard, K.W., and Miller, C.F., 1988, Correlation of 1.7 Ga granitoid plutonism in the lower Colorado River region [abs.]: *Geological Society of America Abstracts with Programs*, v. 20, p. 142.
- Benedetto, K.M.F., Dean, D.A., and Durgin, D.C., 1991, Roadside geology and precious-metal mineralization along US 50, Reno to Ely, Nevada, *in* Buffa, R.H., and Coyner, A.R., eds., *Geology and ore deposits of the Great Basin: Reno, Nev.*, Geological Society of Nevada, Fieldtrip Guidebook Compendium, v. 2, p. 1,124–1,140.
- Bennett, V.C., and DePaolo, D.J., 1984, The definition of crustal provinces in the southern Rocky Mountain region using Sm–Nd isotopic characteristics [abs.]: *Geological Society of America Abstracts with Programs*, v. 16, p. 214.
- 1987, Proterozoic crustal history of the western United States as determined by neodymium isotopic mapping: *Geological Society of America Bulletin*, v. 99, p. 674–685.
- Berger, B.R., 1986a, Descriptive model of low-sulfide Au-quartz veins, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 239.
- 1986b, Descriptive model of carbonate-hosted Au-Ag, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 175.
- Berger, B.R., and Henley, R.W., 1989, Advances in the understanding of epithermal gold-silver deposits, with special reference to the western United States, *in* Keays, R.R., Ramsay, W.R.H., and Groves, D.I., eds., *The geology of gold deposits: the perspective in 1988: Economic Geology Monograph 6*, p. 405–423.
- Berger, B.R., and Singer, D.A., 1992, Grade and tonnage model of hot-spring Au-Ag, *in* Bliss, J.D., ed., 1992, *Developments in mineral deposit modeling: U.S. Geological Survey Bulletin 2004*, p. 23–25.
- Berger, V.I., 1993, Descriptive and grade-tonnage model for gold-antimony deposits: *U.S. Geological Survey Open-File Report 93–194*, 24 p.
- Bergman, S.C., 1987, Lamproites and other potassium-rich rocks: a review of their occurrence, mineralogy, and geochemistry, *in* Fitton, J.G., and Upton, B.G.J., eds., *Alkaline igneous rocks: Geological Society of London, Special Publication 30*, p. 103–190.
- Bingler, E.C., and Bonham, H.F., Jr., 1972, Reconnaissance geologic map of the McCullough Range and adjacent areas, Clark County, Nevada: Nevada Bureau of Mines and Geology Map 45, scale 1:125,000.
- Blakely, R.J., and Jachens, R.C., 1990, Concealed mineral deposits in Nevada: insights from three-dimensional analysis of gravity and magnetic anomalies [abs.]: *Geological Society of Nevada, Geology and Ore Deposits of the Great Basin, Program with Abstracts*, p. 52–53.
- 1991, Regional study of mineral resources in Nevada: insights from three-dimensional analysis of gravity and magnetic anomalies: *Geological Society of America Bulletin*, v. 103, no. 6, p. 795–803.
- Blanchard, Roland, 1968, Interpretation of leached outcrops: Nevada Bureau of Mines Bulletin 66, 196 p.
- Bliss, J.D., ed., 1992a, *Developments in mineral deposit modeling: U.S. Geological Survey Bulletin 2004*, 168 p.
- 1992b, Grade and tonnage model of Chugach-type low-sulfide Au-quartz veins, *in* Bliss, J.D., ed., 1992, *Developments in mineral deposit modeling: U.S. Geological Survey Bulletin 2004*, p. 44–46.
- Bliss, J.D., and Cox, D.P., 1986, Grade and tonnage model of polymetallic veins, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 125–129.
- Bonham, H.F., Jr., and Hess, R.H., 1993, Major precious-metal deposits, *in* *The Nevada mineral industry—1992: Nevada Bureau of Mines and Geology Special Publication MI–1992*, p. 18–27.
- Bonura, C.J., 1984, Geology, stratigraphy, and origin of the Miocene volcanolacustrine rocks of Hackberry Mountain and Vontrigger Hills in the eastern Mojave desert, San Bernardino County, California: Los Angeles, California State University, M.S. thesis, 164 p.
- Brew, D.A., Drew, L.J., Schmidt, J.M., Root, D.H., and Huber, D.F., 1991, Undiscovered locatable mineral resources of the Tongass National Forest and adjacent lands, southeastern Alaska: *U.S. Geological Survey Open-File Report 91–10*, 370 p.
- Brooks, J.W., and Meinert, L.D., 1989, Mineralogy and petrology of the McCoy gold skarn, Lander County,

- Nev. [abs]: Geological Society of America Abstracts with Programs, v. 21, no. 5, p. 59–60.
- Brown, H.J., 1986, Detailed geologic map of the eastern New York Mountains, San Bernardino County, Calif. [abs.]: Geological Society of America Abstracts with Programs, v. 18, no. 2, p. 89.
- Brown, P.H., Rathjen, A.H., Graham, R.D., and Tribe, D.E., 1990, Rare earth elements in biological systems, *in* Gschneidner, K.A., and Eyring, L., eds., Handbook on the physics and chemistry of rare earths: Amsterdam, Elsevier, v. 13, chap. 92, p. 423–452.
- Bryant, B., 1992a, Geologic map of the Poachie Range, Mohave and Yavapai Counties, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-2198, scale 1:25,000.
- 1992b, Preliminary geologic map of the Alamo Lake 30' × 60' quadrangle, west-central Arizona: U.S. Geological Survey Open-File Report 92-311, scale 1:100,000.
- Bultman, M.W., Force, E.R., Gettings, M.E., and Fisher, F.S., 1993, Comments on the “three-step” method for quantification of undiscovered mineral resources: U.S. Geological Survey Open-File Report 93-23, 59 p.
- Burchfiel, B.C., and Davis, G.A., 1971, Clark Mountain thrust complex in the Cordillera of southeastern California: geologic summary and field trip guide, *in* Elders, W.A., ed., Geological excursions in southern California: Campus Museum Contributions Number 1, Riverside, University of California, p. 1–28.
- 1977, Geology of the Sagamore Canyon-Slaughterhouse Spring area, New York Mountains, California: Geological Society of America Bulletin, v. 88, no. 11, p. 1,623–1,640.
- 1981, Mojave Desert and environs, *in* Ernst, W.G., ed., The geotectonic development of California (Rubey Vol. I): Englewood Cliffs, N.J., Prentice-Hall, p. 217–252.
- 1988, Mesozoic thrust faults and Cenozoic low-angle normal faults, eastern Spring Mountains, Nevada, and Clark Mountains thrust complex, California, *in* Weide, D.L., and Faber, M.L., eds., This extended land: geological journeys in the southern Basin and Range: Geological Society of America Field Trip Guidebook, p. 87–106.
- Burnett, J.L., 1990, California mining review: California Geology, v. 43, no. 10, p. 219–224.
- Busby-Spera, C.J., 1988, Speculative tectonic model for the early Mesozoic arc of the southwest Cordilleran United States: Geology, v. 16, no. 12, p. 1,121–1,125.
- Busby-Spera, C.J., Schermer, E.R., and Mattinson, J., 1989, Volcano-tectonic controls on sedimentation in an extensional continental arc: a Jurassic example from the eastern Mohave Desert, California [abs.], *in* Continental magmatism abstracts, International Association of Volcanology and Chemistry of the Earth's Interior, General Assembly, Santa Fe: New Mexico Bureau of Mines and Mineral Resources Bulletin 131, p. 34.
- Capps, R.C., and Moore, J.A., 1990, Geologic setting of mid-Miocene gold deposits in the Castle Mountains, San Bernardino County, California, and Clark County, Nevada [abs.]: Geological Society of Nevada and U.S. Geological Survey Great Basin Symposium, Geology and ore deposits of the Great Basin, Program with Abstracts, p. 128.
- 1991, Geologic setting of mid-Miocene gold deposits in the Castle Mountains, San Bernardino County, California, and Clark County, Nevada, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Nev., Geological Society of Nevada, Symposium Proceedings, p. 1,195–1,219.
- Carlisle, D.L., Luyendyk, B.P., and McPherron, R.L., 1980, Geophysical survey in the Ivanpah Valley and vicinity eastern Mojave Desert, California, *in* Fife, D.E., and Brown, A.R., eds., Geology and mineral wealth of the California desert: Santa Ana, Calif., South Coast Geological Society, p. 485–494.
- Carten, R.B., White, W.H., and Stein, H.J., 1993, High-grade granite-related molybdenum systems: classification and origin, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., Mineral deposit modeling: Geological Association of Canada Special Paper 40, p. 521–554.
- Castor, S.B., 1990, Rare earth resources: comparisons of the geology of existing and potential resources, *in* Geitgey, R.P., and Vogt, B.F., eds., Industrial rocks and minerals of the Pacific northwest: Oregon Department of Geology and Mineral Industries Special Paper 23, p. 73–78.
- 1991, Rare earth deposits in the southern Great Basin, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Nev., Geological Society of

- Nevada, Symposium Proceedings, p. 523–528.
- Castor, S.B., and Gleason, J.D., 1989, Proterozoic ultrapotassic intrusive rocks in southeastern California [abs.]: Geological Society of America Abstracts with Programs, v. 21, no. 5, p. 64.
- Chaffee, M.A., 1976, The zonal distribution of selected elements above the Kalamazoo porphyry copper deposit, San Manuel district, Pima County, Ariz.: *Journal of Geochemical Exploration*, v. 5, p. 145–165.
- Chamberlain, K.R., and Bowring, S.A., 1990, Proterozoic geochronologic and isotopic boundary in NW Arizona: *Journal of Geology*, v. 20, p. 149.
- Chen, J.H., and Moore, J.G., 1979, Late Jurassic Independence dike swarm in eastern California: *Geology*, v. 7, p. 129–133.
- Clark, A.M., 1984, Mineralogy of the rare earth elements, *in* Henderson, P., ed., *Rare earth element geochemistry*: Amsterdam, Elsevier, p. 33–61.
- Clary, M.R., 1967, Geology of the eastern part of the Clark Mountain Range, San Bernardino County, California: California Division of Mines and Geology Map Sheet 6.
- Conway, C.M., 1986, Field guide to Early Proterozoic strata that host massive sulfide deposits at Bagdad, Arizona, *in* Nations, J.D., Conway, C.M., and Swann, G.A., eds., *Geology of central and northern Arizona*, Geological Society of America, Rocky Mountain Section, field trip guidebook: Flagstaff, Northern Arizona University, p. 140–157.
- 1991, Tectonomagmatic settings of Proterozoic metallogenic provinces in the southwestern United States [abs.], *in* Goode, E.E., Slack, J.E., and Kotra, R.K., eds., *USGS Research on Mineral Resources—1991 Program and Abstracts: U.S. Geological Survey Circular 1062, Seventh Annual McKelvey Forum on Mineral and Energy Resources*, p. 9–10.
- 1994, Precambrian massive sulfide deposits in amphibolite- and granulite-facies rocks, western Arizona and southeastern California [abs.], *in* Carter, L.M.H., Toth, M.I., and Day, W.C., eds., *USGS research on mineral resources—1994 Program and Abstracts: U.S. Geological Survey Circular 1103–A*, p. 18.
- Conway, C.M., Connelley, T.J., and Robison, L.C., 1986, An Early Proterozoic volcanic-hydrothermal-exhalative system at Bagdad, Arizona: *Arizona Geological Society Digest*, v. 16, p. 24–34.
- Conway, C.M., Elston, D.P., and Wrucke, C.T., 1993, SW U.S. diabase province: a 1.1–Ga intrusion event of middle Grenville and middle Keweenaw age [abs.]: *Geological Society of America Abstracts with Programs*, v. 25, no. 1, p. 7.
- Conway, C.M., Hassemer, J.R., Knepper, D.H., Jr., Pitkin, J.A., Jachens, R.C., and Chatman, M.L., 1990, Mineral resources of the Wabayuma Peak Wilderness Study Area, Mohave County, Arizona: *U.S. Geological Survey Bulletin 1737–E*, 52 p.
- Cook, J.R., and Fay, W.M., 1982, Data report, western United States, hydrogeochemical and stream sediment reconnaissance: National Uranium Resource Evaluation Program, Savannah River from the Bristol/Granite Mountains (CDCA–256) Wilderness Study Area, San Bernardino County, California: *U.S. Geological Survey Open-File Report 85–510*, 8 p.
- Cook, J.R., McKibben, M.A., and Williams, A.E., 1992, Fluid inclusion constraints on breccia pipe petrogenesis at the Colosseum gold deposit, southeastern California [abs.]: *Pan-American Current Research on Fluid Inclusions IV, Program and Abstracts*, p. 27–28.
- Cox, D.P., and Bagby, W.C., 1986, Descriptive model of W veins, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 64.
- Cox, D.P., Barton, P.B., and Singer, D.A., 1986, Introduction, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, p. 1–10.
- Cox, D.P., and Singer, D.A., eds., 1986, *Mineral deposit models: U.S. Geological Survey Bulletin 1693*, 379 p.
- Cox, D.P., and Singer, D.A., 1990, Descriptive and grade-tonnage models for distal disseminated Ag-Au deposits: a supplement to U.S. Geological Survey Bulletin 1693: *U.S. Geological Survey Open-File Report 90–282*, 7 p.
- Crow, H.C., 1984, Geochemistry of shonkinites, syenites, and granites associated with the Sulfide Queen carbonatite body, Mountain Pass, California: Las Vegas, University of Nevada, M.S. thesis, 56 p.
- Crowe, B.M., Crowell, J.C., and Krummenacher, D., 1979, Regional stratigraphy, K–Ar ages and tectonic

- implications of Cenozoic volcanic rocks, southeastern California: *American Journal of Science*, v. 279, no. 2, p. 186–216.
- Cullers, R.L., and Graf, J.L., 1984, Rare earth elements in igneous rocks of the continental crust: predominantly basic and ultrabasic rocks, *in* Henderson, P. ed., *Rare earth element geochemistry*: Amsterdam, Elsevier, p. 237–274.
- Cullers, R.L., Ramakrishnan, S., Berendsen, P., and Griffin, T., 1985, Geochemistry and petrogenesis of lamproites, Late Cretaceous age, Woodson County, Kansas, U.S.A.: *Geochimica et Cosmochimica Acta*, v. 49, p. 1,383–1,402.
- Czehura, S.J., 1983, Vein paragenesis at Nevada Moly Hall deposit [abs.]: *Geological Society of America Abstracts with Programs*, v. 15, no. 5, p. 276.
- Davis, J.C., 1986, *Statistics and data analysis in geology*: New York, John Wiley, 646 p.
- Davis, W.M., 1933, Granitic domes of the Mohave Desert, California: *San Diego Society Natural History Transactions*, v. 7, p. 211–258.
- Deines, P., 1989, Stable isotope variations in carbonatites, *in* Bell, K., ed., *Carbonatites, genesis and evolution*: London, Unwin Hyman, p. 301–359.
- DePaolo, D.J., and Wasserburg, G.J., 1976, Inferences about magma sources and mantle structure from variations of  $^{143}\text{Nd}/^{144}\text{Nd}$ : *Geophysical Research Letters*, v. 3, p. 743–746.
- Detra, D.E., and Kilburn, J.E., 1985, Analytical results and sample locality map of heavy-mineral-concentrate samples from the Bristol/Granite Mountains (CDCA–256) Wilderness Study Area, San Bernardino County, Calif.: U.S. Geological Survey Open-File Report 85–510, scale 1:62,500, 8 p.
- Detra, D.E., Meier, A.L., Goldfarb, R.J., and Weaver, S.L., 1984, Analytical results and sample locality map of stream-sediment, panned-concentrate, and rock samples from the South Providence Mountains Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Open-File Report 84–118, 26 p.
- DeWitt, E., 1987, Proterozoic ore deposits of the southwestern U.S.: *Society of Economic Geologists Guidebook Series*, v. 1, 189 p.
- DeWitt, E., Anderson, J.L., Barton, H.N., Jachens, R.C., Podwysoki, M.H., Brickey, D.W., and Close, T.J., 1989, Mineral resources of the South McCullough Mountains Wilderness Study Area, Clark County, Nevada: U.S. Geological Survey Bulletin 1730, 24 p.
- DeWitt, E., Armstrong, E.L., Sutter, J.F., and Zartman, R.E., 1984, U–Th–Pb, Rb–Sr, and Ar–Ar mineral and whole-rock isotope systematics in a metamorphosed granitic terrane, southeastern California: *Geological Society of America Bulletin*, v. 95, no. 6, p. 723–739.
- DeWitt, E., Kwak, L.M., and Zartman, R.E., 1987, U–Th–Pb and  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of the Mountain Pass carbonatite and alkalic igneous rocks, southeastern California: *Geological Society of America Abstracts with Programs*, v. 19, no. 7, p. 642.
- Dexter, J.J., Goodknight, C.S., Dayvault, R.D., and Dickson, R.E., 1983, Mineral evaluation of part of the Gold Butte district, Clark County, Nevada: U.S. Department of Energy Open-File Report GJBX–18, 31 p.
- Dohrenwend, J.C., 1987, Basin and Range, *in* Graf, W.L., ed., *Geomorphic systems of North America*: Boulder, Colo., Geological Society of America, Centennial Special Volume 2, p. 303–342.
- 1988, Age of formation and evolution of pediment domes in the area of the Cima volcanic field, Mojave Desert, Calif., *in* Weide, D.L., and Faber, M.L., eds., *This extended land: geological journeys in the southern Basin and Range*: Las Vegas, Nev., Geological Society of America, Cordilleran Section, Field Trip Guidebook, p. 214–217.
- Dohrenwend, J.C., McFadden, L.D., Turrin, B.D., and Wells, S.G., 1984, K–Ar dating of the Cima volcanic field, eastern Mojave Desert, California: late Cenozoic volcanic history and landscape evolution: *Geology*, v. 12, no. 3, p. 163–167.
- Dohrenwend, J.C., Wells, S.G., McFadden, L.D., and Turrin, B.D., 1987, Pediment dome evolution in the eastern Mojave Desert, California, *in* Gardiner, V., ed., *International Geomorphology 1986, Part II*: London, John Wiley & Sons, p. 1,047–1,062.
- Donnelly, M.E., and Conway, C.M., 1988, Metallogenic map of volcanogenic massive-sulfide occurrences in Arizona, *in* Earhart, R.L., ed., *Volcanogenic massive-sulfide map series*: U.S. Geological Survey

- Miscellaneous Field Studies Map MF-1853-B, scale 1:100,000.
- Drew, L.J., Bliss, J.D., Bowen, R.W., Bridges, N.J., Cox, D.P., DeYoung, J.H., Houghton, J.C., Ludington, Steve, Menzie, W.D., Page, N.J., Root, D.H., and Singer, D.A., 1986, Quantitative estimation of undiscovered mineral resources—the case study of U.S. Forest Service wilderness tracts in the Pacific Mountain system: *Economic Geology*, v. 81, no. 1, p. 80–88.
- Drew, L.D., Qingrun, M., and Weijun, Sun, 1990, The Bayan Obo iron–rare-earth–niobium deposit, Inner Mongolia, China: *Lithos*, v. 26, no. 1/2, p. 43–65.
- Dunne, G.C., 1972, Geology of the Devil’s Playground area, eastern Mojave Desert, California: Houston, Tex., Rice University, Ph.D. dissertation, 79 p.
- 1977, Geology and structural evolution of Old Dad Mountain, Mojave Desert, California: *Geological Society of America Bulletin*, v. 88, no. 6, p. 737–748.
- Duval, J.S., Cook, Beverly, and Adams, J.A.S., 1971, A study of the circle of investigation of an airborne gamma-ray spectrometer: *Journal of Geophysical Research*, v. 76, no. 35, p. 8,466–8,470.
- Duval, J.S., Jones, W.J., Riggle, F.R., and Pitkin, J.A., 1989, Equivalent uranium map of conterminous United States: U.S. Geological Survey Open-File Report 89-478, 10 p., scale 1:2,500,000.
- 1990, Potassium and thorium maps of the conterminous United States: U.S. Geological Survey Open-File Report 90-338, 17 p., scale 1:2,500,000.
- Eaton, G.P., 1984, The Miocene Great Basin of western North America as an extending back-arc region: *Tectonophysics*, v. 102, p. 275–295.
- Einaudi, M.T., 1982, Skarns associated with porphyry copper plutons; I., Descriptions of deposits, southwestern U.S.; II., General features and origin, *in* Titley, S.R., ed., *Advances in the geology of the porphyry copper deposits, southwestern United States*: Tucson, University of Arizona Press, p. 139–209.
- 1990, Zoning of gold and silver in central portions of porphyry copper districts [abs.]: Reno, Nev., Great Basin Symposium, Program with Abstracts, April 1–5, p. 59–60.
- Einaudi, M.T., Meinert, L.D., and Newberry, R.J., 1981, Skarn deposits, *in* Skinner, B.J., ed., *Seventy-fifth anniversary volume, 1905–1980, Economic Geology*: New Haven, Conn., Economic Geology Publishing Company, p. 317–391.
- Evans, J.R., 1964, Xenotime mineralization in the southern Music Valley area, Riverside County, California: California Division of Mines and Geology Special Report 79, 24 p.
- 1966, California’s Mountain Pass mine now producing europium oxide: California Division of Mines and Geology, Mineral Information Service, v. 19, no. 1, p. 23–32.
- Farmer, G.L., Wilshire, H.G., Wooden, J.L., Glazner, A.F., and Katz, Marvin, 1991, Temporal variations in the sources of alkali basalts at the Cima volcanic field, SE California [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 2, p. 23.
- Fisher, F.S., 1990, Gold deposits in the Sneffels-Telluride and Camp Bird Mining District, San Juan Mountains, Colo., *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., *Gold-bearing polymetallic veins and replacement deposits—Part II*: U.S. Geological Survey Bulletin 1857-F, p. F12–F18.
- Fitzgibbon, T.T., Wentworth, C.M., and Showalter, P.K., 1990, Digital compilation of geologic maps and data bases using ALACARTE-ARC/INFO [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 2, p. 25.
- Fleck, R.J., Mattinson, J.M., Busby, C.J., Carr, M.D., Davis, G.A., and Burchfiel, B.C., 1994, Isotopic complexities and the age of the Delfonte volcanic rocks, eastern Mescal Range, southeastern California: stratigraphic and tectonic implications: *Geological Society of America Bulletin*, v. 106, no. 10, p. 1,242–1,253.
- Foley, S.F., 1992, Petrological characterization of the source components of potassic magmas: geochemical and experimental constraints: *Lithos*, v. 28, no. 3–6, p. 187–204.
- Foley, S.F., Venturelli, G., Green, D.H., and Toscani, L., 1987, The ultrapotassic rocks: characteristics, classification, and constraints for petrogenetic models: *Earth-Science Reviews*, v. 24, p. 81–134.
- Foley, S.F., and Wheller, G.E., 1990, Parallels in the origin of the geochemical signatures of island arc volcanics and the continental potassic igneous rocks: the role of residual titanites: *Chemical Geology*, v. 85,

p. 1–18.

- Folger, P.F., Detra, D.E., Goldfarb, R.J., Crock, J.G., Briggs, P.H., and Bradley, L.A., 1986, Analytical results and sample locality map of heavy-mineral-concentrate and rock samples from the Providence Mountains Wilderness Study Area (CDCA–263), San Bernardino County, California: U.S. Geological Survey Open-File Report 86–512, 58 p.
- Fox, L.K., 1989, Albitization of Jurassic plutons in the southern Bristol Mountains, east-central Mojave Desert, southeastern California: Santa Barbara, Calif., University of California, Ph.D. dissertation, 324 p.
- Fox, L.K., and Miller, D.M., 1990, Jurassic granitoids and related rocks of the southern Bristol Mountains, southern Providence Mountains, and Colton Hills, Mojave Desert, California: Geological Society of America Memoir 174, p. 111–132.
- Franklin, J.M., Sangster, D.M., and Lydon, J.W., 1981, Volcanic-associated massive sulfide deposits, *in* Skinner, B.J., ed., Economic Geology Seventy-fifth Anniversary Volume: New Haven, Conn., Economic Geology Publishing Company, p. 485–627.
- Friedrich, M.H., and Cuney, M., 1989, Uranium enrichment processes in peraluminous magmatism, *in* International Atomic Energy Agency, ed., Uranium deposits in magmatic and metamorphic rocks: Vienna, International Atomic Energy Agency, Proceedings Salamanca, 29 Sept.–3 Oct., 1986, p. 11–35.
- Gair, J.E., 1989a, Gold-quartz, and gold-pyrite-quartz veins, *in* Gair, J.E., ed., Mineral resources of the Charlotte 1° × 2° quadrangle, North Carolina and South Carolina: U.S. Geological Survey Professional Paper 1462, p. 61–64.
- 1989b, Criteria for assessment of mineral-resource potential, *in* Gair, J.E., ed., Mineral resources of the Charlotte 1° × 2° quadrangle North Carolina and South Carolina: U.S. Geological Survey Professional Paper 1462, p. 51–55.
- Geodata International, Inc., 1977, Lake Mead dynamic test range for calibration of airborne gamma radiation measuring systems: U.S. Department of Energy Open-File Report GJBX–46(77), 83 p.
- Gerber, M.E., Miller, C.F., Wooden, J.L., and Foster, D.A., 1991, Plutonism at the eastern edge of the Cordilleran Jurassic magmatic belt, Mojave Desert, California [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. 249.
- Gittins, J., 1989, The origin and evolution of carbonatite magmas, *in* Bell, K., ed., Carbonatites, genesis and evolution: London, Unwin Hyman, p. 580–600.
- Glass, J.J., Evans, H.T., Carron, M.K., and Hildebrand, F.A., 1958, Cerite from Mountain Pass, San Bernardino County, California: American Mineralogist, v. 43, p. 460–475.
- Glazner, A.F., Bartley, J.M., and Walker, J.D., 1989, Magnitude and significance of Miocene crustal extension in the central Mojave Desert, California: Geology, v. 17, no. 1, p. 50–53.
- Glazner, A.F., Nielson, J.E., Howard, K.A., and Miller, D.J., 1986, Correlation of the Peach Springs Tuff, a large-volume Miocene ignimbrite sheet in California and Arizona: Geology, v. 14, no. 10, p. 840–843.
- Glazner, A.F., and O’Neil, J.R., 1989, Crustal structure of the Mojave Desert, Calif.: inferences from Sr and O isotope studies of Miocene volcanic rocks: Journal of Geophysical Research, v. 94, no. B6, p. 7,861–7,870.
- Gleason, J.D., 1988, Petrology and geochemistry of the Barrel Spring pluton and related potassic rocks, Old Woman-Piute Range, southeastern California: Nashville, Tenn., Vanderbilt University, M.S. thesis, 263 p.
- Gleason, J.D., Miller, C.F., and Wooden, J.L., 1988, Barrel Spring alkalic complex: 1.4 Ga anorogenic plutonism in the Old Woman-Piute Range, eastern Mojave Desert, California [abs.]: Geological Society of America Abstracts With Programs, v. 20, no. 3, p. 164.
- Goerold, W.T., 1989, Rare earth minerals, superconductivity, and the California desert, *in* The California desert mineral symposium, Compendium: Sacramento, Calif., U.S. Bureau of Land Management, p. 251–255.
- Goldfarb, R.J., Miller, D.M., Simpson, R.W., Hoover, D.B., Moyle, P.R., Olson, J.E., and Gaps, R.S., 1988, Mineral resources of the Providence Mountains Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1712, chap. D, 70 p.
- Gottfried, D., Jaffe, H.W., and Senftle, F.E., 1959, Evaluation of the lead-alpha (Larsen) method for determining ages of igneous rocks: U.S. Geological Survey Bulletin 1097–A, 63 p.
- Gottlieb, O.J., and Friberg, L.M., 1984, The geology and geochemistry of the Hackberry Mountain gold

- prospect, San Bernardino Co., Calif. [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 522.
- Grasty, R.L., and Darnley, A.G., 1971, The calibration of gamma-ray spectrometers for ground and airborne use: Geological Survey of Canada Paper 71-17, 27 p.
- Greenwood, N.N., and Earnshaw, A., 1984, Chemistry of the elements: Oxford, Pergamon, 1,542 p.
- Grimes, D.J., and Marranzino, A.P., 1968, Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials: U.S. Geological Survey Circular 591, 6 p.
- Grose, L.T., 1959, Structure and petrology of the northeast part of the Soda Mountains, San Bernardino County, California: Bulletin of the Geological Society of America, v. 70, p. 1,509-1,548.
- Guilbert, J.M., and Park, C.F., Jr., 1986, The geology of ore deposits: New York, W.H. Freeman, 985 p.
- Gunter, W.L., Hammitt, J.W., and Babcock, R.C., 1990, Geology of the Barney's Canyon gold deposit, Bingham Canyon, Utah [abs.]: Salt Lake City, Utah, 119th American Institute of Mining, Metallurgical, and Petroleum Engineers (AIME) Annual Meeting, February, 1990, Abstracts with Programs, p. 38.
- Guo, J., and Green, T.H., 1990, Experimental study of barium partitioning between phlogopite and silicate liquid at upper-mantle pressure and temperature: Lithos, v. 24, no. 2, p. 83-95.
- Gusa, Sharon, Howard, K.A., and Nielson, J.E., 1987, Heavy-mineral suites confirm the wide extent of the Peach Springs Tuff in California and Arizona, U.S.A.: Journal of Volcanology and Geothermal Research, v. 33, no. 4, p. 343-347.
- Hall, A., 1987, Igneous petrology, chap. 4, in Nephelinites and carbonatites: Essex, Longman Scientific & Technical, p. 439-453.
- Hall, D.K., 1972, Hydrothermal alteration and mineralization in the East Camp of the Turquoise District, San Bernardino Co., Calif.: Tucson, Ariz., University of Arizona, M.S. thesis, 137 p.
- Hamilton, D.L., Bedson, P., and Esson, J., 1989, The behaviour of trace elements in the evolution of carbonatites, in Bell, K., ed., Carbonatites, genesis and evolution: London, Unwin Hyman, p. 405-427.
- Hammond, J.G., 1990, Middle Proterozoic diabase intrusions in the southwestern U.S.A. as indicators of limited extensional tectonism, in Gower, C.F., Rivers, T., and Ryan, B., eds., Mid-Proterozoic Laurentia-Baltica: Geological Association of Canada Special Paper 38, p. 517-531.
- Harding, T.P., 1985, Seismic characteristics and identification of negative flower structures, positive flower structures, and positive structural inversion: American Association of Petroleum Geologists Bulletin, v. 69, p. 582-600.
- Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.E., Smith, A.G., and Smith, D.G., 1989, A geologic time scale 1989: Cambridge, Cambridge University Press, 247 p.
- Harrah, H.W., 1967, Rare earth concentration at Molybdenum Corporation of America-Solvent extraction plant: Deco Trefoil, v. 31, p. 9-16.
- Harris, D.P., 1984, Mineral resource appraisal: Oxford, Clarendon Press, 445 p.
- Hawkesworth, C.J., Gallagher, K., Hergt, J.M., and McDermott, F., 1993, Trace element fractionation processes in the generation of island arc basalts: Philosophical Transactions of the Royal Society of London, v. A342, p. 179-191.
- Haxel, G.B., Hedrick, J.B., and Orris, G.J., 2002, Rare earth elements—Critical resources for high technology: U.S. Geological Survey Fact Sheet 087-02, 4 p.
- Haxel, G.B., Smith, D.B., Whittington, C.L., Griscom, A., Diveley-White, D.V., Powell, R.E., and Kreidler, T.J., 1988, Mineral resources of the Orocopia Mountains Wilderness Study Area, Riverside County, California: U.S. Geological Survey Bulletin 1710, chap. E, 18 p.
- Hazzard, J.C., 1954, Rocks and structures of the northern Providence Mountains, San Bernardino County, California, in Jahns, R.H., ed., Geology of southern California: California Division of Mines Bulletin 170, chap. 4, p. 27-35.
- Hazzard, J.C., and Dosch, E.F., 1936, Archean rocks in the Piute and Old Woman Mountains, San Bernardino County, California [abs.]: Geological Society of America Program for 1936, p. 308-309.
- Heaman, L.M., and Grotzinger, J.P., 1992, 1.08 Ga diabase sills in the Pahrump Group, California: implications

- for development of the Cordilleran miogeocline: *Geology*, v. 20, no. 7, p. 637–640.
- Hedrick, J.B., 1995, Rare earths: U.S. Bureau of Mines Mineral Commodity Summaries, January 1995, p. 134–135.
- Heinrich, E.W., 1960, Some rare-earth mineral deposits in Mojave County, Arizona: *Arizona Bureau of Mines Bulletin* 167, 22 p.
- 1966, *The geology of carbonatites*: Chicago, Ill., Rand McNally, 555 p.
- Henderson, P., 1982, *Inorganic geochemistry*: Oxford, Pergamon, 353 p.
- Herbst, J.F., 1993, Permanent magnets: *American Scientist*, v. 81, p. 252–260.
- Hewett, D.F., 1931, *Geology and ore deposits of the Goodsprings quadrangle, Nevada*: U.S. Geological Survey Professional Paper 162, 172 p.
- 1956, *Geology and mineral resources of the Ivanpah quadrangle, California and Nevada*: U.S. Geological Survey Professional Paper 275, 172 p.
- Hewitt, C.H., 1959, *Geology and mineral deposits of the northern Big Burro Mountains-Redrock area, Grant County, New Mexico*: New Mexico Bureau of Mines and Mineral Resources Bulletin 60, 150 p.
- Higgins, C.T., 1990, Mesquite Mine, a modern example of the quest for gold: *California Geology*, v. 43, no. 3, p. 51–56.
- Hileman, G.E., Miller, C.F., and Knoll, M.A., 1990, Mid-Tertiary structural evolution of the Old Woman Mountains area: implications for crustal extension across southeastern California: *Journal of Geophysical Research*, v. 95, no. B1, p. 581–599.
- Hodges, C.A., and Ludington, Steve, eds., 1991, *Quantitative assessment of undiscovered metallic mineral resources in the East Mojave National Scenic Area, southern California*: U.S. Geological Survey Open-File Report 91–551, 18 p.
- Hodgson, S.F., ed., 1980, *Oil and gas prospect wells drilled in California through 1980*: California Division of Oil and Gas Publication TRO 1, 258 p.
- Hoffman, D.C., Lawrence, F.O., Mewherter, J.L., and Rourke, F.M., 1971, Detection of plutonium-244 in nature: *Nature*, v. 234, p. 132–134.
- Hofstra, A.H., Landis, G.P., Rye, R.O., Birak, D.J., Dahl, A.R., Daly, W.E., and Jones, M.B., 1989, Geology and origin of the Jerritt Canyon sediment-hosted disseminated gold deposits, Nevada [abs.], in Schindler, K.S., ed., *USGS Research on Mineral Resources—1989 Programs and Abstracts*: U.S. Geological Survey Circular 1035, p. 30–31.
- Hofstra, A.H., Northrop, H.R., Rye, R.O., Landis, G.P., and Birak, D.J., 1988, Origin of sediment-hosted disseminated gold deposits by fluid mixing—evidence from jasperoids in the Jerritt Canyon gold district, Nevada, U.S.A. [extended abs.], in Goode, A.D.T., and Bosma, L.I., eds., *Bicentennial Gold 88, Extended Abstracts, Oral Programme*: Geological Society of Australia, Abstract Series no. 22, p. 284–289.
- Hopson, C.A., 1988, Independence dike swarm: origin and tectonic significance: *EOS, American Geophysical Union, Transactions*, v. 69, no. 44, p. 1,479.
- Howard, K.A., 1991, Intrusion of horizontal dikes: tectonic significance of Middle Proterozoic diabase sheets widespread in the upper crust of the southwestern United States: *Journal of Geophysical Research*, v. 96, no. B7, p. 12,461–12,478.
- Howard, K.A., Kilburn, J.E., Simpson, R.W., Fitzgibbon, T.T., Detra, D.E., Raines, G.L., and Sabine, C., 1987, Mineral resources of the Bristol/Granite Mountains Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1712–C, 18 p.
- Howard, K.A., Miller, C.F., and Stone, P., 1980, Mesozoic thrusting in the eastern Mojave Desert, Calif. [abs.]: *Geological Society of America Abstracts with Programs*, v. 12, no. 3, p. 112.
- Howard, K.A., Nielson, J.E., Simpson, R.W., Hazlett, R.W., Alminas, H.V., Nakata, J.K., and McDonnell, J.R., Jr., 1988, Mineral resources of the Turtle Mountains Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1713, 28 p.
- Hughes, C.J., and Hussey, E.M., 1976, M and Mg values in igneous rocks: proposed usage and a comment on currently employed Fe<sub>2</sub>O<sub>3</sub> corrections: *Geochemica et Cosmochimica Acta*, v. 40, p. 485–486.
- Hutchinson, R.W., and Grauch, R.I., eds., 1991, *Historical perspectives of genetic concepts and case histories*

- of famous discoveries: New Haven, Conn., The Economic Geology Publishing Co., Economic Geology Monograph 8, 359 p.
- Irving, A.J., and Frey, F.A., 1984, Trace element abundances in megacrysts and their host basalts: constraints on partition coefficients and megacryst genesis: *Geochimica et Cosmochimica Acta*, v. 48, p. 1,201–1,221.
- Irving, A.J., and Price, R.C., 1981, Geochemistry and evolution of lherzolite-bearing phonolitic lavas from Nigeria, Australia, East Germany, and New Zealand: *Geochimica et Cosmochimica Acta*, v. 45, p. 1,309–1,320.
- Jachens, R.C., and Griscom, Andrew, 1982, An isostatic residual gravity map of California: a residual map for interpretation of anomalies from intracrustal sources: Dallas, Tex., Society of Exploration Geophysicists, Technical Program Abstracts and Biographies, Fifty-Second Annual International Meeting and Exposition, October 17–21, 1982, p. 299–301.
- Jachens, R.C., and Moring, B.C., 1990, Maps of the thickness of Cenozoic deposits and the isostatic residual gravity over basement for Nevada: U.S. Geological Survey Open-File Report 90–404, 15 p.
- Jaffe, H.W., 1955, Precambrian monazite and zircon from the Mountain Pass rare-earth district, San Bernardino County, California: *Geological Society of America Bulletin*, v. 66, p. 1,247–1,256.
- Jaffe, H.W., Meyrowitz, R., and Evans, H.T., Jr., 1953, Sahamalite, a new rare earth carbonate mineral: *American Mineralogist*, v. 38, p. 741–754.
- Jahns, R.H., 1952, Pegmatite deposits of the White Picacho district, Maricopa and Yavapai Counties, Arizona: *Arizona Bureau of Mines Bulletin*, v. 162, 105 p.
- James, E.W., 1989, Southern extension of the Independence dike swarm of eastern California: *Geology*, v. 17, no. 7, p. 587–590.
- Jenner, G.A., Foley, S.F., Jackson, S.E., Green, T.H., Fryer, B.J., and Longerich, H.P., 1994, Determination of partition coefficients for trace elements in high pressure-temperature experimental run products by laser ablation microprobe–inductively coupled plasma–mass spectrometry (LAM–ICP–MS): *Geochimica et Cosmochimica Acta*, v. 58, p. 5,099–5,103.
- Jochum, K.P., Seufert, H.M., Spettel, B., and Palme, H., 1986, The solar-system abundances of Nb, Ta, and Y, and the relative abundances of refractory lithophile elements in differentiated planetary bodies: *Geochimica et Cosmochimica Acta*, v. 50, p. 1,173–1,183.
- John, D.A., Stewart, J.H., Kilburn, J.E., Silberling, N.J., and Rowan, L.C., 1993, Geology and mineral resources of the Reno 1° × 2° quadrangle, Nevada and California: U.S. Geological Survey Bulletin 2019, 65 p.
- Johnson, N.L., 1966, Rare earth concentration at Molybdenum Corporation of America: *Deco Trefoil*, v. 30, p. 9–16.
- Jones, A.P., and Wyllie, P.J., 1983, Low-temperature glass quenched from a synthetic, rare-earth carbonatite; implications for the origin of the Mountain Pass deposit, California: *Economic Geology*, v. 78, p. 1,721–1,723.
- Jones, G.M., and Menzie, W.D., 1986a, Grade and tonnage model of W veins, in Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 65–66.
- 1986b, Grade and tonnage model of Cu skarn deposits, in Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 86–89.
- Joralemon, Peter, 1951, The occurrence of gold at the Getchell mine: *Economic Geology*, v. 46, no. 3, p. 267–310.
- Kaiser, H.F., 1970, A second generation little jiffy: *Psychometrika*, v. 35, p. 401–415.
- Karish, C.R., Miller, E.L., and Sutter, J.F., 1987, Mesozoic tectonic and magmatic history of the central Mojave Desert, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: *Arizona Geological Society Digest*, v. 18, p. 15–32.
- Kjarsgaard, B.A., and Hamilton, D.L., 1989, The genesis of carbonatites by immiscibility, in Bell, K., ed., Carbonatites, genesis and evolution: London, Unwin Hyman, p. 388–404.
- Klován, J.E., 1968, Selection of target areas by factor analysis: Vancouver, B.C., Proceedings, Symposium on decision-making in exploration, January 26, 1968, 9 p.
- Knepper, D.H., Jr., and Simpson, S.L., 1992, Remote sensing, in U.S. Geological Survey and Servicio

- Geologico de Bolivia, Geology and mineral resources of the Altiplano and Cordillera Occidental, Bolivia: U.S. Geological Survey Bulletin 1975, p. 47–55.
- Knopf, Adolph, 1913, Ore deposits of the Helena mining region, Montana: U.S. Geological Survey Bulletin 527, 143 p.
- Kohler, S.L., 1984, Mineral land classification of the Lanfair Valley, Homer Mountain, and Davis Dam quadrangles, San Bernardino County, Calif.: California Division of Mines and Geology Open-File Report 84–30 SAC, 68 p.
- Korobeinikov, A.F., 1991, Gold conduct in the contact-metasomatic processes of intrusions, *in* Aksyuk, A.M., Collins, L.G., Dobrovolskaya, M., Lun-Chi, Hu, Lowell, G.R., van Marcke de Lummen, G., Shimazaki, H., Liren, Wu, Zariikov, V.A., and Augustithis, S.S., eds., *Skarns—their genesis and metallogeny*: Athens, Theophrastus Publications, S.A., p. 203–226.
- Kruesi, P.R., and Duker, George, 1965, Production of rare earth chloride from bastnaesite: *Journal of Metals*, v. 17, p. 847–849.
- Krumbein, W.C., and Graybill, F.A., 1965, *An introduction to statistical models in geology*: New York, McGraw-Hill, 475 p.
- Kuyper, B.A., Mach, L.E., Streiff, R.E., and Brown, W.A., 1991, Geology of the Cove gold-silver deposit: Society for Mining, Metallurgy, and Exploration, Inc., preprint no. 91–125, 20 p.
- Lange, P.C., 1988, Geology of the Telegraph Mine tectono-hydrothermal breccias, San Bernardino Co., Calif.: Fort Collins, Colo., Colorado State University, M.S. thesis, 190 p.
- Lanphere, M.A., 1964, Geochronologic studies in the eastern Mohave Desert, California: *Journal of Geology*, v. 72, p. 381–399.
- Le Bas, M.J., 1987, Nephelinites and carbonatites, *in* Fitton, J.G., and Upton, B.G.J., eds., *Alkaline igneous rocks*: Geological Society of London, Special Publication 30, p. 53–83.
- Le Bas, M.J., LeMaitre, R.W., Streckeisen, A., and Zanettin, B., 1986, A chemical classification of volcanic rocks based upon the total alkali-silica diagram: *Journal of Petrology*, v. 27, p. 745–750.
- Lechler, P.J., 1988, A new platinum-group-element discovery at Crescent Peak, Clark County, Nevada: Nevada Bureau of Mines and Geology Open-File Report 88–1, 5 p.
- Levinson, A.A., 1980, *Exploration Geochemistry*, 2d ed.: Wilmette, Ill., Applied Publishing, 924 p.
- Lichte, F.E., Golightly, D.W., and Lamothe, P.J., 1987, Inductively coupled plasma—atomic emission spectrometry, *in* Baedeker, P.A., ed., *Methods for geochemical analysis*: U.S. Geological Survey Bulletin 1770, p. B1–B10.
- Linder, Harold, 1988, Geology of the Castle Mountains gold deposit, *in* Weide, D.L., and Faber, M.L., eds., *This extended land: geological journeys in the southern Basin and Range*: Las Vegas, Nev., Geological Society of America, Field Trip Guidebook, Cordilleran Section Meeting, p. 78–80.
- 1989, Castle Mountains gold deposit, Hart Mining District: *California Geology*, v. 42, no. 6, p. 134–140.
- Lindquist, W.F., 1987, Discovery of the Mesquite gold deposit, Imperial County, California [abs.]: Abstracts American Institute of Mining Engineers, 116 Annual Meeting, p. 84.
- Lister, B., and Cogger, N., 1986, The preparation and evaluation of bastnäsite reference materials IGS 40 and 41: *Geostandards Newsletter*, v. 10, p. 33–59.
- Lucas, J.M., 1992, Gold: U. S. Bureau of Mines, Annual Report 1991, 43 p.
- Ludington, S.D., 1981, Granite molybdenite systems, *in* Erickson, R.L., ed., *Characteristics of mineral deposit occurrences*: U.S. Geological Survey Open-File Report 82–795, p. 43–46.
- Ludington, Steve, Cox, D.P., Singer, D.A., Sherlock, M.G., Berger, B.R., and Tingley, J.V., 1993, Spatial and temporal analysis of precious-metal deposits for a mineral-resource assessment of Nevada, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., *Mineral deposit modeling*: Geological Association of Canada Special Paper 40, p. 31–40.
- Manske, S.L., 1990, The relative timing and phase assemblages of vein controlled hypogene mineralization and alteration in the Mesquite deposit, Imperial County, California [abs.]: *Geological Society of America Abstracts with Programs*, v. 22, no. 3, p. 63.

- Manske, S.L., and Einaudi, M.T., 1989, Relations of structure and rock fabric to alteration and mineralization in the Big Chief pit, Mesquite gold deposits, Imperial County, California, and implications for ore genesis [abs.]: Geological Society of America Abstracts with Programs, v. 21, no. 6, p. A295.
- Manske, S.L., Matlack, W.F., Springett, M.W., Strakele, A.E., Jr., Watowich, S.N., Yeomans, B., and Yeomans, E., 1987, Geology of the Mesquite deposit, Imperial County, Calif.: Society of Mining Engineers, no. 87–107, 9 p.
- Mariano, A.N., 1989a, Nature of economic mineralization in carbonatites and related rocks, *in* Bell, K., ed., Carbonatites, genesis and evolution: London, Unwin Hyman, p. 149–176.
- 1989b, Economic geology of rare earth elements, *in* Lipin, B.R., and McKay, G.A., eds., Geochemistry and mineralogy of rare earth elements: Mineralogical Society of America, Reviews in Mineralogy, v. 21, p. 309–337.
- Mariano, John, Helferty, M.G., and Gage, T.B., 1986, Bouger and isostatic residual gravity maps of the Colorado River region, including the Kingman, Needles, Salton Sea, and El Centro quadrangles: U.S. Geological Survey Open-File Report 86–347, scales 1:750,000 and 1:250,000.
- Marzolf, J.E., 1983, Early Mesozoic eolian transition from cratonic margin to orogenic-volcanic arc, *in* Gurgel, K.D., ed., Geologic excursions in stratigraphy and tectonics: from southeastern Idaho to the southern Inyo Mountains, California, via Canyonlands and Arches National Parks, Utah, Guidebook, Part II: Utah Geological and Mineral Survey Special Studies 60, p. 39–46.
- 1988, Reconstruction of Late Triassic and Early and Middle Jurassic sedimentary basins: southwestern Colorado Plateau to the eastern Mojave Desert, *in* Weide, D.L., and Faber, M.L., eds., This extended land: geological journeys in the southern Basin and Range: Las Vegas, Nev., Geological Society of America, Field Trip Guidebook, Cordilleran Section Meeting, p. 177–200.
- 1991, Lower Jurassic unconformity (J–O) from the Colorado Plateau to the eastern Mojave Desert: evidence of a major tectonic event at the close of the Triassic: *Geology*, v. 19, no. 4, p. 320–323.
- McCull, J.R., and Palilla, F.C., 1981, Use of rare earths in television and cathode ray phosphors, *in* Gschneidner, K.A., ed., Industrial applications of the rare earth elements: Washington, D.C., American Chemical Society Symposium Series 164, p. 177–193.
- McCulloch, T.H., 1954, Problems of the metamorphic and igneous rocks of the Mojave desert, California, *in* Jahns, R.H., ed., Geology of Southern California: California Division of Mines Bulletin 170, chap. 7, p. 13–24.
- McCurry, M.O., 1982, The geology of a late Miocene silicic volcanic center in the Woods and Hackberry Mountains area of the eastern Mojave Desert, San Bernardino County, California, *in* Frost, E.G., ed., Mesozoic-Cenozoic tectonic evolution of the Colorado River region, California, Arizona, and Nevada: San Diego, Calif., Cordilleran Publications, p. 433–439.
- 1985, The petrology of the Woods Mountains volcanic center, San Bernardino County, California: Los Angeles, Calif., University of California, Ph.D. dissertation, 403 p.
- 1988, Geology and petrology of the Woods Mountains volcanic center, southeastern California: implications for the genesis of peralkaline rhyolite ash flow tuffs: *Journal of Geophysical Research*, v. 93, no. B12, p. 14,835–14,855.
- McCurry, M.O., and Hensel, G., 1988, Structural, petrological, and geophysical constraints on the Miocene—recent crustal evolution of the eastern Mojave Desert [abs.]: Geological Society of America Abstracts with Programs, v. 20, no. 3, p. 212.
- McGetchin, T.R., and Nikhanj, Y.S., 1973, Carbonatite-kimberlite relations in the Cane Valley diatreme, San Juan County, Utah: *Journal of Geophysical Research*, v. 78, p. 1854–1869.
- McKelvey, G.E., and Hammarstrom, G.M., 1991, A reconnaissance study of gold mineralization associated with garnet skarn at Nambija, Zamora, Province, Ecuador [abs.], *in* Good, E.E., Slack, J.F., and Kotra, R.K., eds., USGS Research on mineral resources—1991 Program and Abstracts: U.S. Geological Survey Circular 1062, p. 55.
- McKelvey, V.E., 1972, Mineral resource estimates and public policy: *American Scientist*, v. 60, p. 32–40.
- McKenzie, D., 1985, Some remarks on the movement of small melt fractions in the mantle: *Earth and Planetary*

- Science Letters, v. 95, no. 1–2, p. 53–72.
- McKenzie, D., and O’Nions, R.K., 1991, Partial melt distributions from inversion of rare earth element concentrations: *Journal of Petrology*, v. 32, p. 1,021–1,091.
- McKie, D., 1966, Fenitization, *in* Tuttle, O.F., and Gittins, J., eds., *Carbonatites*: Interscience, p. 262–294.
- Meinert, L.D., 1983, Variability of skarn deposits—guides to exploration, *in* Boardman, S.J., ed., *Revolution in the Earth Sciences*: Dubuque, Iowa, Kendall-Hunt Publishing Co., p. 301–316.
- 1988a, Gold in skarn deposits—a preliminary overview, *in* Zachrisson, E., ed., *Proceedings of the Symposium of the 7th Quadrennial International Association of the Geochemistry of Ore Deposits*: Stuttgart, E. Schweizerbart’sche, p. 363–374.
- 1988b, Gold and silver in skarn deposits, *in* Goode, A.D.T., Smyth, E.L., Birch, W.D., and Bosma, L.I., compilers, *Bicentennial Gold 88, Extended Abstracts, Poster Programme*, v. 2: Geological Society of Australia, p. 614–616.
- 1989, Gold skarn deposits—geology and exploration criteria, *in* Keays, Reid, Ramsay, Ross, and Groves, David, eds., *The geology of gold deposits: the perspective in 1988: Economic Geology Monograph*, 6 p.
- 1993, Igneous petrogenesis and skarn deposits, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., *Mineral deposit modeling: Geological Association of Canada Special Paper 40*, p. 569–583.
- Menges, C.M., and McFadden, L.D., 1981, Evidence for a latest Miocene to Pliocene transition from Basin-Range to post-tectonic landscape evolution in southeastern Arizona: *Arizona Geological Society Digest*, v. 13, p. 151–160.
- Menzie, W.D., and Singer, D.A., 1990, A course on mineral resource assessment: *Proceedings of International Symposium on Mineral Exploration: Tokyo, Japan, The Use of Artificial Intelligence*, 1990, p. 172–182.
- Menzies, M.A., 1987, Alkaline rocks and their inclusions: a window on the Earth’s interior, *in* Fitton, J.G., and Upton, B.G.J., eds., *Alkaline igneous rocks: Geological Society of London, Special Publication 30*, p. 15–27.
- Menzies, M.A., and Hawkesworth, C.J., eds., 1987, *Mantle metasomatism*: London, Academic Press, 472 p.
- Menzies, M.A., Rogers, N., Tindle, A., and Hawkesworth, C.J., 1987, Metasomatic and enrichment processes in lithospheric periodotites, an effect of asthenosphere-lithosphere interaction, *in* Menzies, M.A., and Hawkesworth, C.J., eds., *Mantle metasomatism*: London, Academic Press, p. 313–361.
- Miller, C.F., 1978, An early Mesozoic alkalic magmatic belt in western North America, *in* Howell, D.G., and McDougall, K.A., eds., *Mesozoic Paleogeography of the Western United States: Pacific Section, Society Economic Paleontologists and Mineralogists, Pacific Coast Paleogeography Symposium 2*, p. 163–187.
- Miller, C.F., and Barton, M.D., 1990, Phanerozoic plutonism in the Cordilleran interior, U.S.A. *in* Kay, S.M., and Rapela, C.W., eds., *Plutonism from Anarctica to Alaska: Geological Society of America Special Paper 241*, p. 213–231.
- Miller, D.M., Frisken, J.G., Jachens, R.C., and Gese, D.D., 1986, Mineral resources of the Castle Peaks Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1713–A, 17 p.
- Miller, D.M., Glick, L.L., Goldfarb, R., Simpson, R.W., Hoover, D.B., Detra, D.E., Dohrenwend, J.C., and Munts, S.T., 1985, Mineral resources and resource potential map of the South Providence Mountains Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Miscellaneous Field Studies Map MF–1780–A, scale 1:62,500.
- Miller, D.M., Howard, K.A., and John, B.E., 1982, Preliminary geology of the Bristol Lake region, Mojave Desert, California, *in* Cooper, J.D., compiler, *Geologic excursions in the California desert (Geological Society of America Cordilleran Section meeting guidebook)*: Shoshone, Calif., Death Valley Publishing Company, p. 91–100.
- Miller, D.M., Miller, R.J., Nielson, J.E., Wilshire, H.G., Howard, K.A., and Stone, Paul, compilers, 1991, Preliminary geologic map of the East Mojave National Scenic Area, California: U.S. Geological Survey Open-File Report 91–435, 8 p.
- Miller, D.M., and Wooden, J.L., 1988, An Early Proterozoic batholithic belt in the northern New York Mountains area, California and Nevada [abs.]: *Geological Society of America Abstracts with Programs*, v. 20, no. 3, p. 215–216.

- 1993, Geologic map of the New York Mountains area, California and Nevada: U.S. Geological Survey Open-File Report 93–198, 10 p., scale 1:50,000.
- 1994, Field guide to Proterozoic geology of the New York, Ivanpah, and Providence Mountains, California: U.S. Geological Survey Open-File Report 94–674, 40 p.
- Miller, F.K., and Morton, D.M., 1977, Comparison of granitic intrusions in the Pelona and Orocopia Schists, southern California: U.S. Geological Survey Journal of Research, v. 5, no. 5, p. 643–649.
- Miller, W.J., 1946, Crystalline rocks of southern California: Geological Society of America Bulletin, v. 57, no. 5, p. 457–542.
- Mitchell, R.H., 1973, Isotopic composition of lead in galena from the Mountain Pass carbonatite, California: Nature Physical Science, v. 241, p. 17–18.
- Mitchell, R.H., and Bergman, S.C., 1991, Petrology of lamproites: New York, Plenum, 447 p.
- Mitchell, R.H., and Krouse, H.R., 1971, Isotopic composition of sulphur in carbonatite at Mountain Pass, California: Nature Physical Science, v. 231, p. 182.
- 1975, Sulphur isotope geochemistry of carbonatites: *Geochemica et Cosmochimica Acta*, v. 39, p. 1,505–1,513.
- Mitchell, R.H., Platt, R.G., and Downey, M., 1987, Petrology of lamproites from Smoky Butte, Montana: Journal of Petrology, v. 28, p. 645–677.
- Mittlefehldt, D.W., and Miller, C.F., 1983, Geochemistry of the Sweetwater Wash pluton, California: implications for “anomalous” trace element behavior during differentiation of felsic magmas: *Geochemica et Cosmochimica Acta*, v. 47, p. 109–124.
- Möller, P., 1989, Rare earth mineral deposits and their industrial importance, *in* Möller, P., Cerny, P., and Saupé, F., eds., Lanthanides, tantalum, and niobium: Berlin, Springer-Verlag, p. 171–188.
- Morris, H.T., 1990, Gold in the Tintic Mining District, Utah, *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., Gold-bearing polymetallic veins and replacement deposits—Part II: U.S. Geological Survey Bulletin 1857–F, p. F1–F11.
- Morton, P.K., 1977, Geology and mineral resources of Imperial County, Calif.: California Division of Mines and Geology County Report 7, 104 p.
- Mosier, D.L., Sato, Takeo, Page, N.J., Singer, D.A., and Berger, B.R., 1986, Descriptive model of Creede epithermal veins, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 145.
- Motooka, J.M., 1988, An exploration geochemical technique for the determination of preconcentrated organometallic halides by ICP–AES: *Applied Spectroscopy*, v. 42, no. 7, p. 1,293–1,296.
- Motooka, J.M., and Grimes, D.J., 1976, Analytical precision of one-sixth order semiquantitative spectrographic analysis: U.S. Geological Survey Circular 738, 25 p.
- Moyle, P.R., Olson, J.E., and Gaps, R.S., 1986, Mineral resources of the Providence Mountains study area, San Bernardino County, Calif.: U.S. Bureau of Mines Open-File Report MLA 47–86, 306 p.
- Muecke, G.K., and Möller, P., 1988, The not-so-rare earths: *Scientific American*, v. 258, p. 72–77.
- Mueller, P.A., Ragland, P.C., Ranson, W.A., and Burchfiel, B.C., 1979, High–K calc-alkaline plutonic rocks from southeastern California: *The Mountain Geologist*, v. 16, p. 105–115.
- Mutschler, F.E., Wright, E.G., Ludington, Steve, and Abbott, J.T., 1981, Granite molybdenite systems: *Economic Geology*, v. 76, no. 4, p. 874–897.
- Myers, A.T., Havens, R.G., and Dunton, P.J., 1961, A spectrochemical method for the semiquantitative analysis of rocks, minerals and ores: U.S. Geological Survey Bulletin 1084, p. 207–229.
- Nakamura, N., 1974, Determination of REE, Ba, Mg, Na, and K in carbonaceous and ordinary chondrites: *Geochemica et Cosmochimica Acta*, v. 38, p. 757–775.
- Neary, C.R., and Highley, D.E., 1984, The economic importance of the rare earth elements, *in* Henderson, P., ed., Rare earth element geochemistry: Amsterdam, Elsevier, p. 423–466.
- Nielson, J.E., Frisken, J.G., Jachens, R.C., and McDonnell, J.R., Jr., 1987, Mineral resources of the Fort Piute Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1713–C, 12 p.
- Nielson, J.E., Lux, D.R., Dalrymple, G.B., and Glazner, A.F., 1990, Age of the Peach Springs Tuff, southeastern

- California and western Arizona: *Journal of Geophysical Research*, v. 95, no. B1, p. 571–581.
- Nielson, J.E., and Nakata, J.K., 1993, Tertiary stratigraphy and structure of the Piute Range, Calif. and Nev., *in* Sherrod, D.R., and Nielson, J.E., eds., Tertiary stratigraphy of highly extended terranes, California, Nevada, and Arizona: U.S. Geological Survey Bulletin 2053, p. 51–53.
- Nielson, J.E., Turner, R.D., and Glazner, A.F., 1993, Tertiary stratigraphy and structure of the Castle Mountains and Castle Peaks, Calif. and Nev., *in* Sherrod, D.R., and Nielson, J.E., eds., Tertiary stratigraphy of highly extended terranes, California, Nevada, and Arizona: U.S. Geological Survey Bulletin 2053, p. 45–49.
- Nokleberg, W.J., Bundtzen, T.K., Berg, H.C., Brew, D.A., Grybeck, Donald, Robinson, M.S., Smith, T.E., and Yeend, Warren, 1987, Significant metalliferous lode deposits and placer districts of Alaska: U.S. Geological Survey Bulletin 1786, 104 p.
- Ntiamoah-Agyakwa, Yaw, 1987, Geology, hydrothermal mineralization, and geochemical exploration: New York Mountains and northern Mid Hills, San Bernardino County, California: Los Angeles, Calif., University of California, Ph.D. dissertation, 262 p.
- Oberlander, T.M., 1974, Landscape inheritance and the pediment problem in the Mojave Desert of southern California: *American Journal of Science*, v. 274, no. 8, p. 849–875.
- O’Driscoll, M., 1988, Rare earths: enter the dragon: *Industrial Minerals*, no. 254, p. 21–55.
- 1990, Minerals in the US south-west; breaking rocks in the hot sun: *Industrial Minerals*, no. 272, p. 52–87.
- Oliver, H.W., Churchel, B.A., and Saltus, R.W., 1986, Aeromagnetic map of Nevada, Kingman sheet: Nevada Bureau of Mines and Geology, scale 1:250,000.
- Olson, J.E., and Pray, L.C., 1954, The Mountain Pass rare-earth deposits, *in* Mineral deposits and mineral industry, chap. 8 of Jahns, R.H., ed., *Geology of southern California*: California Division of Mines Bulletin 170, p. 23–39.
- Olson, J.E., Shawe, D.R., Pray, L.C., and Sharp, W.N., 1954, Rare-earth mineral deposits of the Mountain Pass district, San Bernardino County, California: U.S. Geological Survey Professional Paper 261, 75 p.
- Orris, G.J., and Bliss, J.D., eds., 1991, Industrial mineral deposit models: descriptive deposit models: U.S. Geological Survey Open-File Report 91–11A, 73 p.
- 1992, Industrial mineral deposit models: grade and tonnage models: U.S. Geological Survey Open-File Report 92–437, 84 p.
- Otton, J.K., Glanzman, R.K., and Brenner, E., 1980, Uranium, rare-earth, and thorium mineralization at the Hope mine, eastern Bristol Mountains, San Bernardino County, California: U.S. Geological Survey Open-File Report 80–821, 18 p.
- Page, N.J., and Gray, Floyd, 1986, Descriptive model of Alaskan PGE, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models*: U.S. Geological Survey Bulletin 1693, p. 49.
- Page, N.J., Theodore, T.G., and Bradley, L.A., 1986, Discussion of ultramafic and mafic rocks and platinum-group element analyses from the Lost Basin mining district, northwestern Arizona: U.S. Geological Survey Open-File Report 86–33, 13 p.
- Pardee, J.T., and Schrader, F.C., 1933, Metalliferous deposits of the greater Helena mining region, Montana: U.S. Geological Survey Bulletin 842, 318 p.
- Peccerillo, A., 1992, Potassic and ultrapotassic rocks: compositional characteristics, petrogenesis, and geologic significance: *Episodes*, v. 15, p. 243–251.
- Peters, W.C., 1978, *Exploration and mining geology*: New York, John Wiley and Sons, 696 p.
- Peterson, F., and Pippingos, G.N., 1979, Stratigraphic relations of the Navajo Sandstone to Middle Jurassic Formations, southern Utah and northern Arizona: U.S. Geological Survey Professional Paper 1035–B, 43 p.
- Peterson, J.A., Cox, D.P., and Gray, Floyd, 1983, Mineral resource assessment of the Ajo and Lukeville 1° × 2° quadrangles, Ariz.: U.S. Geological Survey Miscellaneous Field Studies Map MF–1834–B, scale 1:250,000.
- Pollard, P.J., 1989a, Geologic characteristics and genetic problems associated with the development of granite-hosted deposits of tantalum and niobium, *in* Möller, P., Cerny, P., and Saupé, F., eds., *Lanthanides, tantalum, and niobium*: Berlin, Springer-Verlag, p. 240–256.

- 1989b, Geochemistry of granites associated with tantalum and niobium mineralization, *in* Möller, P., Cerny, P., and Saupé, F., eds., *Lanthanides, tantalum, and niobium*: Berlin, Springer-Verlag, p. 143–168.
- Powell, J.L., Hurley, P.M., and Fairbain, H.W., 1966, The strontium isotopic composition and origin of carbonatites, *in* Tuttle, O.F., and Gittins, J., eds., *Carbonatites*: Interscience, p. 365–378.
- Powell, R.E., 1981, *Geology of the crystalline basement complex, eastern Transverse Ranges, southern California: constraints on regional tectonic interpretations*: Pasadena, California Institute of Technology, Ph.D. dissertation, 441 p.
- Preinfalk, C., and Morteani, G., 1989, Industrial applications of the rare earth elements, *in* Möller, P., Cerny, P., and Saupé, F., eds., *Lanthanides, tantalum, and niobium*: Berlin, Springer-Verlag, p. 359–370.
- Ramsay, J.G., and Huber, M.I., 1987, *The techniques of modern structural geology; volume 2, folds and fractures*: London, Academic Press Inc., Ltd., p. 309–700.
- Ray, G.E., 1990, Precious metal enriched skarns of British Columbia: *The Gange*, no. 30, January 1990, p. 2–4.
- Ray, G.E., Ettliger, A.D., and Meinert, L.D., 1990, Gold skarns: their distribution, characteristics and problems in classification: British Columbia Ministry of Energy, Mines, and Petroleum Resources, *Geological Fieldwork 1989, Paper 1990–1*, p. 237–246.
- Ray, G.E., McClintock, J., and Roberts, W., 1986, A comparison between the geochemistry of the gold-rich and silver-rich skarns in the Tillicum Mountain area, *in* *Geological fieldwork, 1985*: British Columbia Ministry of Energy, Mines and Petroleum Resources Paper 1986–1, p. 37–44.
- Ray, G.E., and Webster, I.C.L., 1990, An overview of skarn deposits: Vancouver, B.C., Geological Association of Canada, *Short Course Notes, 1990*, p. 7–1 to 7–55.
- Reynolds, R.E., 1983, Jurassic trackways in the Mescal Range, San Bernardino County, California, *in* Gurgel, K.D., ed., *Geologic excursions in stratigraphy and tectonics: from southeastern Idaho to the southern Inyo Mountains, California, via Canyonlands and Arches National Parks, Utah*, *Guidebook—Part II: Utah Geological and Mineral Survey Special Studies 60*, p. 46–48.
- 1993, Erosion, deposition, and detachment: the Halloran Hills area, Calif., *in* Sherrod, D.R., and Nielson, J.E., eds., *Tertiary stratigraphy of highly extended terranes, California, Nevada, and Arizona*: U.S. Geological Survey Bulletin 2053, p. 21–24.
- Reynolds, R.E., and Nance, M.A., 1988, Shadow Valley Basin: late Tertiary deposition and gravity slides from the Mescal Range, *in* Weide, D.L., and Faber, M.L., eds., *This extended land: geological Journeys in the southern Basin and Range*: Las Vegas, Nev., Geological Society of America, *Field Trip Guidebook, Cordilleran Section Meeting*, p. 207–209.
- Richter, D.H., Singer, D.A., and Cox, D.P., 1975, Mineral resources map of the Nabesna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-655-K, scale 1:250,000.
- Riedel, W., 1929, Zur Mechanik geologischer Brucherscheinungen: *Neues Jahrbuch für Mineralogie, Geologie und Palaontologie, Monatshefte*, v. 1929 B, p. 354–368.
- Roberts, R.J., 1960, Alinements of mining districts in north-central, Nevada: U.S. Geological Survey Professional Paper 400-B, p. B17–B19.
- 1986, The Carlin story, *in* Tingley, J.V., and Bonham, H.F., Jr., eds., *Sediment-hosted precious-metal deposits of northern Nevada*: Nevada Bureau of Mines and Geology Report 40, p. 71–80.
- Roberts, R.J., and Arnold, D.C., 1965, Ore deposits of the Antler Peak quadrangle, Humboldt and Lander Counties, Nev.: U.S. Geological Survey Professional Paper 459-B, 94 p.
- Rock, N.M.S., 1987, The nature and origin of lamprophyres: an overview, *in* Fitton, J.G., and Upton, B.G.J., eds., *Alkaline igneous rocks*: Geological Society of London, Special Publication 30, p. 191–226.
- 1991, *Lamprophyres*: Glasgow, Blackie: New York, Van Nostrand Reinhold, 285 p.
- Rock, N.M.S., Gaskarth, J.W., and Rundle, C.C., 1986, Late Caledonian dyke-swarms in southern Scotland: a regional zone of primitive K-rich lamprophyres and associated vents: *Journal of Geology*, v. 94, p. 505–522.
- Rock, N.M.S., Griffin, B.J., Edgar, A.D., Paul, D.K., and Hergt, J.M., 1992, A spectrum of potentially diamondiferous lamproites and minettes from the Jharia coalfield, eastern India: *Journal of Volcanology and Geothermal Research*, v. 50, p. 55–83.

- Root, D.H., Menzie, W.D., and Scott, W.A., 1992, Computer Monte Carlo simulation in quantitative resource estimation: Oxford University Press, *Nonrenewable Natural Resources*, Spring 1992, p.125–138.
- Rose, A.W., Hawkes, H.E., and Webb, J.S., 1979, *Geochemistry in mineral exploration*, 2d ed.: New York, Academic Press, 657 p.
- Rytuba, J.J., and Cox, D.P., 1991, Porphyry gold: a supplement to U.S. Geological Survey Bulletin 1693: U.S. Geological Survey Open-File Report 91–116, 7 p.
- Sangster, D.F., 1980, Distribution and origin of Precambrian massive sulphide deposits of North America, *in* Strangway, D.W., ed., *The continental crust and its mineral deposits: Geological Association of Canada Special Paper 20*, p. 723–739.
- Saunders, I., and Young, A., 1983, Rates of surface processes on slopes, slope retreat, and denudation: *Earth Surface Processes and Landforms*, v. 8, p. 473–501.
- Schantz, Radford, Wetzel, Nicholas, Adams, Robert, and Raney, R.G., 1990, Minerals in the East Mojave National Scenic Area, Calif.: an economic analysis, volume II: U.S. Bureau of Mines Open-File Report MLA 6–90, 52 p.
- Schmidt, K.W., Wotruba, P.R., and Johnson, S.D., 1988, Gold-copper skarn and related mineralization at Copper Basin, Nev.: Geological Society of Nevada Fieldtrip Guidebook, 1988, 6 p.
- Schmidt, R.G., 1978, The potential for porphyry copper-molybdenum deposits in the Eastern United States: U.S. Geological Survey Professional Paper 907–E, p. E1–E31.
- Shafiqullah, Muhammad, Frost, E.G., Frost, D.L., and Damon, P.E., 1990, Regional extension and gold mineralization in the southern Chocolate Mountains, southeastern California— K–Ar constraints from fault rocks [abs.]: *Geological Society of America Abstracts with Programs*, v. 22, no. 3, p. 82.
- Shapiro, Leonard, 1975, *Rapid analysis of silicate, carbonate, and phosphate rocks* (revised edition): U.S. Geological Survey Bulletin 1401, 76 p.
- Sharp, J.E., 1984, A gold mineralized breccia pipe complex in the Clark Mountains, San Bernardino County, Calif., *in* Wilkins, Joe, Jr., ed., *Gold and silver deposits of the Basin and Range province, western U.S.A.:* Arizona Geological Society Digest, v. 15, p. 119–139.
- Sharp, R.E., 1957, Geomorphology of Cima Dome, Mojave Desert, California: *Geological Society of America Bulletin*, v. 68, p. 273–290.
- Shastri, L.L., Chamberlain, K.R., and Bowering, S.A., 1991, Inherited zircon from ca. 1.1 Ga mafic dikes, NW Arizona [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 4, p. 93.
- Shaw, V.E., 1959, Extraction of rare-earth elements from bastnaesite concentrate: U.S. Bureau of Mines Report of Investigations 5474, 12 p.
- Shawe, D.R., 1988, The case for gold—an introduction to geology and resources of gold in the United States, *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., *Introduction to geology and resources of gold, and geochemistry of gold: U.S. Geological Survey Bulletin 1857–A*, p. A1–A8.
- 1990, Gold in the Alma Mining District, Colo., *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., *Gold-bearing polymetallic veins and replacement deposits—part II: U.S. Geological Survey Bulletin 1857–F*, p. F19–F31.
- Sheets, R.W., Ausburn, Kent, Bodnar, R.J., and Craig, J.R., 1990, Fault-related gold mineralization: ore petrology and geochemistry of the Morning Star Deposit, Calif. [abs.], *in* *Geology and ore deposits of the Great Basin, Great Basin Symposium, Program with Abstracts: Reno, Nev., Geological Society of Nevada and U.S. Geological Survey, April, 1990*, p. 109–110.
- Sheets, R.W., Ausburn, Kent, Bodnar, R.J., Craig, J.R., and Law, R.D., 1989, Geology and precious metal mineralization at the Morning Star deposit, San Bernardino Co., Calif.: U.S. Bureau of Land Management Compendium, *The California Desert Mineral Symposium, March, 1989*, p. 219–231.
- Sheets, R.W., Bodnar, R.J., Craig, J.R., and Ausburn, K.E., 1988, Precious-metal mineralization at the Morning Star deposit, San Bernardino Co., Calif. [abs.]: *Geological Society of America Abstracts with Programs*, v. 20, no. 7, p. A142.
- Sheets, R.W., Craig, J.R., and Bodnar, R.J., 1995, Composition and occurrence of electrum at the Morning Star deposit, San Bernardino County, California: evidence for remobilization of gold and silver: *The Canadian*

- Mineralogist, v. 33, pt. 1, p. 137–151.
- Shimazaki, Hideiko, 1981, Skarn deposits and related acid igneous activities: State of Sonora [Mexico] Special Publication, Director of Minerals, Geology, and Energy, Hermosillo, 50 p.
- Sibson, R.H., 1987, Earthquake rupturing as a mineralizing agent in hydrothermal systems: *Geology*, v. 15, no. 8, p. 701–704.
- 1990, Faulting and fluid flow, *in* Nesbitt, B.E., ed., *Fluids in tectonically active regimes of the continental crust: Mineralogical Association of Canada Short Course*, v. 18, p. 93–132.
- Silberman, M.L., and Wenrich, K.J., 1993, Mineralized quartz veins along the Grand Wash Cliffs in the Music Mountains, northwestern Arizona [abs.]: *Geological Society of America Abstracts with Programs*, v. 25, no. 5, p. 147.
- Sillitoe, R.H., 1979, Some thoughts on gold-rich porphyry copper deposits: *Mineralium Deposita*, v. 14, p. 161–174.
- 1980, Types of porphyry molybdenum deposits: *Mining Magazine*, v. 142, p. 550–551, 553.
- 1991, Intrusion-related gold deposits, *in* Foster, R.P., ed., *Gold metallogeny and exploration: Glasgow and London*, Blackie and Son Ltd., p. 165–209.
- Sillitoe, R.H., and Bonham, H.F., Jr., 1990, Sediment-hosted gold deposits: distal products of magmatic-hydrothermal systems: *Geology*, v. 18, no. 2, p. 157–161.
- Silver, L.T., McKinney, C.R., and Wright, L.A., 1961, Some Precambrian ages in the Panamint Range, Death Valley, California [abs.]: *Geological Society of America Special Paper* 68, p. 55.
- Singer, D.A., 1975, Mineral resource models and the Alaskan mineral resource assessment program, *in* Vogley, W.A., ed., *Mineral materials modeling: a state-of-the-art review: Baltimore, Md., The Johns Hopkins University Press*, p. 370–382.
- 1990, Development of grade and tonnage models for different deposit types [abs.]: Toronto, 8th International Association on the Genesis of Ore Deposits (IAGOD) Symposium, Program with Abstracts, p. A99–A100.
- 1992, Some basic concepts used in three-part quantitative assessments of undiscovered mineral resources [abs.]: Tokyo, Japan, International Symposium on Mineral Exploration, September, 1992, p. 4–5.
- 1993, Development of grade and tonnage models for different deposit types, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., *Mineral deposit modeling: Geological Association of Canada Special Paper* 40, p. 21–30.
- Singer, D.A., and Cox, D.P., 1988, Applications of mineral deposit models to resource assessment: U.S. Geological Survey Yearbook 1987, p. 55–57.
- Singer, D.A., and Mosier, D.L., 1986, Grade and tonnage model of Cyprus massive sulfide, *in* Cox, D.P., and Singer, D.A., eds., *Mineral deposit models: U.S. Geological Survey Bulletin* 1693, p. 131–135.
- Singer, D.A., Page, N.J., Smith, J.G., Blakely, R.J., and Johnson, M.G., 1983, Mineral resource assessment maps of the Medford 1° by 2° quadrangle, Oregon-California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1383-C, scale 1:250,000.
- Smirnov, V.I., 1976, *Geology of mineral deposits: Moscow*, Mir Publishers, 520 p.
- Snoke, A.W., and Miller, D.M., 1988, Metamorphic and tectonic history of the northeastern Great Basin, *in* Ernst, W.G., ed., *Metamorphism and crustal evolution of the western United States (Rubey vol. 7): Englewood Cliffs, N.J., Prentice-Hall*, p. 606–648.
- Snyder, D.G., Roberts, C.W., Saltus, R.W., and Sikora, R.F., 1982, A magnetic tape containing the principal facts of 64,026 gravity stations in the state of California: U.S. Geological Survey NTIS PB-82-168287 (available from U.S. Department of Commerce, National Technical Information Service, Springfield, Va., 22152).
- Spencer, J.E., 1985, Miocene low-angle normal faulting and dike emplacement, Homer Mountain and surrounding areas, southeastern California and southernmost Nevada: *Geological Society of America Bulletin*, v. 96, p. 1,140–1,155.
- Spencer, J.E., and Turner, R.D., 1985, Geologic map of Homer Mountain and the southern Piute Range, southeastern California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1709, scale 1:

24,000.

- Stensrud, H.L., and More, S., 1980, Precambrian geology and massive sulfide environments of the west-central Hualapai Mountains, Mohave County, Ariz.; a preliminary report, *in* Jenney, J.P., ed., *Studies in western Arizona: Arizona Geological Digest*, v. 12, p. 155–164.
- Stewart, J.H., 1970, Upper Precambrian and Lower Cambrian strata in the southern Great Basin, California and Nevada: U.S. Geological Survey Professional Paper 620, 206 p.
- Stewart, J.H., and Poole, F.G., 1975, Extension of the Cordilleran miogeosynclinal belt to the San Andreas fault, southern California: *Geological Society of America Bulletin*, v. 86, p. 205–212.
- Stoddard, E.F., and Miller, C.F., 1990, Chemistry and phase petrology of amphiboles and orthoamphibolite-cordierite rocks, Old Woman Mountains, southeastern California, U.S.A.: *Mineralogical Magazine*, v. 54, p. 393–406.
- Stone, Paul, Howard, K.A., and Hamilton, W., 1983, Correlation of metamorphosed Paleozoic strata of the southeastern Mojave Desert region, California and Arizona: *Geological Society of America Bulletin*, v. 94, no. 10, p. 1,135–1,147.
- Streckeisen, A., 1976, To each plutonic rock its proper name: *Earth-Science Reviews*, v. 12, p. 1–33.
- Sun, S.-S., 1980, Lead isotopic study of young volcanic rocks from mid-ocean ridges, ocean islands, and island arcs: *Philosophical Transaction of the Royal Society of London*, v. A297, p. 409–445.
- Sun, S.-S., and McDonough, W.F., 1989, Chemical and isotopic systematics of oceanic basalts: implications for mantle compositions and processes, *in* Saunders, A.D., and Norry, M.J., eds., *Magmatism in the ocean basins: Geological Society [London] Special Publication 42*, p. 313–345.
- Tainton, K.M., and McKenzie, D., 1994, The generation of kimberlites, lamproites, and their source rocks: *Journal of Petrology*, v. 35, p. 787–817.
- Taylor, S.R., and McLennan, S.M., 1985, *The continental crust: its composition and evolution. An examination of the geochemical record preserved in sedimentary rocks: Oxford, Blackwell*, 312 p.
- Tchalenko, J.S., 1970, Similarities between shear zones of different magnitudes: *Geological Society of America Bulletin*, v. 81, no. 6, p. 1,625–1,640.
- Theodore, T.G., Blair, W.N., and Nash, J.T., 1987a, Geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona: U.S. Geological Survey Professional Paper 1361, 167 p.
- Theodore, T.G., Blake, D.W., Loucks, T.A., and Johnson, C.A., 1992, Geology of the Buckingham stockwork molybdenum deposit and surrounding area, Lander County, Nevada, *with a section on Potassium-argon and <sup>40</sup>Ar/<sup>39</sup>Ar geochronology of selected plutons in the Buckingham area*, by E.H. McKee, *and a section on Economic geology*, by T.A. Loucks and C.A. Johnson, *and a section on Supergene copper deposits at Copper Basin*, by D.W. Blake, *and a section on Mineral chemistry of Late Cretaceous and Tertiary skarns*, by J.M. Hammarstrom: U.S. Geological Survey Professional Paper 798-D, 307 p.
- Theodore, T.G., Czamanske, G.K., and Keith, T.E.C., 1987b, Sillenite and other bismuth minerals associated with placer gold, Battle Mountain mining district, Nevada [abs.]: *Geological Society of America Abstracts with Programs*, v. 20, no. 3, p. 237.
- Theodore, T.G., Czamanske, G.K., Keith, T.E.C., and Oscarson, R.L., 1989, Bismuth minerals associated with placer gold, Battle Mountain Mining District, Nevada [abs.], *in* Shindler, K.S., ed., *USGS Research on Mineral Resources—1989 Program and Abstracts: U.S. Geological Survey Circular 1035*, p. 72–74.
- Theodore, T.G., and Menzie, W.D., 1984, Fluorine-deficient porphyry molybdenum deposits in the cordillera of western North America, *in* Janelidze, T.V., and Tvalchrelidze, A.G., eds., *Proceedings of the Sixth Quadrennial International Association on the Genesis of Ore Deposits (IAGOD) Symposium, Tbilisi, U.S.S.R., September 6–12, 1982*, v. 1: Stuttgart, E. Schweizerbart'sche Verlagsbuchhandlung, p. 463–470.
- Theodore, T.G., Orris, G.M., Hammarstrom, J.M., and Bliss, J.D., 1991, Gold-bearing skarns: *U.S. Geological Survey Bulletin* 1930, 61 p.
- Thomas, W.M., Clarke, H.S., Young, E.D., Orrell, S.E., and Anderson, J.L., 1988, Proterozoic high-grade metamorphism in the Colorado River region, Nevada, Arizona, and California, *in* Ernst, W.G., ed., *Metamorphism and crustal evolution of the western United States (Rubey Vol. VII): Englewood Cliffs, N.J., Prentice-Hall*, p. 526–537.

- Thompson, R.N., 1982a, Magmatism of the British Tertiary volcanic province: *Scottish Journal of Geology*, v. 18, p. 49–107.
- Thompson, T.B., 1982b, Classification and genesis of stockwork molybdenum deposits: discussion: *Economic Geology*, v. 77, no. 3, p. 709–710.
- 1990, Precious metals in the Leadville Mining District, Colo., *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., *Gold-bearing polymetallic veins and replacement deposits—Part II: U.S. Geological Survey Bulletin 1857–F*, p. F32–F49.
- Tingley, J.V., and Bonham, H.F., Jr., eds., 1986, Sediment-hosted precious-metal deposits of northern Nevada: Nevada Bureau of Mines and Geology Report 40, 103 p.
- Tooker, E.W., 1990, Gold in the Bingham District, Utah, *in* Shawe, D.R., Ashley, R.P., and Carter, L.M.H., eds., *Geology and resources of gold in the United States: U.S. Geological Survey Bulletin 1857–E*, p. E1–E16.
- Tosdal, R.M., Haxel, G.B., and Wright, J.E., 1989, Jurassic geology of the Sonoran Desert region, southern Arizona, southeastern California, and northernmost Sonora: construction of a continental-margin magmatic arc, *in* Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest 17*, p. 397–434.
- Tosdal, R.M., and Smith, D.B., 1987, Some characteristics of gneiss-hosted gold deposits of southeastern Calif. [abs.]: *U.S. Geological Survey Circular 995*, p. 71.
- Turner, R.D., 1985, Magma mixing and fractional crystallization of Miocene volcanic rocks in the Castle Mountains, northeastern Mojave desert [abs.]: *Geological Society of America Abstracts with Programs*, v. 17, no. 6, p. 414.
- Turner, R.D., Huntoon, J.E., and Spencer, J.E., 1983, Miocene volcanism, sedimentation and folding in the northeastern Castle Mountains, California and Nevada [abs]: *Geological Society of America Abstracts with Programs*, v. 15, no. 5, p. 433.
- Turrin, B.D., Dohrenwend, J.C., Drake, R.E., and Curtis, G.H., 1985, K–Ar ages from the Cima volcanic field, eastern Mojave Desert, California: *Isochron/West*, no. 44, p. 9–16.
- Turrin, B.D., Dohrenwend, J.C., Wells, S.G., and McFadden, L.D., 1984, Geochronology and eruptive history of the Cima volcanic field, eastern Mojave desert, California, *in* Dohrenwend, J.C., ed., *Surficial geology of the eastern Mojave Desert, California: Reno, Nev., Geological Society of America 1984 Annual Meeting Guidebook*, p. 88–100.
- Twyman, J.D., and Gittins, J., 1987, Alkalic carbonatite magmas: parental or derivative, *in* Fitton, J.G., and Upton, B.G.J., eds., *Alkaline igneous rocks: Geological Society of London, Special Publication 30*, p. 85–94.
- U.S. Bureau of Land Management, 1980, *The California desert conservation area plan: U.S. Bureau of Land Management*, 173 p.
- 1982, *Final environmental impact statement and proposed plan California Desert Conservation Area, Appendix 14, volume G (revised), Geology-Energy-Minerals: U.S. Bureau of Land Management*, p. 1–202.
- U.S. Bureau of Mines, 1990a, *Minerals in the East Mojave National Scenic Area, Calif.: a minerals investigation, v. 1: U.S. Bureau of Mines Open-File Report MLA 6–90*, 356 p.
- 1990b, *Copper, gold: U.S. Bureau of Mines Mineral Commodity Summaries, 1990*, p. 52–53, 70–71.
- U.S. Bureau of Mines and U.S. Geological Survey, 1980, *Principles of a resource/reserve classification for minerals: U.S. Geological Survey Circular 831*, 5 p.
- U.S. Department of Energy, 1979a, *Aerial radiometric and magnetic survey, Trona National Topographic Map, California: U.S. Department of Energy Open-File Report GJBX–64 (79)*, 204 p.
- 1979b, *Airborne gamma-ray spectrometer and magnetometer survey, Las Vegas quadrangle (Arizona, California, Nevada), William quadrangle (Arizona), Prescott quadrangle (Arizona), and Kingman quadrangle (Arizona, California, Nevada): U.S. Department of Energy Open-File Report GJBX–59(79)*, 993 p.
- 1979c, *Aerial radiometric and magnetic survey, Needles National Topographic Map, California and Nevada: U.S. Department of Energy Open-File Report GJBX–114(79), v. I, 189 p.; v. II, 88 p.*
- 1980, *Airborne gamma-ray spectrometer and magnetic survey, Los Angeles quadrangle, San Bernardino*

- quadrangle, Santa Ana quadrangle, Calif.: U.S. Department of Energy Open-File Report GJBX-214(80), 5 v., 640 p.
- U.S. Geological Survey, 1981, Aeromagnetic map of the Needles  $1^{\circ} \times 2^{\circ}$  quadrangle, California and Arizona: U.S. Geological Survey Open-File Report 81-85, scale 1:250,000.
- 1983, Aeromagnetic map of the Kingman-Trona area, California: U.S. Geological Survey Open-File Report 83-663, scale 1:250,000.
- 1991, Evaluation of metallic mineral resources and their geologic controls in the East Mojave National Scenic Area, San Bernardino County, California: U.S. Geological Survey Open-File Report 91-427, 278 p.
- 1992, Evaluation of selected metallic and nonmetallic mineral resources, West Mojave Management Area, southern California: U.S. Geological Survey Open-File Report 92-595, 89 p.
- VanTrump, George, Jr., and Miesch, A.T., 1977, The U.S. Geological Survey RASS-STATPAC system for management and statistical reduction of geochemical data: *Computers and Geosciences*, v. 3, p. 475-488.
- Vijayan, S., Melnyk, A.J., Singh, R.D., and Nuttall, K., 1989, Rare earths: their mining, processing, and growing industrial usage: *Mining Engineering*, v. 41, p. 13-18.
- Villemant, B., Jaffrezic, H., Joron, J.-L., and Treuil, M., 1981, Distribution coefficients of major and trace elements; fractional crystallization in the alkali basalt series of Chaîne de Puys (Massif Central, France): *Geochimica et Cosmochimica Acta*, v. 45, p. 1,997-2,016.
- Volborth, A., 1962, Allanite pegmatites, Red Rock, Nevada, compared with allanite pegmatites in southern Nevada and California: *Economic Geology*, v. 57, p. 209-216.
- Walker, J.D., 1987, Permian to Middle Triassic rocks of the Mojave Desert, *in* Dickinson, W.R., and Klute, M.A., eds., *Mesozoic rocks of southern Arizona and adjacent areas*: Arizona Geological Society Digest, v. 18, p. 1-14.
- Wallace, R.E., 1978, Geometry and rates of change of fault-generated range fronts, north-central Nevada: U.S. Geological Survey *Journal of Research*, v. 6, p. 637-650.
- Wallace, R.E., and Morris, H.T., 1986, Characteristics of faults and shear zones in deep mines: *Pure and Applied Geophysics*, v. 124, no. 1-2, p. 107-125.
- Ward, D.L., 1978, Construction of calibration pads facility, Walker Field, Grand Junction, Colorado: U.S. Department of Energy Open-File Report GJBX-37(78), 57 p.
- Warhol, W.N., 1980, Molycorp's Mountain Pass operations, *in* Fife, D.L., and Brown, A.R., eds., *Geology and mineral wealth of the California desert*: Santa Ana, Calif., South Coast Geological Society, p. 359-366.
- Warnke, D.A., 1969, Pediment evolution in the Halloran Hills, central Mojave Desert, California: *Zeitschrift für Geomorphologie*, v. 13, p. 357-389.
- Wasserburg, G.J., Wetherill, G.W., and Wright, L.A., 1959, Ages in the Precambrian terrane of Death Valley, California: *Journal of Geology*, v. 67, p. 702-708.
- Watson, K.D., Morton, D.M., and Baird, A.K., 1974, Shonkinite-syenite plutons, Mountain Pass, San Bernardino County, California [abs.]: *Geological Society of America Abstracts with Programs*, v. 6, no. 3, p. 273.
- Weldin, R.D., 1991, The California Desert—protect it or develop it?: U.S. Bureau of Mines, *Minerals Today*, January, 1991, p. 12-17.
- Wenrich, K.J., and Silberman, M.L., 1993, Au-Ag polymetallic mineralization within tectonically weak zones along the southwestern edge of the Colorado Plateau [abs.]: *Geological Society of America Abstracts with Programs*, v. 25, no. 5, p. 162.
- Westra, Gerhard, and Keith, S.B., 1981, Classification and genesis of stockwork molybdenum deposits: *Economic Geology*, v. 76, no. 4, p. 844-873.
- Wetzel, Nicholas, Benjamin, David, Blackman, Leonard, and Schantz, Radford, 1992, Economic analysis of the minerals potential of the East Mojave National Scenic Area, California: U.S. Bureau of Mines Open-File Report 56-92, 43 p. [attachments, 44 p.].
- White, W.H., Bookstrom, A.A., Kamilli, R.J., Ganster, M.W., Smith, R.P., Ranta, D.E., and Steininger, R.C., 1981, Character and origin of Climax-type molybdenum deposits, *in* Skinner, B.J., ed., *Economic Geology, 75th anniversary volume, 1905-1980*: New Haven, Conn., Economic Geology Publishing Co., p. 270-316.

- Willis, G.F., 1988, Geology and mineralization of the Mesquite open pit gold mine, *in* Schafer, R.W., Cooper, J.J., and Vikre, P.G., eds., Bulk mineable precious metal deposits of the Western United States: Geological Society of Nevada, Symposium Proceedings, 1987, p. 473–486.
- Willis, G.F., and Holm, V.T., 1987, Geology and mineralization of the Mesquite open pit gold mine, *in* Johnson, J.L., ed., Bulk mineable, Guidebook for field trips: Geological Society of Nevada, Symposium, 1987, p. 52–56.
- Willis, G.F., and Tosdal, R.M., 1992, Formation of gold veins and breccias during dextral strike-slip faulting in the Mesquite Mining District, southeastern California: *Economic Geology*, v. 87, p. 2,002–2,022.
- Willis, G.F., Tosdal, R.M., and Manske, S.L., 1989, Structural control on epithermal gold veins and breccias in the Mesquite district, southeastern California [abs.]: U.S. Geological Survey Circular 1035, p. 78.
- Wilshire, H.G., 1987, Multistage generation of alkalic basalt in the mantle: the Cima volcanic field, California [abs.]: Geological Society of America Abstracts with Programs, v. 19, no. 7, p. 892.
- 1988, Geology of the Cima volcanic field, San Bernardino County, Calif., *in* Weide, D.L., and Faber, M.L., eds., This extended land: geological journeys in the southern Basin and Range: Las Vegas, Nev., Geological Society of America, Field Trip Guidebook, Cordilleran Section Meeting, p. 210–213.
- Wilshire, H.G., Frisken, J.G., Jachens, R.C., Prose, D.V., Rumsey, C.M., and McMahan, A.B., 1987, Mineral resources of the Cinder Cones Wilderness Study Area, San Bernardino County, California: U.S. Geological Survey Bulletin 1712-B, 13 p.
- Wilshire, H.G., Meyer, C.E., Nakata, J.K., Calk, L.C., Shervais, J.W., Nielson, J.E., and Schwarzman, E.C., 1988, Mafic and ultramafic xenoliths from volcanic rocks of the western United States: U.S. Geological Survey Professional Paper 1443, 179 p.
- Wilson, M., 1989, Igneous petrogenesis: London, Unwin Hyman, 466 p.
- Wilson, S.A., Kane, J.S., Crock, J.G., and Hatfield, D.B., 1987, Chemical methods of separation for optical emission, atomic absorption spectrometry, and colorimetry, *in* Baedeker, P.A., ed., Methods for geochemical analysis: U.S. Geological Survey Bulletin 1770, p. D1–D14.
- Woodcock, J.R., and Hollister, V.F., 1978, Porphyry molybdenite deposits of the North American Cordilleran: Minerals, Science, and Engineering (Johannesburg), v. 10, p. 3–18.
- Wooden, J.L., and DeWitt, E., 1991, Pb isotopic evidence for the boundary between the Early Proterozoic Mojave and central Arizona crustal provinces in western Arizona, *in* Karlstrom, K.E., ed., Proterozoic geology and ore deposits of Arizona: Arizona Geological Society Digest 19, p. 27–50.
- Wooden, J.L., and Miller, D.M., 1990, Chronologic and isotopic framework for Early Proterozoic crustal evolution in the eastern Mojave Desert region, southeastern California: *Journal of Geophysical Research*, v. 95, no. B12, p. 20,133–20,146.
- Wooden, J.L., Stacey, J.S., Howard, K.A., Doe, B.R., and Miller, D.M., 1988, Pb isotopic evidence for the formation of Proterozoic crust in the southwestern United States, *in* Ernst, W.G., ed., Metamorphism and crustal evolution of the western United States (Rubey vol. VII): Englewood Cliffs, N.J., Prentice-Hall, p. 69–86.
- Woolley, A.R., 1987, Alkaline rocks and carbonatites of the world, part 1—North and South America: Austin, University of Texas Press, 216 p.
- Woolley, A.R., and Kempe, D.R.C., 1989, Carbonatites: nomenclature, average chemical composition, and element distribution, *in* Bell, K., ed., Carbonatites, genesis and evolution: London, Unwin Hyman, p. 1–14.
- Worl, R.G., Van Alstine, R.E., and Shawe, D.R., 1973, Fluorine, *in* Brobst, D.A., and Pratt, W.P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 223–235.
- Wotruba, P.R., Benson, R.G., and Schmidt, K.W., 1986, Battle Mountain describes the geology of its Fortitude gold-silver deposit at Copper Canyon: *Mining Engineering*, v. 38, no. 7, p. 495–499.
- Woyski, M.S., 1980, Petrology of the Mountain Pass carbonatite complex—a review, *in* Fife, D.L., and Brown, A.R., eds., Geology and mineral wealth of the California desert: Santa Ana, Calif., South Coast Geological Society, p. 367–378.
- Wright, L.A., 1968, Talc deposits of the southern Death Valley-Kingston Range region, California: California Division of Mines and Geology Special Report 95, 79 p.

- Wright, L.A., Troxel, B.W., Williams, E.G., Roberts, M.T., and Diehl, P.E., 1976, Precambrian sedimentary environments of the Death Valley region, eastern California: California Division of Mines and Geology Special Report 106, p. 7–15.
- Wrucke, C.T., Otton, J.K., and Desborough, G.A., 1986, Summary and origin of the mineral commodities in the Middle Proterozoic Apache Group in central Arizona, *in* Beatty, B., and Wilkinson, P.A.K., eds., *Frontiers in geology and ore deposits of Arizona and the southwest*: Arizona Geological Society Digest, v. 16, p. 12–17.
- Wyllie, P.J., 1989, Origin of carbonatites: evidence from phase equilibrium studies, *in* Bell, K., ed., *Carbonatites, genesis and evolution*: London, Unwin Hyman, p. 500–545.
- Wyllie, R.J.M., 1991, Navachab, Namibia's new mine: *Engineering and Mining Journal*, January, 1991, p. 28–31.
- Yeend, Warren, Dohrenwend, J.C., Smith, R.S.U., Goldfarb, R.J., Simpson, R.W., Jr., and Munts, S.R., 1984, Mineral resources and mineral resource potential of the Kelso Dunes Wilderness Study Area (CDCA–250), San Bernardino County, California: U.S. Geological Survey Open-File Report 84–647, 19 p.
- Young, E.D., 1989, Petrology of biotite-cordierite-garnet gneiss of the McCullough Range, Nevada II.  $P$ – $T$ – $a_{H_2O}$  path and growth of cordierite during late stages of low- $P$  granulite-grade metamorphism: *Journal of Petrology*, v. 30, pt. 1, p. 61–78.
- Young, E.D., Anderson, J.L., Clarke, H.S., and Thomas, W.M., 1989, Petrology of biotite-cordierite-garnet gneiss of the McCullough Range, Nevada I. Evidence for Proterozoic low-pressure fluid-absent granulite-grade metamorphism in the southern Cordillera: *Journal of Petrology*, v. 30, pt. 1, p. 39–60.
- Young, E.D., Wooden, J.L., Shieh, Y.-N., and Farber, D., 1992, Geochemical evolution of Jurassic diorites from the Bristol Lake region, California, USA and the role of assimilation: *Contributions to Mineralogy and Petrology*, v. 110, p. 68–86.
- Young, R.A., and Brennan, W.J., 1974, Peach Springs Tuff: its bearing on structural evolution of the Colorado Plateau and development of Cenozoic drainage in Mohave County, Arizona: *Geological Society of America Bulletin*, v. 85, no. 1, p. 83–90.
- Zharikov, V.A., 1970, Skarns: *International Geology Review*, v. 12, p. 541–559, 619–647, 760–775.