WORLD_PPY DATABASE REFERENCES

- Albino, G.V., 1995, Porphyry copper deposits of the Great Basin—Nevada, Utah, and adjacent California, in Pierce, F.W., and Bolm, J.G., eds, Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 267-296.
- Allen, D.G., Panteleyev, Andre, and Armstrong, A.T., 1976, Galore Creek, *in* Sutherland Brown, A., ed., Porphyry deposits of the Canadian Cordillera: Canadian Institute of Mining and Metallurgy Special Volume 15, p. 402-414.
- Allibone, A.H., Windh, J., Etheridge, M.A., Burton, D., Anderson, G., Edwards, P.W., Miller, A., Graves, C., Fanning, C.M., and Wysoczanski, R., 1998, Timing relationships and structural controls on the location of Au-Cu mineralization at the Boddington gold mine, Western Australia: Economic Geology, v. 93, p. 245-270.
- Alpers, C.N., and Brimhall, G.H., 1989, Paleohydrologic evolution and geochemical dynamics of cumulative supergene metal enrichment at La Escondida, Atacama Desert, northern Chile: Economic Geology, v. 84, p. 229-255.
- Andrew, R.L., 1995, Porphyry copper-gold deposits of the southwest Pacific: Mining Engineering, v. 47, no. 1, p. 33-38.
- Anthony E.Y., and Titley, S.R., 1988, Progressive mixing of isotopic reservoirs during magma genesis at the Sierrita porphyry copper deposit, Arizona: inverse solutions: Geochimica et Cosmochimica Acta, v. 52, p. 2235-2249.
- Anthony, E.Y., and Titley, S.R., 1994, Patterns of element mobility during hydrothermal alteration of the Sierrita porphyry copper deposit, Arizona: Economic Geology, v. 89, p. 186-192.
- Anzalone, S.A., 1995, The Helvetia area porphyry systems, Pima County, Arizona, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 436-441.
- Armstrong, R.L., 1969, K-Ar dating of laccolithic centers of the Colorado Plateau and vicinity: Geological Society of America Bulletin, v. 80, p. 2081-2086.
- Arribas, Antonio, Jr., Hedenquist, J.W., Itaya, Tetsumaru, Okada, Toshinori, Concepción, R.A., and Garcia, J.S., Jr., 1995, Contemporaneous formation of adjacent porphyry and epithermal Cu-Au deposits over 300 ka in northern Luzon, Philippines: Geology, v. 23, p. 337-340.
- Ashleman, J.C., Taylor, C.D., and Smith, P.R., 1997, Porphyry molybdenum deposits of Alaska, with emphasis on the geology of the Quartz Hill deposit, southeastern Alaska, *in* Goldfarb, R.J., and Miller, L.D., eds., Mineral deposits of Alaska: Economic Geology Monograph 9, p. 334-354.
- Ashley, R.P., 1979, Relation between volcanism and ore deposition at Goldfield, Nevada, *in* Ridge, J.D., ed., Papers on mineral deposits of western North America, The International Association on the Genesis of Ore deposits fifth quadrennial symposium proceedings, v. 2: Nevada Bureau of Mines and Geology Report 33, p. 77-86.
- Ashley, R.P., 1990, The Goldfield district, Esmeralda and Nye Counties, Nevada: U.S. Geological Survey Bulletin 1857-H, p. H1-H7.

- Atkinson, W.W., Jr., Souviron, A., Vehrs, T.I., and Faunes, G.A., 1996, Geology and mineral zoning of the Los Pelambres porphyry copper deposit, Chile, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 131-156.
- Ayala F., Ramon, and Chavez, W.X., Jr., 1999, Contribution on the Cananea district: SEG (Society of Economic Geologists) Newsletter, no. 38, p. 35.
- Babcock, R.C., Jr., Ballantyne, G.H., and Phillips, C.H., 1995, Summary of the geology of the Bingham District, Utah, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 316-335.
- Bainbridge, A.L., Hitchman, S.P., and De Ross, G.J., 1998, Nena copper-gold deposit, *in* Berkman, D.A., and Mackenzie, D.H., eds., Geology of Australian and Papua New Guinea mineral deposits: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 22, p. 855-861.
- Baker, Tim, and Thompson, J.F.H., 1998, Fluid evolution at the Red Chris porphyry Cu-Au deposit, northwest British Columbia: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-367.
- Baker, Tim, Thompson, J.F.H., and Ash, C.H., 1997, Carbonate alteration at the Red Chris porphyry Cu-Au deposit, northwest British Columbia: Geological Society of America Abstracts with Programs, v. 29, no. 6, p. A-446.
- Bakke, A.A., 1995, The Fort Knox 'porphyry' gold deposit—structurally controlled stockwork and shear quartz vein, sulphide-poor mineralization hosted by a Late Cretaceous pluton, east-central Alaska, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 795-802.
- Banks, N.G., Cornwall, H.R., Silberman, M.L., Creasey, S.C., and Marvin, R.F., 1972, Chronology of intrusion and ore deposition at Ray, Arizona. Part I, K-Ar ages: Economic Geology, v. 67, p. 864-878.
- Barter, C.F., and Kelly, J.L., 1982, Geology of the Twin Buttes mineral deposit, Pima mining district, Pima County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 407-432.
- Barton, M.D., Staude, J.-M.G., Zurcher, Lukas, and Megaw, P.K.M., 1995, Porphyry copper and other intrusion-related mineralization in Mexico, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 487-524.
- Bartos, P.J., 1989, Prograde and retrograde base metal lode deposits and their relationship to underlying porphyry copper deposits: Economic Geology, v. 84, p. 1671-1683.
- Berger, B.R., Drew, L.J., Goldfarb, R.J., and Snee, L.W., 1994, An epoch of gold riches: the Late Paleozoic in Uzbekistan, central Asia: SEG (Society of Economic Geologists) Newsletter, no. 16, p.1, 7-11.

- Bhargava, M., and Pal, A.B, 1999, Anatomy of a porphyry copper deposit -- Malanjhand: Journal of the Geological Society of India, v. 53, p. 675-691.
- Blevin, P.L., and Chappell, B.W., 1992, The role of magma sources, oxidation states and fractionation in determining the granite metallogeny of eastern Australia: Geological Society of America Special Paper 272, p. 305-316.
- Blixt, J.E., 1933, Geology and gold deposits of the North Moccasin Mountains, Fergus County, Montana: Montana Bureau of Mines and Geology Memoir 8, 25 p.
- Bogdanev, B., 1982, Bulgaria, *in* Dunning, F.W., Mykura, W., and Slater, D., eds., Mineral deposits of Europe, Volume 2: Southeast Europe: London, The Institution of Mining and Metallurgy and The Mineralogical Society, p. 215-232.
- Bookstrom, A.A., Carten, R.B., Shannon, J.R., and Smith, R.P., 1988, Origins of bimodal leucogranite-lamprophyre suites, Climax and Red Mountain porphyry molybdenum systems, Colorado: petrologic and strontium isotopic evidence: Colorado School of Mines Quarterly, v. 83, p. 1-22.
- Bottomer, L.R., and Leary, G.M., 1995, Copper Canyon porphyry copper-gold deposit, Galore Creek area, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 645-649.
- Bouley, B.A., St. George, P., and Wetherbee, P.K., 1995, Geology and discovery at Pebble Copper, a copper-gold porphyry system in southwest Alaska, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 422-435.
- Bower, B., Payne, J., DeLong, C., and Rebagliati, C.M., 1995, The oxide-gold, supergene and hypogene zones at the Casino gold-copper-molybdenum deposit, west-central Yukon, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 352-366.
- Bromfield, C.S., 1989, Gold deposits in the Park City mining district, Utah: U.S. Geological Survey Bulletin 1857-C, p. C14-C26.
- Brooks, J.W., Meinert, L.D., Kuyper, B.A., and Lane, M.L., 1991, Petrology and geochemistry of the McCoy gold skarn, Lander County, Nevada, *in* Rains, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Geological Society of Nevada, p. 419-442.
- Brown, P., and Kahlert, B., 1995, Geology and mineralization of the Red Mountain porphyry molybdenum deposit, south-central Yukon, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 747-756.
- Brown, R., 1995, Poison Mountain porphyry copper-gold-molybdenum deposit, southcentral British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 343-351.

- Brown, S.G., 1990, King Island scheelite deposits, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1175-1180.
- Bryant, D.G., and Metz, H.E., 1966, Geology and ore deposits of the Warren mining district, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 189-203.
- Bundtzen, T.K., and Miller, M.L., 1997, Precious metals associated with Late Cretaceous-Early Tertiary igneous rocks in southwestern Alaska, *in* Goldfarb, R.J., and Miller, L.D., eds., Mineral deposits of Alaska: Economic Geology Monograph 9, p. 242-286.
- Bundtzen, T.K., Swainbank, R.C., Clough, A.H., Henning, M.W., and Hansen, E.W., 1993, Alaska's mineral industry 1993: Alaska Division of Geological and Geophysical Surveys Special Report 48, 84 p.
- Bushnell, S.E., 1988, Mineralization at Cananea, Sonora, Mexico, and the paragenesis and zoning of breccia pipes in quartzofeldspathic rock: Economic Geology, v. 83, p. 1760-1781.
- Bysouth, G.D., Campbell, K.V., Barker, G.E., and Gagnier, G.K., 1995, Tonalitetrondhjemite fractionation of a peraluminous magma and the formation of syntectonic porphyry copper mineralization, Gibraltar mine, central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 201-213.
- Bysouth, G.D., and Wong, G.Y., 1995, The Endako molybdenum mine, central British Columbia: an update, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 697-703.
- Caira, N.M., Findlay, A., DeLong, C., and Rebagliati, C.M., 1995, Fish Lake porphyry copper-gold deposit, central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 327-342.
- Callicrate, T., Bonham, H., and Boyer, C., 1996, Roadlog for Trip I; Gold deposits of the Walker Lane, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera, 1995; Field trip guidebook compendium: Reno, Geological Society of Nevada, p. 389-448.
- Cameron, D.E., Barrett, L.F., and Wilson, J.C., 1986, Discovery of the Silver Creek molybdenum deposit, Rico, Colorado: American Institute of Mining, Metallurgical and Petroleum Engineers Transactions, v. 280, p. 2099-2105.
- Camus, Francisco, 1975, Geology of the El Teniente orebody with emphasis on wall-rock alteration: Economic Geology, v. 70, p. 1341-1372.

- Cannan, Theresa, Whitney, J.A., and Keith, J.D., 1992, Complex magmatic sulfides from silicic ash flows of the Tintic Mountains, Utah: origin, evolution, and significance for evolution of sulfur in silicic melts: Geological Society of America Abstracts with Programs, v. 24, no. 7, p. 175-176.
- Carman, Graham, 1995, The Lihir Island gold deposit, Papua New Guinea: the dynamic role of magmatic-hydrothermal processes in its formation, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Department of Geological Sciences, Queen's University, p. 732-753.
- Carten, R.B., White, W.H., and Stein, H.J., 1993, High-grade granite-related molybdenum systems: classification and origin, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., Mineral deposit modeling: Geological Association of Canada Special Paper 40, p. 521-554.
- Carter, N.C., Dirom, G.E., and Ogryzlo, P.L., 1995, Porphyry copper-gold deposits, Babine Lake area, west-central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 247-255.
- Casaceli, R.J., 1992, Mexico exploration and mining activity, *in* Randol at Minexpo '92: Golden, Colorado, Randol International Ltd., p. 11-27.
- Casaceli, R.J., 1993, The geology and mineral potential of Argentina, *in* Randol at Acapulco '93, Latin American mining opportunities: Golden, Colorado, Randol International, p. 49-66.
- Casselman, M.J., McMillan, W.J., and Newman, K.M., 1995, Highland Valley porphyry copper deposits near Kamloops, British Columbia: a review and update with emphasis on the Valley deposit, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 161-191.
- Chavez, W.X., Jr., 1998, Chile (Exploration Review): SEG (Society of Economic Geologists) Newsletter, no. 35, p. 24-26.
- Chavez, W.X., Jr., 1999, Peru: SEG (Society of Economic Geologists) Newsletter, no. 37, p. 30.
- Clark, A.H., 1993, Are outsize porphyry copper deposits either anatomically or environmentally distinctive?, *in* Whiting, B.H., Hodgson, C.J., and Mason, R., eds., Giant ore deposits: Society of Economic Geologists Special Publication 2, p. 213-283.
- Clark, A.H., and Arancibia, Olga, 1995, Occurrence, paragenesis and implications of magnetite-rich alteration-mineralization in calc-alkaline porphyry copper deposits, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatichydrothermal mineralization: Kingston, Ontario, Department of Geological Sciences, Queen's University, p. 583-640.

- Clark, A.H., Archibald, D.A., Lee, A.W., Farrar, Edward, and Hodgson, C.J., 1998, Laser probe ⁴⁰Ar/³⁹Ar ages of early- and late-stage alteration assemblages, Rosario porphyry copper-molybdenum deposit, Collahuasi district, I Region, Chile: Economic Geology, v. 93, p. 326-337.
- Clark, A.H., Farrar, Edward, Kontak, D.J., Langridge, R.J., Arenas F., M.J., France, L.J., McBride, S.L., Woodman, P.L., Wasteneys, H.A., Sandeman, H.A., and Archibald, D.A., 1990, Geologic and geochronologic constraints on the metallogenic evolution of the Andes of southeastern Peru: Economic Geology, v. 85, p. 1520-1583.
- Clark, G.H., 1990, Panguna copper-gold deposit, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1807-1816.
- Cloos, Mark, 1997, Anatomy of a mine: the discovery and development of Grasberg: Geotimes, v. 42, no. 1, p. 16-20.
- Colley, H., Treloar, P.J., and Diaz, F., 1989, Gold-silver mineralization in the El Salvador region, northern Chile, *in* Keays, R.R., Ramsay, W.R.H., and Groves, D.I., eds., The geology of gold deposits: the perspective in 1988: Economic Geology Monograph 6, p. 208-217.
- Columba, M., and Cunningham, C.G., 1993, Geologic model for the mineral deposits of the La Joya district, Oruro, Bolivia: Economic Geology, v. 88, p. 701-708.
- Cooke, D.R., and Bloom, M.S., 1990, Epithermal and subadjacent porphyry mineralization, Acupan, Baguio district, Philippines: a fluid inclusion and paragenetic study: Journal of Geochemical Exploration, v. 35, p. 297-340.
- Cooke, D.R., McPhail, D.C., and Bloom, M.S., 1996, Epithermal gold mineralization, Acupan, Baguio district, Philippines: geology, mineralization, alteration, and thermochemical environment of ore deposition: Economic Geology, v. 91, p. 243-272.
- Coolbaugh, D.F., Hernandez, A.O., Perez, A.E., and Muller, R.M., 1995, El Arco porphyry copper deposit, Baja California, Mexico, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 525-534.
- Corbett, G.J., and Leach, T.M., 1993, A guide to Pacific Rim Au/Cu exploration: a workshop presented at Melbourne University, Australia, 5 July 1993; 50 p.
- Corbett, G.J., and Leach, T.M., 1998, Southwest Pacific Rim gold-copper systems: structure, alteration, and mineralization: Society of Economic Geologists Special Publication no. 6, 237 p.
- Corn, R.M., 1975, Alteration-mineralization zoning, Red Mountain, Arizona: Economic Geology, v. 70, p. 1437-1447.
- Cornejo, Paula, Tosdal, R.M., Mpodozis, C., Tomlinson, A.J., Rivera, O., and Fanning, C.M., 1997, El Salvador, Chile porphyry copper deposit revisited: geologic and geochronologic framework: International Geology Review, v. 39, p. 22-54.

- Cornwall, H.R., 1982, Petrology and chemistry of igneous rocks, Ray porphyry copper district, Pinal County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 259-273.
- Cox, D.P., 1985, Geology of the Tanama and Helecho porphyry copper deposits and their vicinity: U.S. Geological Survey Professional Paper 1327, 59 p.
- Creasey, S.C., 1965, Geology of the San Manuel area, Pinal County, Arizona: U.S. Geological Survey Professional Paper 471, 64 p.
- Creasey, S.C., 1980, Chronology of intrusion and deposition of porphyry copper ores, Globe-Miami district, Arizona: Economic Geology, v. 75, p. 830-844.
- Cummings, R.B., 1982, Geology of the Sacaton porphyry copper deposit, Pinal County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 507-521.
- Cunningham, C.G., Naeser, C.W., and Marvin, R.F., 1977, New ages for intrusive rocks in the Colorado mineral belt: U.S. Geological Survey Open-File Report 77-573, 7 p.
- Cunningham, C.G., Naeser, C.W., Marvin, R.F., Luedke, R.G., and Wallace, A.R., 1994, Ages of selected intrusive rocks and associated mineral deposits in the Colorado mineral belt: U.S. Geological Survey Bulletin 2109, 31 p.
- Damon, P.E., Shafiqullah, M., Harris, R.C., and Spencer, J.E., 1997, Compilation of unpublished Arizona K-Ar dates from the University of Arizona Laboratory of Isotope Geochemistry: Arizona Geological Survey Open-File Report 96-18, 53 p.
- Dasler, P.G., Young, M.J., Giroux, G., and Perello, J.A., 1995, The Hushamu porphyry copper-gold deposit, northern Vancouver Island, British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 367-376.
- Davidson, G.J., and Large, R.R., 1998, Proterozoic copper-gold deposits: AGSO (Australian Geological Survey Organization) Journal of Australian Geology and Geophysics, v. 17, no. 4, p. 105-113.
- Davidson, John, and Mpodozis, Constantino, 1991, Regional geologic setting of epithermal gold deposits, Chile: Economic Geology, v. 86, p. 1174-1186.
- Dawson, K.M., 1996, Skarn tungsten, *in* Eckstrand, O.R., Sinclair, W.D., and Thorpe, R.I., eds., Geology of Canadian mineral deposit types: Geological Survey of Canada, Geology of Canada, no. 8, p. 495-502.
- Dawson, K.M., Panteleyev, A., Sutherland Brown, A., and Woodsworth, G.J., 1991, Regional metallogeny, *in* Gabrielse, H., and Yorath, C.J., eds., Geology of the Cordilleran orogen in Canada: Geological Survey of Canada, Geology of Canada, no. 4, p. 707-768.
- Derkey, R.E., Joseph, N.L., and Lasmanis, Raymond, 1990, Metal mines of Washington—preliminary report: Washington Division of Geology and Earth Resources Open File Report 90-18, 577 p.

- DeWitt, Ed, Foord, E.E., Zartman, R.E., Pearson, R.C., and Foster, Fess, 1996, Chronology of Late Cretaceous igneous and hydrothermal events at the Golden Sunlight gold-silver breccia pipe, southwestern Montana: U.S. Geological Survey Bulletin 2155, 48 p.
- DeWitt, E., Redden, J.A., Wilson, A.B., and Buscher, D., 1986, Mineral resource potential and geology of the Black Hills National Forest, South Dakota and Wyoming: U.S. Geological Survey Bulletin 1580, 135 p.
- Dick, L.A., Chavez, W.X., Jr., Gonzales, A., and Bisso, C., 1994, Geologic setting and mineralogy of the Cu-Ag (As) Rosario vein system, Collahuasi district, Chile: SEG (Society of Economic Geologists) Newsletter, no. 19, p. 1, 6-11.
- Dilles, J.H., 1987, Petrology of the Yerington Batholith, Nevada: evidence for evolution of porphyry copper ore fluids: Economic Geology, v. 82, p. 1750-1789.
- Dilles, J.H., and Einaudi, M.T., 1992, Wall-rock alteration and hydrothermal flow paths about the Ann-Mason porphyry copper deposit, Nevada—a 6-km vertical reconstruction: Economic Geology, v. 87, p. 1963-2001.
- Dilles, J.H., and Proffett, J.M., 1995, Metallogenesis of the Yerington batholith, Nevada, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 306-315.
- Dilles, J.H., Reed, M.H., Roberts, S., Zhang, L., and Houston, R., 1999, Early magmatichydrothermal features related to porphyry copper mineralization at Butte, Montana: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A-380.
- Dirom, G.E., Dittrick, M.P., McArthur, D.R., Ogryzlo, P.L., Pardoe, A.J., and Stothart, P.G., 1995, Bell and Granisle porphyry copper-gold mines, Babine region, westcentral British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 256-289.
- Disini, A.F., Robertson, B.M., and Claveria, R.J.R., 1998, The Mankayan mineral district, Luzon, Philippines, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 75-XX.
- Ditson, G.M., Wells, R.C., and Bridge, D.J., 1995, Kerr: the geology and evolution of a deformed porphyry copper-gold deposit, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 509-523.
- Dixon, D.W., 1966, Geology of the New Cornelia mine, Ajo, Arizona, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 123-132.

- Doebrich, J.L., Wotruba, P.R., Theodore, T.G., McGibbon, D.H., and Felder, R.P., 1996, Roadlog for Trip H—Geology and ore deposits of the Battle Mountain mining district, *in* Green, S.M., and Struhsacker, Eric, eds., Geology and ore deposits of the American Cordillera, Field trip guidebook compendium: Reno, Nevada, Geological Society of Nevada, p. 327-388.
- Dreier, J.E., and Braun, E.R., 1995, Piedras Verdes, Sonora, Mexico, a structurally controlled porphyry copper deposit, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest 20, p. 535-543.
- DuHamel, J.E., Cook, S.S., and Kolessar, J., 1995, Geology of the Tyrone porphyry copper deposit, New Mexico, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 464-472.
- Dunn, P.G., 1982, Geology of the Copper Flat porphyry copper deposit, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 313-325.
- Eaton, P.C., and Setterfield, T.N., 1993, The relationship between epithermal and porphyry hydrothermal systems within the Tavua caldera, Fiji: Economic Geology, v. 88, p. 1053-1083.
- Eckel, E.B., Williams, J.S., Galbraith, F.W., and others, 1949, Geology and ore deposits of the La Plata district, Colorado: U.S. Geological Survey Professional Paper 219, 179 p.
- Eidel, J.J., Frost, J.E., and Clippinger, D.M., 1968, Copper-molybdenum at Mineral Park, Mohave County, Arizona, *in* Ridge, J.D., ed., Ore deposits of the United States, 1933-1967, The Graton-Sales Volume: New York, American Institute of Mining and Metallurgical Engineers, v. 2, p. 1258-1281.
- Einaudi, M.T., 1977, Environment of ore deposition at Cerro de Pasco, Peru: Economic Geology, v. 72, p. 893-924.
- Einaudi, M.T., 1982, Description of skarns associated with porphyry copper plutons, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 139-183.
- Einaudi, M.T., Meinert, L.D., and Newberry, R.J., 1981, Skarn deposits, *in* Skinner, B.J., ed., Economic Geology 75th Anniversary Volume: El Paso, Texas, Economic Geology Publishing Co., p. 317-391.
- Eliopoulos, D.G., and Economou-Eliopoulas, Maria, 1991, Platinum-group element and gold contents in the Skouries porphyry copper deposit, Chalkidiki Peninsula, northern Greece: Economic Geology, v. 86, p. 740-749.
- Elliott, J.E., 1992, Tungsten—geology and resources of deposits in southeastern China: U.S. Geological Survey Bulletin 1877, p. I1-I10.

- El Soldado Geologic Staff, 1996, Geology of El Soldado: a stratabound copper deposit in the central Chilean Coastal Range, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Field Trip Guidebook Compendium, 1995, p. 496-500.
- Enns, S.G., and McDougall, J.J., 1995, Catface copper-molybdenum porphyry, westcentral Vancouver Island, British Columbia: an update, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: CanadianInstitute of Mining, Metallurgy and Petroleum Special Volume 46, p. 322-326.
- Enns, S.G., Thompson, J.F.H., Stanley, C.R., and Yarrow, E.W., 1995, The Galore Creek porphyry copper-gold deposits, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 630-644.
- Ericksen, G.E., and Cunningham, C.G., 1993, Precious-metal deposits in the Neogene-Quaternary volcanic complex of the central Andes, *in* Investiacigones de metales preciosos en el complejo volcanico Neogeno-Cuaternario de los Andes Centrales: Servicio Geológico de Bolivia (GEOBOL), p. 3-16.
- Espinoza R., S., Véliz G., H., Esquivel L., J., Arias F., J., and Moraga B., A., 1996, The cupiferous province of the Coastal Range, northern Chile, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication 5, p. 19-32.
- Etheridge, M.A., 1996, Ernest Henry-type Cu-Au-magnetite deposits in the Proterozoic, *in* British Columbia Geological Survey, New Mineral Deposit Models for the Cordillera: Spokane, Washington, Northwest Mining Association Short Course Notes, p. J1-B.
- Ferencic, Ante, 1970, Porphyry copper mineralization in Panama: Mineralium Deposita, v. 5, p. 383-389.
- Fernandez, H.E., and Damasco, F.V., 1979, Gold deposition in the Baguio district and its relationship to regional geology: Economic Geology, v. 74, p. 1852-1868.
- Fisher, F.S., Antweiler, J.C., and Welsch, E.P., 1977, Preliminary geological and geochemical results from the Silver Creek and Yellow Ridge mineralized areas in the Washakie Wilderness, Wyoming: U.S. Geological Survey Open-File Report 77-225, 11 p.
- Fitch, D.C., 1993, Mexico active metals exploration and mining properties report: Littleton, Colorado, Mining Business Digest, xx p.
- Fitzmayer, J.R., and Petersen, E.U., 1996, The Kori Kollo Au-Ag deposit: a transitional magmatic-epithermal precious metal system within the La Hoya district, Bolivia: Geological Society of America Abstracts with Programs, v. 28, no. 7, p. A-334.
- Fortuna, John, 1998, Late porphyry-related gold mineralization at the Kingking porphyry Cu-Au deposit, Mindanao, Philippines: SEG (Society of Economic Geologists) Newsletter, no. 35, p. 5.

- Foster, Fess, and Chadwick, Tom, 1990, Relationship of the Golden Sunlight mine to the Great Falls tectonic zone: Tobacco Root Geological Society 15th Annual Field Conference Guidebook, p. 77-81.
- Foster, Fess, and Childs, J.F., 1993, An overview of significant lode gold systems in Montana, and their regional geologic setting: Exploration and Mining Geology, v. 2, p. 217-244.
- Fowler, B.P., and Wells, R.C., 1995, The Sulphurets Gold zone, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 484-498.
- Fraser, R.J., 1993, The Lac Troilus gold-copper deposit, northwestern Quebec: a possible Archean porphyry system: Economic Geology, v. 88, p. 1685-1699.
- Fraser, T.M., Stanley, C.R., Nikic, Z.T., Pesalj, R., and Gorc, D., 1995, The Mount Polley alkalic porphyry copper-gold deposit, south central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 609-622.
- Freebrey, C.A., 1998, Asia: SEG (Society of Economic Geologists) Newsletter no. 33, p. 40-49.
- Freeman, C.J., 1998, Alaska exploration review: SEG (Society of Economic Geologists) Newsletter, no. 34, p. 28-32.
- Freeman, C.J., 1999, Alaska: SEG (Society of Economic Geologists) Newsletter, no. 37, p. 35-38.
- Freydier, Claire, Ruiz, Joaquin, Chesley, John, McCandless, Tom, and Munizaga, Francisco, 1997, Re-Os isotope systematics of sulfides from felsic igneous rocks: application to base metal porphyry mineralization in Chile: Geology, v. 25, p. 775-778.
- Garverich, M.R., 1991, Field guide, North Moccasin and Judith Mountains, *in* Baker, D.W., and Berg, R.B., eds., Guidebook of the central Montana alkalic province: Montana Bureau of Mines and Geology Special Publication 100, p. 175-184.
- Gemuts, Ilmars, Little, M.L., and Guidici, Jorge, 1996, Precious and base metal deposits in Argentina: SEG (Society of Economic Geologists) Newsletter, no. 25, p. 1, 7-14.
- Gemuts, Ilmars, Lopez, Guillermo, and Jimenez, Franklin, 1992, Gold deposits of southern Ecuador: SEG (Society of Economic Geologists) Newsletter, no. 11, p. 1, 13-16.
- Giles, D.L., 1983, Gold mineralization in the laccolithic complexes of central Montana, *in* The genesis of Rocky Mountain ore deposits—changes with time and tectonics: Wheat Ridge, Colorado, Denver Region Exploration Geologists Society, p. 157-162.
- Gilluly, James, 1946, The Ajo mining district, Arizona: U.S. Geological Survey Professional Paper 209, 112 p.

- Gilmour, Paul, 1982, Grades and tonnages of porphyry copper deposits, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 7-35.
- Gilmour, Paul, Andrew, R.L., Bernstein, Merwin, Maxwell, Ian, and Morrissey, C.J., 1995, Porphyry copper deposits: history, recent developments, exploration, economics, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 128-155.
- Goddard, E.N., 1988, Geologic map of the Judith Mountains, Fergus County, Montana: U.S. Geological Survey Miscellaneous Investigations Series Map I-1729, scale 1:31,680.
- Graeme, R.W., 1981, Famous mineral localities—Bisbee, Arizona: Mineralogical Record, v.12, no. 5, p. 258-319.
- Grant, J.N., Halls, Christopher, Salinas, W.A., and Snelling, N.J., 1979, K-Ar ages of igneous rocks and mineralization in part of the Bolivian tin belt: Economic Geology, v. 74, p. 838-851.
- Graybeal, F.T., 1982, Geology of the El Tiro area, Silver Bell mining district, Pima County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 487-505.
- Grunsky, Eric, Lefebure, David, and Jones, Larry, 1996, Grade and tonnage data for selected deposit types, *in* Lefebure, D.V., and Höy, Trygve, eds., Selected British Columbia mineral deposit profiles: British Columbia Geological Survey Open 1996-13, p. 121-146.
- Guilbert, J.M., 1995, Geology, alteration, mineralization, and genesis of the Bajo de la Alumbrera porphyry copper-gold deposit, Catamarca Province, Argentina, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 646-656.
- Gunter, W.L., and Austin, G.W., 1997, Geology of the Melco gold deposit: Geological Society of America Abstracts with Programs, v. 29, no. 6, p. A-359.
- Gustafson, L.B., and Hunt, J.P., 1975, The porphyry copper deposit at El Salvador, Chile : Economic Geology, v. 70, p. 857-912.
- Gustafson, L.B., and Quiroga G., Jorge, 1995, Patterns of mineralization and alteration below the porphyry copper orebody at El Salvador, Chile: Economic Geology, v. 90, p. 2-16.
- Hall, R.J., 1976, Petrology of diamond drill core from the Judith Peak-Red Mountain area, Fergus County, Montana: Cheney, Washington, Eastern Washington University, M.S. thesis, 38 p.
- Hall, R.J., Britten, R.M., and Henry, D.D., 1990, Frieda River copper-gold deposits, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1709-1715.

- Hammarstrom, J.M., 1993, Mineralogy and chemistry of gold-associated skarn from Nambija, Zamora Province, Ecuador: a reconnaissance study: U.S. Geological Survey Bulletin 2039, p. 107-118.
- Hammer, D.F., and Peterson, D.W., 1968, Geology of the Magma mine area, Arizona, *in* Ridge, J.D., ed., Ore deposits of the United States, 1933-1967, The Graton-Sales Volume: New York, American Institute of Mining and Metallurgical Engineers, v. 2, p. 1282-1310.
- Handley, G.A., and Henry, D.D., 1990, Porgera gold deposit, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australian Institute of Mining and Metallurgy Monograph 14, p. 1717-1724.
- Hannah, J.L., Macbeth, Alec, and Stein, H.J., 1991, Field relations between Tertiary magmatism and Tintic-type ore deposits, East Tintic Mountains, Utah, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Geological Society of Nevada, p. 485-489.
- Hannah, J.L., Stein, H.J., Snee, L.W., and Gutscher, M.A., 1992, A faulted caldera setting for the Tintic ore deposits—untangling structurally dismembered terranes in the eastern Basin and Range: Geological Society of America Abstracts with Programs, v. 24, no. 7, p. A143-A144.
- Hariri, M.M., Lisenbee, A.L., and Paterson, C.J., 1995, Fracture control on the Tertiary epithermal-mesothermal gold deposits, northern Black Hills, South Dakota: Exploration and Mining Geology, v. 4, p. 205-214.
- Hausel, D.W., 1993, Metal and gemstone deposits of Wyoming, *in* Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., Geology of Wyoming: Geological Survey of Wyoming Memoir 5, p. 816-835.
- Heberlein, D.R., 1995, Geology and supergene processes: Berg copper-molybdenum porphyry, west-central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 304-312.
- Hedenquist, J.W., Arribas, Antonio, Jr., and Reynolds, T.J., 1998, Evolution of an intrusion-centered hydrothermal system: Far Southeast-Lepanto porphyry and epithermal Cu-Au deposits, Philippines: Economic Geology, v. 93, p. 373-404.
- Heithersay, P.S., O'Neill, W.J., van der Helder, P., Moore, C.R., and Harbon, P.G., 1990, Goonumbla porphyry copper district—Endeavour 26 North, Endeavour 22 and Endeavour 27 copper-gold deposits, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1385-1398.
- Heithersay, P.S., and Walshe, J.L., 1995, Endeavour 26 North: a porphyry copper-gold deposit in the Late Ordovician shoshonitic Goonumbla Volcanic Complex, New South Wales, Australia: Economic Geology, v. 90, p. 1506-1532.
- Hernon, R. M., and Jones, W.R., 1968, Ore deposits of the Central mining district, Grant County, New Mexico, *in* Ridge, J.D., ed., Ore deposits of the United States, 1933-1967, The Graton-Sales Volume: New York, American Institute of Mining and Metallurgical Engineers, v. 2, p. 1211-1237.

- Herrington, R.J., Jankovic, S., and Kozelj, D., 1998, The Bor and Majdanpek copper-gold deposits in the context of the Bor metallogenic zone (Serbia, Yugoslavia), *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 169-178.
- Hezarkhani, Ardeshir, and Williams-Jones, A.E., 1998, Controls of alteration and mineralization in the Sungun porphyry copper deposit, Iran: evidence from fluid inclusions and stable isotopes: Economic Geology, v. 93, p. 651-670.
- Hildreth, S.C., Jr., and Hannah, J.L., 1996, Fluid inclusion and sulfur isotope studies of the Tintic mining district, Utah: implications for targeting fluid sources: Economic Geology, v.91, p. 1270-1281.
- Hillesland, L.L., Hawkins, R.B., and Worthington, W.T., 1995, The geology and mineralization of the Continental mine area, Grant County, New Mexico, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits in the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 473-483.
- Hitchens, A.C., and Orssich, C.N., 1995, The Eagle zone gold-tungsten sheeted vein porphyry deposit and related mineralization, Dublin Gulch, Yukon Territory, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 803-810.
- Hitzman, M.W., Oreskes, Naomi, and Einaudi, M.T., 1992, Geologic characteristics and tectonic setting of Proterozoic iron oxide (Cu-U-Au-REE) deposits: Precambrian Research, v. 58, p. 241-287.
- Hollister, V.F., 1978, Geology of the porphyry copper deposits of the Western Hemisphere: New York, American Institute of Mining and Metallurgical Engineers, 219 p.
- Hollister, V.F., and Sirras, E.B., 1974, The Michiquillay porphyry copper deposit: Mineralium Deposita, v. 9, p. 261-269.
- Hooper, P.R., Bailey, D.G., and McCarley Holder, G.A., 1995, Tertiary calc-alkaline magmatism associated with lithospheric extension in the Pacific Northwest: Journal of Geophysical Research, v. 100, p. 10,303-10,319.
- Howell, F.H., and Malloy, J.S., 1960, Geology of the Braden orebody, Chile, South America: Economic Geology, v. 55, p. 863-905.
- Hudson, T., Arth, J.G., and Muth, K.G., 1981, Geochemistry of intrusive rocks associated with molybdenum deposits, Ketchikan quadrangle, southeastern Alaska: Economic Geology, v. 76, p. 1225-1232.
- Hudson, T., Smith, J.G., and Eliott, R.L., 1979, Petrology, composition and age of intrusive rocks associated with the Quartz Hill molybdenite deposit, southeastern Alaska: Canadian Journal of Earth Sciences, v. 16, p. 1805-1822.

- Hussey, J., and Bernard, P., 1998, Discovery and exploration of the deep seated Porphyry Mountain Cu-Mo deposit, Murdochville, Quebec, Canada: Society for Mining, Metallurgy and Exploration (SME) Annual Meeting, Orlando, Florida, March 9-11, Technical Program, p. 63.
- Ivosevic, S.W., and Theodore, T.G., 1996, Weakly developed porphyry system at Upper Paiute Canyon, Battle Mountain mining district, Nevada, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera, v. 3, p. 1573-1594.
- James, L.P., 1990, Gold in the Ely (Robinson) copper district, White Pine County, Nevada: U.S. Geological Survey Bulletin 1857-E, p. E28-E42.
- Jankovic, S., 1982, Yugoslavia, *in* Dunning, F.W., Mykura, W., and Slater, D., eds., Mineral deposits of Europe, Volume 2: Southeast Europe: London, The Institution of Mining and Metallurgy and the Mineralogical Society, p. 143-202.
- Jannas R.R., Beane, R.E., Ahler, B.A., and Brosnahan, D.R., 1990, Gold and copper mineralization at the El Indio deposit, Chile: Journal of Geochemical Exploration, v. 36, p. 233-266.
- Jannas, R.R., Bowers, T.S., Petersen, Ulrich, and Beane, R.E., 1999, High-sulfidation deposit types in the El Indio district, Chile, *in* Skinner, B.J., ed., Geology and ore deposits of the central Andes: Society of Economic Geologists Special Publication no. 7, p. 219-266.
- Jansen, L.J., 1982, Stratigraphy and structure of the Mission copper deposit, Pima mining district, Pima County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 467-474.
- John, D.A., Turrin, B.D., and Miller, R.J., 1998, New K-Ar and ⁴⁰Ar/³⁹Ar ages of plutonism, hydrothermal alteration, and mineralization in the central Wasatch Mountains, Utah, *in* John, D.A., and Ballantyne, G.H., eds., Geology and ore deposits of the Oquirrh and Wasatch Mountains, Utah, 2nd edition: Society of Economic Geologists Guidebook Series, v. 29, p. 47-57.
- Johnson, C.M., Czamanske, G.K., and Lipman, P.W., 1989, Geochemistry of intrusive rocks associated with the Latir volcanic field, New Mexico, and contrasts between evolution of plutonic and volcanic rocks: Contributions to Mineralogy and Petrology, v. 103, p. 90-109.
- Johnson, C.M., and Lipman, P.W., 1988, Origin of metaluminous and alkaline volcanic rocks of the Latir volcanic field, northern Rio Grande rift, New Mexico: Contributions to Mineralogy and Petrology, v. 100, p. 107-128.
- Johnson, C.M., Lipman, P.W., and Czamanske, G.K., 1990, H, O, Sr, Nd, and Pb isotope geochemistry of the Latir volcanic field and cogenetic intrusions, New Mexico, and relations between evolution of a continental magmatic center and modifications of the lithosphere: Contributions to Mineralogy and Petrology, v. 104, p. 99-124.
- Johnson, F.L., and others, 1993, Mineral resource appraisal of the Gallatin National Forest, Montana: U.S. Bureau of Mines Special Publication, 31 p.

- Johnson, T.W., and Meinert, L.D., 1994, Au-Cu-Ag skarn and replacement mineralization in the McLaren deposit, New World district, Park County, Montana: Economic Geology, v. 89, p. 969-993.
- Johnston, W.P., 1972, K-Ar dates on intrusive rocks and alteration associated with the Lakeshore porphyry copper deposit, Pinal County, Arizona: Isochron/West, no. 4, p. 29-30.
- Johnston, W.P., and Lowell, J.D., 1961, Geology and origin of mineralized breccia pipes in Copper Basin, Arizona: Economic Geology, v.56, p. 916-940.
- Jones, W.R., Hernon, R.M., and Moore, S.L., 1967, General geology of the Santa Rita quadrangle, Grant County, New Mexico: U.S. Geological Survey Professional Paper 555, 144 p.
- Kamenetsky, V.S., Wolfe, R.C., Eggins, S.M., Mernagh, T.P., and Bastrakov, Evgeniy, 1999, Volatile exsolution at the Dinkidi Cu-Au porphyry deposit, Philippines: a meltinclusion record of the initial ore-forming process: Geology, v. 27, p. 691-694.
- Kaufman, M.A., 1992, A look at the mineral endowment and investment possibilities in the Russian, Kazakh and Uzbek Republics, C.I.S.: manuscript paper, Northwest Mining Association 98th Annual Convention, Spokane, Washington, December 2-4, 1992, 9 p.
- Kay, B.D., 1986, Vein and breccia gold mineralization and associated igneous rocks at the Ortiz mine, New Mexico, U.S.A.: Golden, Colorado, Colorado School of Mines, M.S. thesis, 179 p.
- Keith, J.D., Christiansen, E.H., and Carten, R.B., 1993, The genesis of giant porphyry molybdenum deposits, *in* Whiting, B.H., Hodgson, C.J., and Mason, R., eds., Giant ore deposits: Society of Economic Geologists Special Publication 2, p. 285-317.
- Keith, J.D., Dallmeyer, R.D., Kim, C.-S., and Kowallis, B.J., 1991, The volcanic history and magmatic sulfide mineralogy of latites of the central East Tintic Mountains, Utah, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Geological Society of Nevada, p. 461-483.
- Keith, J.D., and Shanks, W.C., III, 1988, Chemical evolution and volatile fugacities of the Pine Grove porphyry molybdenum and ash-flow tuff system, southwestern Utah, *in* Taylor, R.P., and Strong, D.F., eds., Recent advances in the geology of graniterelated deposits: Canadian Institute of Mining and Metallurgy Special Volume 39, p. 402-423.
- Keith, J.D., Shanks, W.C., III, Archibald, D.A., and Farrar, E., 1986, Volcanic and intrusive history of the Pine Grove porphyry molybdenum system, southwestern Utah: Economic Geology, v. 81, p. 553-577.
- Keith, J.D., Waite, Kimberly, Christiansen, E.H., Denino, Alan, and Ballantyne, G.H., 1997, Contributions of mafic alkaline magmas to the Bingham porphyry Cu Au-Mo system, Utah: Geological Society of America Abstracts with Programs, v. 29, no. 6, p. A-282.

- Keith, J.D., Whitney, J.A., Cannan, T.M., Hook, Christopher, and Hattori, Keiko, 1996, The role of magmatic sulfides and mafic alkaline magmatism in the formation of giant porphyry and vein systems: examples from the Bingham and Tintic mining districts, Utah, *in* Clark, A.H., ed., Giant ore deposits—II; controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Queen's University, Department of Geological Sciences, p. 350-373.
- Keith, J.D., Whitney, J.A., Hattori, K., Ballantyne, G.H., Christiansen, E.H., Barr, D.L., Cannan, T.M., and Hook, C.J., 1997, The role of magmatic sulfides and mafic alkaline magmas in the Bingham and Tintic mining districts, Utah: Journal of Petrology, v. 38, p. 1679-1690.
- Keith, S.B., and Swan, M.M., 1995, Tectonic setting, petrology, and genesis of the Laramide porphyry copper cluster of Arizona, Sonora, and New Mexico, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 339-346.
- Keith, S.B., and Swann, M.M., 1996, The great Laramide porphyry copper cluster of Arizona, Sonora, and New Mexico: the tectonic setting, petrology, and genesis of a world class porphyry metal cluster, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Symposium Proceedings, Reno/Sparks, Nevada, April 1995, p. 1667-1747.
- Kelley, K.D., Romberger, S.B., Beaty, D.W., Pontius, J.A., Snee, L.W., Stein, H.J., and Thompson, T.B., 1998, Geochemical and geochronological constraints on the genesis of Au-Te deposits at Cripple Creek, Colorado: Economic Geology, v. 93, p. 981-1012.
- Kelley, K.D., Romberger, S.B., Beaty, D.W., Snee, L.W., Stein, H.J., and Thompson, T.B., 1996, Genetic model for the Cripple Creek district: constraints from ⁴⁰Ar/³⁹Ar geochronology, major and trace element geochemistry, and stable and radiogenic isotope data, *in* Thompson, T.B., ed., Diamonds to gold. I. State line Kimberlite district, Colorado. II. Cresson mine, Cripple Creek district, Colorado: Society of Economic Geologists Guidebook Series, v. 26, p. 65-83.
- Kelley, K.D., Romberger, S.B., Stein, H.J., Snee, L.W., Beaty, D.W., and Thompson, T.B., 1997, Genesis of gold-telluride deposits and associated alkaline igneous rocks in the Cripple Creek district, Colorado, western USA, *in* Rongfu, Pei, ed., Energy and mineral resources for the 21st century—Geology of mineral deposits, mineral economics: Proceedings of the 30th International Geological Congress, Beijing, China, 4-14 August 1996, v. 9: Utrecht, Netherlands, VSP, p. 301-319.
- Kerr, P.F., Kulp, J.L., Patterson, C.M., and Wright, R.J., 1950, Hydrothermal alteration at Santa Rita, New Mexico: Geological Society of America Bulletin, v. 61, p. 275-347.
- Kesler, S.E., Levy, E., and Martin, F.C., 1990, Metallogenic evolution of the Caribbean region, *in* Dengo, G., and Case, J.E., eds., The Caribbean region: Geological Society of America, The Geology of North America, v. H, p. 459-482.
- Kesler, S.E., Russell, N., Seaward, M., Rivera, J., McCurdy, K., Cumming, G.L., and Sutter, J.F., 1981, Geology and geochemistry of sulfide mineralization underlying the Pueblo Viejo gold-silver oxide deposit, Dominican Republic: Economic Geology, v. 76, p. 1096-1117.

- Kesler, S.E., Sutter, J.F., Issigonis, M.J., Jones, L.M., and Walker, R.L., 1977, Evolution of porphyry copper mineralization in an oceanic island arc, Panama: Economic Geology, v. 72, p. 1142-1153.
- King, P.B., 1965, Geology of the Sierra Diablo region, Texas: U.S. Geological Survey Professional Paper 480, 185 p.
- Kirk, A.R., Johnson, T.W., and Elliot, J.E., 1993, Geology and mineral deposits of the New World district, Park County, Montana: SEG (Society of Economic Geologists) Newsletter, no. 12, p. 1, 12-16.
- Kirkham, R.V., and Margolis, J., 1995, Overview of the Sulphurets area, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 473-483.
- Kirkham, R.V., and Sinclair, W.D., 1996, Porphyry copper, gold, molybdenum, tungsten, tin, silver, *in* Eckstrand, O.R., Sinclair, W.D., and Thorpe, R.I., eds., Geology of Canadian mineral deposit types: Geological Survey of Canada, Geology of Canada no. 8, p. 421-446.
- Knutson, Janice, Ferguson, John, Roberts, W.M.B., Donnelly, T.H., and Lambert, I.B., 1979, Petrogenesis of the copper-bearing breccia pipes, Redbank, Northern Territory: Economic Geology, v. 74, p. 814-826.
- Kolessar, Joseph, 1982, The Tyrone copper deposit, Grant County, New Mexico, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 327-333.
- Kontak, Daniel, Clark, Alan, Halter, Werner, and Williams-Jones, Anthony, 1995, Metal concentrations vs. dispersal in the magmatic-hydrothermal environment: a case study contrasting low-grade (East Kemptville, NS) and high-grade (San Rafael, Peru) Snbase metal deposits, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Department of Geological Sciences, Queen's University, p. 417-480.
- Kooiman, G.J.A., McLeod, M.J., and Sinclair, W.D., 1986, Porphyry tungstenmolybdenum ore bodies, polymetallic veins and replacement bodies, and tin-bearing greisen zones in the Fire Tower zone, Mount Pleasant, New Brunswick: Economic Geology, v. 81, p. 1356-1373.
- Koski, R.A., and Cook, D.S., 1982, Geology of the Christmas porphyry copper deposit, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 353-374.
- Kotlyar, B.B., Ludington, Steve, and Mosier, D.L., 1995, Descriptive, grade, and tonnage models for molybdenum-tungsten greisen deposits: U.S. Geological Survey Open-File Report 95-584, 17 p.
- Koukharsky, Magdalena, and Mirré, J.C., 1976, Mi Vida prospect: a porphyry coppertype deposit in northwestern Argentina: Economic Geology, v. 71, p. 849-863.

- Krahulec, K.A., 1996, Geology and geochemistry of the SWT porphyry copper system, Tintic mining district, Juab County, Utah, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Field Trip Guidebook Compendium, 1995, p. 62-78.
- Kreis, H.G., 1995, Geology of the Santa Cruz porphyry copper deposit, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 364-365.
- Krymsky, R.S., Belyatsky, B.V., Levsky, L.K., and Rub, M.G., 1997, Age and genesis of scheelite ore deposit Vostok-2 (Primorie) with references to the Rb-Sr and Sm-Nd isotopic data, *in* Papunen, H., ed., Mineral deposits: research and exploration, where do they meet?: Rotterdam, A.A. Balkema, p. 651-653.
- Kurisoo, Peter, 1991, Gold deposits of the Kendall mining district, Fergus County, Montana, *in* Baker, D.W., and Berg, R.B., eds., Guidebook of the central Montana alkalic province: Montana Bureau of Mines and Geology Special Publication 100, p. 39-44.
- Lamb, M.A., and Cox, Dennis, 1998, New ⁴⁰Ar/³⁹Ar age data and implications for porphyry copper deposits in Mongolia: Economic Geology, v. 93, p. 524-529.
- Lang, J.R., and Eastoe, C.J., 1988, Relationships between a porphyry Cu-Mo deposit, base and precious metal veins, and Laramide intrusions, Mineral Park, Arizona: Economic Geology, v. 83, p. 551-567.
- Lang, J.R., and Stanley, C.R., 1995, Contrasting styles of alkalic porphyry copper-gold deposits in the northern part of the Iron Mask batholith, Kamloops, British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 581-592.
- Lang, J.R., Stanley, C.R., and Thompson, J.F.H., 1995, Porphyry copper-gold deposits related to alkalic igneous rocks in the Triassic-Jurassic arc terranes of British Columbia, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest 20, p. 219-236.
- Langton, J.M., and Williams, S.A., 1982, Structural, petrological and mineralogical controls for the Dos Pobres orebody, Lone Star mining district, Graham County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 335-352.
- Larson, P.B., 1987, Stable isotope and fluid inclusion investigations of epithermal vein and porphyry moybdenum mineralization in the Rico mining district, Colorado: Economic Geology, v. 82, p. 2141-2157.
- Larson, P.B., Cunningham, C.G., and Naeser, C.W., 1994, Large-scale alteration effects in the Rico paleothermal anomaly, southwest Colorado: Economic Geology, v. 89, p. 1769-1779.
- Larson, P.B., Meuzelaar, T., and Cunningham, C.G., 1996, Contemporaneous epithermal Ag-Pb-Zn vein and stockwork Mo mineralization at Rico, CO: Geological Society of America Abstracts with Programs, v. 28, no. 7, p. A-403.

- Lasky, S.G., 1936, Geology and ore deposits of the Bayard area, Central mining district, New Mexico: U.S. Geological Survey Bulletin 870, 144 p.
- Lasmanis, R., 1995, Regional geological and tectonic setting of porphyry deposits in Washington State, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 77-102.
- Lasmanis, R., and Utterback, W.C., 1995, The Mount Tolman porphyry molybdenumcopper deposit, Ferry County, Washington, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 718-731.
- Laughlin, A.W., Rehrig, W.A., and Mauger, R.L., 1969, K-Ar chronology and sulfur and strontium isotope ratios at the Questa mine, New Mexico: Economic Geology, v. 64, p. 903-909.
- Leonardson, R.W., Dunlop, G., Starquist, V.L., Bratton, G.P., Meyer, J.W., Osborne, L.W., Atkin, S.A., Molling, P.A., Moore, R.F., and Olmore, S.D., 1983, Preliminary geology and molybdenum deposits at Questa, New Mexico, *in* The genesis of Rocky Mountain ore deposits: changes with time and tectonics: Denver, Colorado, Denver Region Exploration Geologists Society, p. 151-155.
- Leriche, P.D., 1995, Taurus copper-molybdenum porphyry deposit, east-central Alaska, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 451-457.
- Lincoln, J.B., and Tellez P., C., 1996, The Andacollo gold project, IV Region, Chile, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Field Trip Guidebook Compendium, 1995, p. 492-495.
- Lindgren, W., Graton, L.C., and Gordon, C.H., 1910, The ore deposits of New Mexico: U.S. Geological Survey Professional Paper 68, 361 p.
- Lindgren, Waldemar, and Ransome, F.L., 1906, Geology and gold deposits of the Cripple Creek district, Colorado: U.S. Geological Survey Professional Paper 54, 516 p.
- Lindsey, D.A., 1982, Geologic map and discussion of selected mineral resources of the North and South Moccasin Mountains, Fergus County, Montana: U.S. Geological Survey Miscellaneous Investigations Series Map I-1362, scale 1:24,000.
- Lindsey, D.A., 1985, A gold-mineralized breccia zone at Kendall, North Moccasin Mountains, Fergus County, Montana: U.S. Geological Survey Professional Paper 1301-C, p. 43-56.
- Lindsey, D.A., and Fisher, F.S., 1985, Mineralized breccias in intrusive complexes of Late Cretaceous and Paleocene age, north-central Montana: U.S. Geological Survey Professional Paper 1301-A, p. 1-34.
- Lindsey, D.A., and Naeser, C.W., 1985, Relations between igneous rocks and gold mineralization in the North Moccasin Mountains, Fergus County, Montana: U.S. Geological Survey Professional Paper 1301-B, p. 35-41.

- Lindsey, D.A., Zimbelman, D.R., Campbell, D.L., Bisdorf, R.J., Duval, J.S., Cook, R.L., Podwysocki, M.H., Brickey, D.W., Yambrick, R.A., and Korzeb, S.L., 1989, Mineral resources of the Fish Springs Range Wilderness Study Area, Juab County, Utah: U.S. Geological Survey Bulletin 1745-A, 18 p.
- Lipman. P.W., 1983, The Miocene Questa caldera, northern New Mexico: relation to batholith emplacement and associated molybdenum mineralization, *in* The genesis of Rocky Mountain ore deposits: changes with time and tectonics: Denver, Colorado, Denver Region Exploration Geologists Society, p. 133-148.
- Lipman, P.W., Bogatikov, O.A., Tsvetkov, A.A., Gazis, Carey, Gubanov, A.G., Hon, Ken, Koronovsky, N.V., Kovalenko, V.I., and Marchev, Peter, 1993, 2.8-Ma ash-flow caldera at Chegem River in the northern Caucasus Mountains (Russia),contemporaneous granites, and associated ore deposits: Journal of Volcanology and Geothermal Research, v. 57, p. 85-124.
- Lipman, P.W., Mehnert, H.H., and Naeser, C.W., 1986, Evolution of the Latir volcanic field, northern New Mexico, and its relation to the Rio Grande rift, as indicated by potassium-argon and fission-track dating: Journal of Geophysical Research, v. 91, p. 6329-6345.
- Little, M.L., 1994, Exploration review—South America: SEG (Society of Economic Geologists) Newsletter, no. 16, p. 17-19.
- Little, M.L., 1994, Exploration review—South America: SEG (Society of Economic Geologists) Newsletter, no. 19, p. 32.
- Little, M.L., 1995, Exploration review—South America: SEG (Society of Economic Geologists) Newsletter, no. 21, p. 26-29.
- Long, K.R., 1992, Reserves and production data for selected ore deposits in the United States found in the files of the Anaconda Copper Company: U.S. Geological Survey Open-File Report 92-002, 21 p.
- Long, K.R., 1995, Production and reserves of Cordilleran (Alaska to Chile) porphyry copper deposits, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 35-68.
- Long, K.R., De Young, J.H., Jr., and Ludington, S.D., 1998, Database of significant deposits of gold, silver, copper, lead, and zinc in the United States; Part A, Database description and analysis; Part B, Digital database: U.S. Geological Survey Open-File Report 98-206, 35 p., one 3.5 inch diskette.
- Long, K., Ludington, S., du Bray, E., André-Ramos, O., and McKee, E.H., 1992, Geology and mineral deposits of the La Joya district, Bolivia: SEG (Society of Economic Geologists) Newsletter, no. 10, p. 13-16.
- Long, K.R., Ludington, Steve, du Bray, E.A., André-Ramos, Orlando, and McKee, E.H., 1992, La Joya district: U.S. Geological Survey Bulletin 1975, p. 131-136.

- Losada-Calderón, A.J., and McPhail, D.C., 1996, Porphyry and high-sulfidation epithermal mineralization in the Nevados del Famatina mining district, Argentina, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 91-118.
- Loughlin, G.F., and Koschmann, A.H., 1935, Geology and ore deposits of the Cripple Creek district, Colorado: Colorado Scientific Society Proceedings, v. 13, no. 6, p. 217-435.
- Lowell, J.D., 1968, Geology of the Kalamazoo orebody, San Manuel, Arizona: Economic Geology, v. 63, p. 645-654.
- Lowell, J.D., and Guibert, J.M., 1970, Lateral and vertical alteration zoning in porphyry ore deposits: Economic Geology, v. 65, p. 373-408.
- MacDonald, G.D., and Arnold, L.C., 1994, Geological and geochemical zoning of the Gresberg igneous complex, Irian Jaya, Indonesia: Journal of Geochemical Exploration, v. 50, p. 143-178.
- Macfarlan, A.W., Tosdal, R.M., and Vidal, C.E., 1996, Field and radiogenic isotope evidence for the origin of gold-base metal veins, Parcoy district, Peru: Geological Society of America Abstracts with Programs, v. 28, no. 7, p. A-211.
- Macfarlan, A.W., Tosdal, R.M., Vidal, C.E., and Paredes, Jorge, 1999, Geologic and isotopic constraints on the age and origin of auriferous quartz veins in the Parcoy district, Pataz, Peru, *in* Skinner, B.J., ed., Geology and ore deposits of the central Andes: Society of Economic Geologists Special Publication no. 7, p. 267-279
- Maher, David, 1996, Stratigraphy, structure, and alteration of igneous and carbonate wall rocks at Veteran Extension in the Robinson (Ely) porphyry copper district, Nevada, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada, v. 3, p. 1595-1621.
- Manske, S.L., and Paul, A.H., 1998, The Magma porphyry: a tilted, high-grade porphyry copper system in the Superior (Pioneer) district, Arizona: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-367.
- Margolis, J., and Britten, R.M., 1995, Porphyry-style and epithermal coppermolybdenum-gold-silver mineralization in the northern and southeastern Sulphurets district, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 499-508.
- Marinos, G., 1982, Greece, *in* Dunning, F.W., Mykura, W., and Slater, D., eds., Mineral deposits of Europe, Volume 2: Southeast Europe: London, The Institution of Mining and Metallurgy and The Mineralogical Society, p. 233-253.
- Marschik, Robert, and Fontboté, Lluís, 1996, Copper (-iron) mineralization and superposition of alteration events in the Punta del Cobre belt, northern Chile, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 171-189.

- Marschik, Robert, and Leveille, R.A., 1998, The Candelaria-Puntá del Cobre iron oxide copper-gold deposits, Chile: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-371.
- Marsh, T.M., Einaudi, M.T., and McWilliams, M., 1997, ⁴⁰Ar/³⁹Ar geochronology of Cu-Au and Au-Ag mineralization in the Potrerillos district, Chile: Economic Geology, v. 92, p. 784-806.
- Martin, M.W., Dilles, J.H., and Proffett, J.M., 1999, U-Pb geochronologic constraints for the Butte porphyry system: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A-380.
- Marvin, R.F., Hearn, B.C., Jr., Mehnert, H.H., Naeser, C.W., Zartman, R.E., and Lindsey, D.A., 1980, Late Cretaceous-Paleocene-Eocene igneous activity in north-central Montana: Isochron/West, no. 29, p. 5-25.
- Maynard, S.R., 1995, Gold mineralization associated with mid-Tertiary magmatism and tectonism, Ortiz Mountains, Santa Fe County, New Mexico, *in* Bauer, P.W., Kues, B.S., Dunbar, N.W., Karlstrom, K.E., and Harrison, Bruce, eds., Geology of the Santa Fe region, New Mexico: New Mexico Geological Society 46th Annual Field Conference Guidebook, p. 161-166.
- Maynard, S.R., Nelsen, C.J., Martin, K.W., and Schutz, J.L., 1990, Geology and gold mineralization of the Ortiz Mountains, Santa Fe County, New Mexico: Mining Engineering, v. 42, p. 1007-1011.
- Maynard, S.R., Woodward, L.A., and Giles, D.L., 1991, Tectonics, intrusive rocks, and mineralization of the San Pedro-Ortiz porphyry belt, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 137, p. 57-69.
- McCandless, T.E., and Ruiz, Joaquin, 1992, Dating sulfide mineralization by molybdenite Re-Os geochronometry: the San Manuel-Kalamazoo base metal porphyry, southwestern Arizona: Geological Society of America Abstracts with Programs, v. 24, no. 7, p. 116.
- McCandless, T.E., and Ruiz, J., 1993, Rhenium-osmium evidence for regional mineralization in southwestern North America: Science, v. 261, p. 1282-1286.
- McCoy, Dan, Newberry, R.J., Layer, Paul, DiMarchi, J.J., Bakke, Arne, Masterman, J.S., and Minehane, D.L., 1997, Plutonic-related gold deposits of interior Alaska, *in* Goldfarb, R.J., and Miller, L.D., eds., Mineral deposits of Alaska: Economic Geology Monograph 9, p. 191-241.
- McDougall, J.J., 1976, Catface, *in* Sutherland Brown, A., ed., Porphyry deposits of the Canadian Cordillera: Canadian Institute of Mining and Metallurgy Special Volume 15, p. 299-310.
- McDowell, F.W., 1971, K-Ar ages of igneous rocks from the western United States: Isochron/West, no. 11, 41 p.
- McDowell, F.W., McMahon, T.P., Warren, P.Q., and Cloos, M., 1996, Pliocene Cu-Au bearing igneous intrusions of the Gunnung Bijih (Ertsberg) district, Irian Jaya, Indonesia: K-Ar geochronology: Journal of Geology, v. 104, p. 327-340.

- McKee, E.H., and Koski, R.A., 1981, K-Ar ages for igneous rocks and vein minerals from the Christmas mine area, Arizona: Isochron/West, no. 32, p. 7.
- McKelvey, G.E., 1991, Interest shown in Nambija gold deposits, Zamora Province, Ecuador: Mining Magazine, v. 43, p. 1412-1414.
- McKnight, E.T., 1974, Geology and ore deposits of the Rico district, Colorado: U.S. Geological Survey Professional Paper 723, 100 p.
- McLemore, V.T., 1996, Great Plains margin (alkaline-related) gold deposits in New Mexico, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Symposium Proceedings, Reno/Sparks, Nevada, April 1995, v. 2, p. 935-950.
- McMillan, W.J., 1991, Porphyry deposits in the Canadian Cordillera: British Columbia Ministry of Energy, Mines and Petroleum Resources, Geological Survey Branch Paper 1991-4, p. 253-276.
- McMillan, W.J., Thompson, J.F.H., Hart, C.J.R., and Johnston, S.T., 1995, Regional geological and tectonic setting of porphyry deposits in British Columbia and Yukon Territory, *in* Schroeter, T.G., ed., Porphyhry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 40-57.
- Meinert, L.D., 1982, Skarn, manto, and breccia pipe formation in sedimentary rocks of the Cananea mining district, Sonora, Mexico: Economic Geology, v. 77, p. 919-949.
- Meinert, L.D., Hefton, K.K., Mayes, D., and Tasiran, I., 1997, Geology, zonation, and fluid evolution of the Big Gossan Cu-Au skarn deposit, Ertsberg district, Irian Jaya: Economic Geology, v. 92, p. 509-534.
- Meldrum, S.J., Aquino, R.S., Gozales, R.I., Burke, R.J., Suyadi, Artha, Irianto, Bombang, and Clarke, D.S., 1994, The Batu Hijau porphyry copper-gold deposit, Sumbawa Island, Indonesia: Journal of Geochemical Exploration, v. 50, p. 203-220.
- Mertig, H.J., Rubin, J.N., and Kyle, J.R., 1994, Skarn Cu-Au orebodies of the Gunung Bijih (Ertsberg) district, Irian Jaya, Indonesia: Journal of Geochemical Exploration, v. 50, p. 179-202.
- Metal Mining Agency of Japan, 1997, Non-ferrous metal deposits of C.I.S. countries and Mongolia: Metal Mining Agency of Japan, 20 p.
- Metal Mining Agency of Japan, 1998, List of the metallic mineral deposits in Asia: Metal Mining Agency of Japan, 43 p.
- Meyer, Charles, Shea, E.P., Goddard, C.C., Jr., Zeihen, L.G., Guilbert, J.M., Miller, R.N., McAleer, J.F., Brox, G.B., Ingersoll, R.G., Jr., Burns, G.J., and Wigal, T., 1968, Ore deposits at Butte, Montana, *in* Ridge, J.D., ed., Ore deposits of the United States, 1933-1967, The Graton-Sales Volume: New York, American Institute of Mining and Metallurgical Engineers, v. 2, p. 1373-1427.
- Meyer, W., Gale, R.E., and Randall, A.W., 1976, O.K., *in* Sutherland Brown, A., ed., Porphyry deposits of the Canadian Cordillera: Canadian Institute of Mining and Metallurgy Special Volume 15, p. 311-316.

- Miller, R.N., ed., 1978, Guidebook for the Butte field meetings of the Society of Economic Geologists: Butte, The Anaconda Company, 1973 (second revised printing, 1978).
- Miller, R.N., Shea, E.P., Goddard, C.C., Jr., Potter, C.W., and Brox, G.B., 1973, Geology of the Heddleston copper-molybdenum deposit, Lewis and Clark County, Montana: Pacific Northwest Metals and Minerals Conference, Coeur d'Alene, Idaho, American Institute of Mining and Metallurgical Engineers Proceedings, p. 1-33.
- Minnitt, R.C.A., 1986, Porphyry copper-molybdenum mineralization at Haib River, South West Africa/Namibia, *in* Anhaeusser, C.R., and Maske, S., eds., Mineral deposits of Southern Africa: Geological Society of South Africa, p. 1567-1585.
- Mitchell, P.A., Proffett, J.M., and Dilles, J.H., 1998, Tonalite porphyry intrusion and wall-rock alteration, Batu Hijau, Indonesia: Preprint, Northwest Mining Association 104th Annual Meeting, Spokane, Washington, 29 Nov. to 4 Dec., 1998, 4 p.
- Moolick, R.T., and Durek, J.J., 1966, The Morenci district, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 221-231.
- Moore, W.J., and McKee, E.H., 1983, Phanerozoic magmatism and mineralization in the Tooele 1° x 2° quadrangle, Utah: Geological Society of America Memoir 157, p. 183-190.
- Morris, H.T., 1990, Gold in the Tintic mining district, Utah: U.S. Geological Survey Bulletin 1857-F, p. F1-F11.
- Morris, H.T., and Lovering, T.S., 1979, General geology and mines of the East Tintic mining district, Utah and Juab Counties, Utah: U.S. Geological Survey Professional Paper 1024, 203 p.
- Morvai, G., 1982, Hungary, *in* Dunning, F.W., Mykura, W., and Slater, D., eds., Mineral deposits of Europe, volume 2: Southeast Europe: London, The Institution of Mining and Metallurgy and The Mineralogical Society, p. 13-53.
- Moyle, A.J., Doyle, B.J., Hoogvliet, H., and Ware, A.R., 1990, Ladolam gold deposit, Lihir Island, *in* Hughes, F.E., ed., Geology of mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1793-1805.
- Müller, D., Heithersay, P.S., and Groves, D.I., 1994, The shoshonite porphyry Cu-Au association in the Goonumbla district, N.S.W., Australia: Mineralogy and Petrology, v. 51, p. 299-321.
- Münchmeyer, Carlos, 1996, Exotic deposits—products of lateral migration of supergene solutions from porphyry copper deposits, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication 5, p. 43-58.
- Muntean, J.L., Kesler, S.E., Russell, Norman, and Polanco, Jose, 1990, Evolution of the Monte Negro acid sulfate Au-Ag deposit, Pueblo Viejo, Dominican Republic: important factors in grade development: Economic Geology, v. 85, p. 1738-1758.

- Mutschler, F.E., Wright, E.G., Ludington, Steve, and Abbott, J.T., 1981, Granite molybdenite systems: Economic Geology, v. 76, p. 874-897.
- Naeser, C.W., Cunningham, C.G., Marvin, R.F., and Obradovich, J.D., 1980, Pliocene intrusive rocks and mineralization near Rico, Colorado: Economic Geology, v. 75, p. 122-127.
- Nason, P.W., Shaw, A.V., and Aveson, K.D., 1982, Geology of the Poston Butte porphyry copper deposit, Pinal County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 375-385.
- Nelson, C.E., 1995, Porphyry copper deposits of southern Central America, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 553-565.
- Newberry, R.J., 1998, W- and Sn-skarn deposits: a 1998 status report, *in* Lentz, D.R., ed., Mineralized intrusion-related skarn systems: Mineralogical Association of Canada Short Course Series, v. 26, p. 289-335.
- Newcrest Mining Staff, 1998, Cadia gold-copper deposit, *in* Berkman, D.A., and Mackenzie, D.H., eds., Geology of Australian and Papua New Guinea mineral deposits: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 22, p. 641-646.
- Newell, J.M., and Peatfield, G.R., 1995, The Red-Chris porphyry copper-gold deposit, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 674-688.
- Niemuth, N.J., 1994, The primary copper industry of Arizona, 1992: Arizona Department of Mines and Mineral Resources SR-20, 58 p.
- Noble, D.C., and McKee, E.H., 1999, The Miocene metallogenic belt of central and northern Peru, *in* Skinner, B.J., ed., Geology and ore deposits of the central Andes: Society of Economic Geologists Special Publication no 7, p. 155-193.
- Noble, S.R., Spooner, E.T.C., and Harris, F.R., 1984, The Logtung large tonnage, lowgrade W (scheelite) - Mo porphyry deposit, south-central Yukon Territory: Economic Geology, v. 79, p. 848-868.
- Noble, S.R., Spooner. E.T.C., and Harris, F.R., 1995, Logtung: A porphyry W-Mo deposit in the southern Yukon, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 732-746.
- Nokleberg, W.J., Bundtzen, T.K., Berg, H.C., Brew, D.A., Grybeck, D., Robinson, M.S., Smith, T.E., and Yeend, W., 1987, Significant metalliferous lode deposits and placer districts of Alaska: U.S. Geological Survey Bulletin 1786, 104 p.
- Nokleberg, W.J., and 23 others, 1997, Significant metalliferous and selected nonmetalliferous lode deposits and placer deposits for the Russian far east, Alaska, and the Canadian Cordillera: U.S. Geological Survey Open-File Report 96-513-B, CD-ROM.

- North, R.M., and McLemore, V.T., 1988, A classification of the precious metal deposits of New Mexico, *in* Schafer, R.W., Cooper, J.J., and Vikre, P.G., eds., Bulk mineable precious metal deposits of the western United States: Reno, Nevada Geological Society, p. 625-659.
- Norton, J.J., 1989, Bald Mountain gold mining region, northern Black Hills, South Dakota: U.S. Geological Survey Bulletin 1857-C, p. C1-C13.
- Ogilvie, I.H., 1908, Some igneous rocks from the Ortiz Mountains, New Mexico: Journal of Geology, v. 16, p. 230-238.
- Ogryzlo, P.L., Dirom, G.E., and Stothart, P.G., 1995, Morrison-Hearn Hill copper-gold deposits, Babine region, west-central British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 290-303.
- Ohlin, H.N., Bernardi, M.L., and Matlock, J.A., 1993, Geology of the Crypto sphalerite magnetite skarn deposit, Fish Springs mining district, Juab County, Utah [abs.]: Society for Mining, Metallurgy, and Exploration (SME) Program and Abstracts, 93rd Annual Meeting, Reno, Nevada, February 15-18, 1993, p. 56.
- Ohlin, H.N., Gibson, P.C., and Matlock, J.A., 1995, Geology of the North deposit: Lyon copper-iron skarns, Yerington, Nevada: Geological Society of Nevada Geology and ore deposits of the American Cordillera, Reno/Sparks, Nevada, 1995, Program with Abstracts, p. A59-A60.
- Olmstead, H.W., and Johnson, D.W., 1966, Inspiration geology, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 143-150.
- Oreskes, Naomi, and Einaudi, M.T., 1990, Origin of rare earth element-enriched hematite breccias at the Olympic Dam Cu-U-Au-Ag deposit, Roxby Downs, South Australia: Economic Geology, v. 85, p. 1-28.
- Ortiz, F.J., 1995, Discovery of the Escondida porphyry copper deposit in the Antofagasta region, northern Chile, 1981, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 613-624.
- Ossandon, G., and Zentilli, M., 1997, El Distrito de Chuquicamata: una concentracion de cobre de clase mundial: Actas, VIII Congreso Geológico Chineno, Antofagasta, Chile, v. 3, p. 1888-1892.
- Oviedo, L., Füster, N., Tschischow, N., Ribba, L., Zuccone, A., Grez, E., and Aguilar, A., 1991, General geology of La Coipa precious metal deposit, Atacama, Chile: Economic Geology, v. 86, p. 1287-1300.
- Page, R.W., and McDougall, I., 1972, Ages of mineralization of gold and porphyry copper deposits in the New Guinea Highlands: Economic Geology, v. 67, p. 1034-1048.

- Pareja, G.A., 1995, Dolostone-hosted gold-rich jasperoids and their relationship to copper replacement mantos, LS & A and Queen Creek mines, Superior district, Arizona, *in* Geology and ore deposits of the American Cordillera Symposium, April 10-13, 1995, Reno/Sparks, Nevada: Reno, Geological Society of Nevada Program with Abstracts, p. 60-61.
- Paterson, C.J., Uzunlar, Nuri, Groff, J., and Longstaffe, F.J., 1989, A view through an epithermal-mesothermal precious metal system in the northern Black Hills, South Dakota: a magmatic origin for the ore-forming fluids, *in* Keays, R.R., Ramsay, W.R.H., and Groves, D.I., eds., The geology of gold deposits: the perspective in 1988: Economic Geology Monograph 6, p. 564-570.
- Patton, T.C., Grant, A.R., and Cheney, E.S., 1973, Hydrothermal alteration at the Middle Fork copper prospect, central Cascades, Washington: Economic Geology, v. 68, p. 816-830.
- Paul, A.H., and Knight, M.J., 1995, Replacement ores in the Magma mine, Superior, Arizona, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 366-372.
- Perelló, J.A., Fleming, J.A., O'Kane, K.P., Burt, P.D., Clarke, G.A., Himes, M.D., and Reeves, A.T., 1995, Porphyry copper gold-molybdenum deposits in the Island Copper cluster, northern Vancouver Island, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 214-238.
- Perelló, José, Urzúa, Felipe, Cabello, José, and Ortiz, Francisco, 1996, Clustered, gold-bearing Oligocene porphyry copper and associated epithermal mineralization at La Fortuna, Vallenar region, northern Chile, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 81-90.
- Petersen, C.R., Rivera, S.L., and Peri, M.A., 1996, Chimborazo copper deposit, Region II, Chile: exploration and geology, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, style and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 71-80.
- Petersen, E.U., and Fitzmayer, J.R., 1998, The alunite-sericite association: a new type of epithermal precious metal deposits?: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-127.
- Petersen, Ulrich, and Vidal, C.E., 1996, Magmatic and tectonic controls on the nature and distribution of copper deposits in Peru, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 1-18.
- Peterson, N.P., 1954, Copper Cities copper deposit, Globe-Miami district, Arizona: Economic Geology, v. 49, p. 362-377.
- Peterson, N.P., 1962, Geology and ore deposits of the Globe-Miami district, Arizona: U.S. Geological Survey Professional Paper 342, 151 p.

- Peterson, N.P., Gilbert, C.M., and Quick, G.L., 1951, Geology and ore deposits of the Castle Dome area, Gila County, Arizona: U.S. Geological Survey Bulletin 971, 134 p.
- Pinto-Vasquez, Jose, 1993, Volcanic dome-associated precious and base metal epithermal mineralization at Pulacayo, Bolivia: Economic Geology, v. 88, p. 697-700.
- Pontius, J.A., 1996, Field guide, Gold deposits of the Cripple Creek mining district, Colorado, USA, *in* Thompson, T.B., ed., Diamonds to gold; I. State Line kimberlite district, Colorado, II. Cresson mine, Cripple Creek district, Colorado: Society of Economic Geologists Guidebook Series, v. 26, p. 29-37.
- Pontius, J.A., and Head, J.A., 1996, Cresson mine: case history of a rapidly evolving mining project: Mining Engineering, v. 48, no. 1, p. 26-30.
- Porter, E.W., and Ripley, Edward, 1985, Petrologic and stable isotope study of the goldbearing breccia pipe at the Golden Sunlight deposit, Montana: Economic Geology, v. 80, p. 1689-1706.
- Porter, T.M., 1998, An overview of the world's porphyry and other hydrothermal copper & gold deposits and their distribution, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 3-17.
- Price, J.G., Henry, C.D., Barker, D.S., and Rubin, J.N., 1986, Petrology of the Marble Canyon stock, Culberson County, Texas, *in* Price, J.G., Henry, C.D., Parker, D.F., and Barker, D.S., eds., Igneous geology of Trans-Pecos Texas—field trip guide and research articles: Texas Bureau of Economic Geology Guidebook 23, p. 303-319.
- Price, J.G., Henry, C.D., and Standen, A.R., 1983, Annotated bibliography of mineral deposits in Trans-Pecos Texas: Texas Bureau of Economic Geology Mineral Resource Circular 73, 108 p.
- Qin, Kezhang, Li, Huimin, and Ishihara, Shunso, 1997, Intrusive and mineralization ages of the Wunugetushan porphyry Cu-Mo deposit, NE-China: evidence from single grain zircon, U-Pb, Rb-Sr isochron and K-Ar ages: Resource Geology, v. 47, p. 293-298.
- Ramirez Rodriguez, R.D., 1996, Geology of Mantos Blancos mine, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada Field Trip Guidebook Compendium, p. 466-481.
- Randol International Ltd., 1993, Mexican mining directory 1994: Golden, Colorado, Randol International Ltd., 250 p.
- Ransome, F.L., 1909, Geology and ore deposits of Goldfield, Nevada: U.S. Geological Survey Professional Paper 66, 258 p.
- Rebagliati, C.M., Bowen, B.K., Copeland, D.J., and Niosi, D.W.A., 1995, Kemess South and Kemess North porphyry gold-copper deposits, northern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 377-396.

- Reyes, Manuel, 1991, The Andacollo strata-bound gold deposit, Chile, and its position in a porphyry copper-gold system: Economic Geology, v. 86, p. 1301-1316.
- Richard, K., and Courtright, J.H., 1958, Geology of Toquepala, Peru: Mining Engineering, v. 10, p. 262-266.
- Richard, Kenyon, and Courtright, J.H., 1966, Structure and mineralization at Silver Bell, Arizona, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 157-163.
- Richards, J.P., 1990, Petrology and geochemistry of alkalic intrusives at the Porgera gold deposit, Papua New Guinea: Journal of Geochemical Exploration, v. 35, p. 141-199.
- Richards, J.P., 1995, Alkalic-type epithermal gold deposits—a review, *in* Thompson, J.F.H., ed., Magmas, fluids, and ore deposits: Mineralogical Association of Canada Short Course Series, v. 20, p. 367-400.
- Richards, J.P., and Kerrich, Robert, 1993, The Porgera gold mine, Papua New Guinea: magmatic hydrothermal to epithermal evolution of an alkalic-type precious metal deposit: Economic Geology, v. 88, p. 1017-1052.
- Riedell, Brock, 1996, The Mount Hope porphyry molybdenum deposit, Eureka County, Utah, *in* Green, S.M., and Struhsacker, E., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada Field Trip Guidebook Compendium, 1995, p. 101-110.
- Riedell, K.B., Jones, B.K., and Cheney, E.S., 1996, Geology, geochemistry, and evolution of the Mazama porphyry copper-molybdenum-gold deposit, Okanogan County, Washington, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada Symposium Proceedings, Reno/Sparks, Nevada, April 1995, p. 1501-1520.
- Roberts, R.J., and Arnold, D.C., 1965, Ore deposits of the Antler Peak quadrangle, Humboldt and Lander Counties, Nevada: U.S. Geological Survey Professional Paper 459-B, 94 p.
- Roberts, T.T., Parkinson, G.A., and McLemore, V.T., 1990, Geology of the Red River district, Taos County, New Mexico, *in* Bauer, P.W., Lucas, S.G., Mawer, C.K., and McIntosh, W.C., eds., Tectonic development of the southern Sangre de Cristo Mountains: New Mexico Geological Society Guidebook 41, p. 375-380.
- Robinson, R.F., and Cook, Annan, 1966, The Safford copper deposit, Lone Star mining district, Graham County, Arizona, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 250-266.
- Rogerson, R., and McKee, C., 1990, Geology, volcanism and mineral deposits of Papua New Guinea, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1689-1701.

- Rojas, N., Perello, J., Harman, P., Cabello, J., Devaux, C., Fava, L., and Etchart, E. (Part I); Perello, J., Rojas, N., Devaux, C., Fava, L., Etchart, E., and Harman, P. (Part II), 1998, Discovery of the Agua Rica porphyry Cu-Mo-Au deposit, Catamarca Province, northwestern Argentina; Part I. Exploration and discovery; Part II. Geology, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 111-132.
- Rosdeutscher, J.A., Crowe, D.E., and Harris, T.D., 1998, Characterization of distal gold mineralization and alteration in the Cripple Creek district, Colorado: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-301.
- Rose, A.W., and Baltosser, W.W., 1966, The porphyry copper deposit at Santa Rita, New Mexico, *in* Titley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 205-220.
- Ross, K.V., Godwin, C.I., Bond, L., and Dawson, K.M., 1995, Geology, alteration and mineralization of the Ajax East and Ajax West copper-gold alkalic porphyry deposits, southern Iron Mask batholith, Kamloops, British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 565-580.
- Rostad, O.H., 1978, K-Ar dates for mineralization in the White Cloud-Cannivan porphyry molybdenum belt of Idaho and Montana—a discussion: Economic Geology, v. 73, p. 1366-1367.
- Roth, E., Groves, D., Anderson, G., Daley, L., and Staley, R., 1991, Primary mineralization at the Boddington gold mine, Western Australia: An Archean porphyry Cu-Au-Mo deposit, *in* Ladeira, E.A., ed., Brazil Gold '91: Rotterdam, Balkema, p. 481-488.
- Rush, P.M., and Seegers, H.J., 1990, Ok Tedi copper-gold deposits, *in* Hughes, F.E., ed., Geology of the mineral deposits of Australia and Papua New Guinea: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 14, p. 1747-1754.
- Russell, Norman, Polanco, José, and Kesler, S.E., 1986, Geology of the Monte Negro gold-silver deposit, Pueblo Viejo district, Dominican Republic, *in* Macdonald, A.J., ed., Gold '86: Willowdale, Ontario, Konsult International, Inc., p. 497-503.
- Russell, N., Seaward, M., Rivera, J.A., McCurdy, K., Kesler, S.E., and Cloke, P.L., 1981, Geology and geochemistry of the Pueblo Viejo gold-silver oxide ore deposit, Dominican Republic: Transactions Institution of Mining and Metallurgy, Section B, Applied Earth Science, v. 90, p. B153-B162.
- Ryan, A.J., 1998, Ernest Henry copper-gold deposit, *in* Berkman, D.A., and Mackenzie, D.H., eds., Geology of Australian and Papua New Guinea mineral deposits:
 Melbourne, Australasian Institute of Mining and Metallurgy Monograph 22, p. 759-767.

- Ryan, P.J., Lawrence, A.L., Jenkins, R.A., Matthews, J.P., Zamora G., J.C., Marino W.,
 E., and Urqueta Diaz, I., 1995, The Candelaria copper-gold deposit, Chile, *in* Pierce,
 F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera:
 Tucson, Arizona Geological Society Digest 20, p. 625-645.
- Rytuba, J.J., McKee, E.H., and Cox, D.P., 1993, Geochronology and geochemistry of the Ladolam gold deposit, Lihir Island, and gold deposits and volcanoes of Tabar and Tatau, Papua New Guinea: U.S. Geological Survey Bulletin 2039, p. 119-126.
- Ryzak, David, 1990, Gold deposits of active mining areas, Little Rocky Mountains, Montana: Proceedings of the Fourth Western Regional Conference on Precious Metals and the Environment, Lead, South Dakota: Society for Mining, Metallurgy, and Exploration (SME-AIME), p. 61-75.
- Salas, G.P., 1991, La Caridad disseminated copper deposits, Sonora, *in* Salas, G.P., ed., Economic geology, Mexico: Boulder, Colorado, Geological Society of America, The geology of North America, v. P-3, p. 201-203.
- Samson, I.M., 1990, Fluid evolution and mineralization in a subvolcanic stock: the Mount Pleasant W-Mo-Sn deposits, New Brunswick, Canada: Economic Geology, v. 85, p. 145-163.
- Sandbak, L.A., and Alexander, G.H., 1995, Geology and rock mechanics of the Kalamazoo orebody, San Manuel, Arizona, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p.396-423.
- Sasso, A.M., and Clark, A.H., 1998, The Farallón Negro Group, northwest Argentina: magmatic, hydrothermal and tectonic evolution and implications for Cu-Au metallogeny in the Andean back-arc: SEG (Society of Economic Geologists) Newsletter, no. 34, p. 1, 8-18.
- Saunders, J.A., and May, E.R., 1986, Bessie G: A high-grade epithermal gold telluride deposit, La Plata County, Colorado, U.S.A., *in* Macdonald, A.J., ed., Proceedings of Gold '86, an International Symposium on the Geology of Gold: Toronto, p. 431-444.
- Sawyer, D.A., 1994, Geologic map of a Late Cretaceous caldera and related porphyry copper-molybdenum ore deposits in the Silver Bell mining district, Arizona, and their subsequent Tertiary structural history: U.S. Geological Survey Circular 1103-A, p. 91-92.
- Schassberger, H.T., 1972, A K-Ar age of a quartz monzonite dike in the Kerwin mining district, Park County, Wyoming: Isochron/West, no. 4, p. 31.
- Schmidt, E.A., Broch, M.J., and White, R.O., 1983, Geology of the Thompson Creek molybdenum deposit, Custer County, Idaho, *in* The genesis of Rocky Mountain ore deposits: changes with time and tectonics: Denver, Colorado, Denver Region Exploration Geologists Society, p. 79-84.
- Schmidt, E.A., Worthington, J.E., and Thomssen, R.W., 1979, K-Ar dates from mineralization in the White Cloud-Cannivan porphyry molybdenum belt of Idaho and Montana—a discussion: Economic Geology, v. 74, p. 698-699.

- Schmitt, H.A., 1939, The Pewabic mine: Geological Society of America Bulletin, v. 50, p. 777-818.
- Schroeter, T.G., 1995, Compilation table of porphyry deposits of the northwestern Cordillera of North America, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 884-888.
- Schutz, J.L., 1995, Gold mineralization associated with alkaline intrusives at the Carache Canyon breccia pipe prospect, Ortiz Mountains, New Mexico, *in* Bauer, P.W., Kues, B.S., Dunbar, N.W., Karlstrom, K.E., and Harrison, Bruce, eds., Geology of the Santa Fe region, New Mexico: New Mexico Geological Society 46th Annual Field Conference Guidebook, p. 167-173.
- Schwartz, G.M., 1953, Geology of the San Manuel copper deposit, Arizona: U.S. Geological Survey Professional Paper 256, 65 p.
- Schwartz, M.O., 1982, The porphyry copper deposit at La Granja, Peru: Economic Geology, v. 77, p. 482-488.
- Sell, J.D., 1995, Discovery of a deep (3500 feet) unexposed porphyry copper deposit at Superior East, Pinal County, Arizona, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits in the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 373-395.
- Serrano, L., Vargas, R., Stambuk, V., Aguilar, C., Galeb, M., Holmgren, C., Contreras, A., Goday, S., Vela, I., Skewes, M.A., and Stern, C.R., 1996, The Late Miocene to Early Pliocene Río Blanco-Los Bronces copper deposit, central Chilean Andes, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 119-130.
- Setterfield, T.N., Mussett, A.E., and Oglethorpe, R.D.J., 1992, Magmatism and associated hydrothermal activity during the evolution of the Tavua caldera: ⁴⁰Ar-³⁹Ar dating of the volcanic, intrusive, and hydrothermal events: Economic Geology, v. 87, p. 1130-1140.
- Sharp, J.E., 1978, A molybdenum mineralized breccia pipe complex, Redwell Basin, Colorado: Economic Geology, v. 73, p. 369-382.
- Sharp, J.E., 1979, Cave Peak, a molybdenum mineralized breccia pipe complex in Culberson County, Texas: Economic Geology, v. 74, p. 517-534.
- Shatov, V.V., 1997, The Verkhnee Qairaqty tungsten deposit, central Kazakhstan: mineralogical and geochemical study of wallrock alteration patterns applied to exploration for hidden granite-related ore systems, *in* Papunen, H., ed., Mineral deposits: research and exploration, where do they meet?: Rotterdam, A.A. Balkema, p. 675-678.
- Shaver, S.A., 1991, Geology, alteration, mineralization, and trace element geochemistry of the Hall (Nevada Moly) deposit, Nye County, Nevada, *in* Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and ore deposits of the Great Basin: Reno, Geological Society of Nevada, p. 303-332.

- Shaver, S.A., and Jeanne, R.A., 1996, The geology and evolution of the weakly Au-(Cu)mineralized far eastern side of the Robinson mining district, Ely, Nevada, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada, v. 3, p. 1623-1637.
- Sikka, D.B., and Bhappu, R.B., 1994, Economic potential of the Malanjkhand Proterozoic porphyry copper deposit, M.P., India: Mining Engineering, v. 46, p. 221-229.
- Sikka, D.B., Petruk, W., Nehru, C.E., and Zhang, Z., 1991, Geochemistry of secondary copper minerals from Proterozoic porphyry copper deposit, Malanjkhand, India: Ore Geology Reviews, v. 6, p. 257-290.
- Sillitoe, R.H., 1973, Geology of the Los Pelambres porphyry copper deposit, Chile: Economic Geology, v. 68, p. 1-10.
- Sillitoe, R.H., 1977, Permo-Carboniferous, upper Cretaceous, and Miocene porphyry copper-type mineralization in the Argentinian Andes: Economic Geology, v. 72, p. 99-109.
- Sillitoe, R.H., 1981, Regional aspects of the Andean porphyry copper belt in Chile and Argentina: Transactions Institution of Mining and Metallurgy, v. 90, sec. B, p. B15-B36.
- Sillitoe, R.H., 1989, Gold deposits in western Pacific island arcs: the magmatic connection, *in* Keays, R.R., Ramsay, W.R.H., and Groves, D.I., eds., The geology of gold deposits: the perspective in 1988: Economic Geology Monograph 6, p. 274-291.
- Sillitoe, R.H., 1991, Gold metallogeny of Chile—an introduction: Economic Geology, v. 86, p. 1187-1205.
- Sillitoe, R.H., 1991, Intrusion-related gold deposits, *in* Forster, R.P., ed., Gold metallogeny and exploration: Glasgow and London, Blackie, p. 165-209.
- Sillitoe, R.H., 1992, Gold and copper metallogeny of the central Andes—past, present and future exploration objectives: Economic Geology, v. 87, p. 2205-2216.
- Sillitoe, R.H., 1993, Gold-rich porphyry copper deposits: geological model and exploration implications, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., Mineral deposit modeling: Geological Association of Canada Special Paper 40, p. 465-478.
- Sillitoe, R.H., 1994, Indonesian mineral deposits—introductory comments, comparisons and speculations: Journal of Exploration Geochemistry, v. 50, p. 1-11.
- Sillitoe, R.H., 1995, Exploration and discovery of base- and precious-metal deposits in the circum-Pacific region during the last 25 years: Resource Geology Special Issue no. 19, 119 p.
- Sillitoe, R.H., 1997, Characteristics and controls of the largest porphyry copper-gold and epithermal gold deposits in the circum-Pacific region: Australian Journal of Earth Sciences, v. 44, p. 373-388.

- Sillitoe, R.H., 1998, Major regional factors favouring large size, high hypogene grade, elevated gold content and supergene oxidation and enrichment of porphyry copper deposits, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 21-34.
- Sillitoe, R.H., and Gappe, I.M., Jr., 1984. Philippine porphyry copper deposits: geologic setting and characteristics: Committee for Co-ordination of Joint Prospecting for Mineral Resources in Asian Offshore Areas (CCOP) Technical Publication 14, 89 p.
- Sillitoe, R.H., Grauberger, G.L., and Elliott, J.E., 1985, A diatreme-hosted gold deposit at Montana Tunnels, Montana: Economic Geology, v. 80, p. 1717-1721.
- Sillitoe, R.H., Halls, C., and Grant, J.N., 1975, Porphyry tin deposits in Bolivia: Economic Geology, v. 70, p. 913-927.
- Sillitoe, R.H., Halls, C., and Grant, J.N., 1976, Porphyry tin deposits in Bolivia—a reply: Economic Geology, v. 71, p. 1065-1067.
- Sillitoe, R.H., Jaramillo, L., and Castro, H., 1984, Geological exploration of a molybdenum-rich porphyry copper deposit at Mocoa, Colombia: Economic Geology, v. 79, p. 106-123.
- Sillitoe, R.H., Jaramillo, Luis, Damon, P.E., Shafiqullah, Muhammed, and Escovar, Ricardo, 1982, Setting, characteristics, and age of the Andean porphyry copper belt in Colombia: Economic Geology, v. 77, p. 1837-1850.
- Sillitoe, R.H., Marquardt, J.C., Ramírez, F., Becerra, H., and Gómez, M., 1996, Geology of the concealed MM porphyry copper deposit, Chuquicamata district, northern Chile, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 59-70.
- Sillitoe, R.H., McKee, E.H., and Vila, Tomás, 1991, Reconnaissance K-Ar geochronology of the Maricunga gold-silver belt, northern Chile: Economic Geology, v. 86, p. 1261-1270.
- Sinclair, W.D., 1995, Molybdenum, tungsten and tin deposits and associated granitoid intrusions in the northern Canadian Cordillera and adjacent parts of Alaska, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 58-76.
- Sinclair, W.D., 1995, Porphyry W, *in* Lefebure, D.V., and Ray, G.E., eds., Selected British Columbia mineral deposit profiles: volume 1—Metallics and coal: British Columbia Ministry of Energy, Mines and Petroleum Resources Open File 1995-20, p. 101-104.
- Sketchley, D.A., Rebogliati, C.M., and De Long, C., 1995, Geology, alteration and zoning patterns of the Mt. Milligan copper-gold deposits, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 650-655.

- Skewes, M.A., Arevalo, A.G., Floody, Ricardo, and Zuniga, Patricio, 1999, El Teniente (Braden) copper deposit, central Chile: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A-93.
- Skewes, M.A., and Stern, C.R., 1996, Late Miocene mineralized breccias in the Andes of central Chile: Sr- and Nd-isotopic evidence for multiple magmatic sources, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 33-42.
- Smit, Hans, Sieb, Mike, and Swanson, Christine, 1996, The Dublin Gulch intrusivehosted gold deposit: British Columbia Geological Survey and Northwest Mining Association, organizers, Short Course Notes—New mineral deposit models of the Cordillera, Spokane, Washington, 2-3 December, 1996, p. F1-F14.
- Smith, Moira, Thompson, J.F.H., Bressler, Jason, Layer, Paul, Mortensen, J.K., Abe, Ichiro, and Takaoka, Hidetoshi, 1999, Geology of the Liese zone, Pogo property, east-central Alaska: SEG (Society of Economic Geologists) Newsletter, no. 38, p. 1, 12-21.
- Snee, L., Miggins, D., Geisman, J., Reed, M., Dilles, J., and Zhang, L., 1999, Thermal history of the Butte porphyry system, Montana: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A-380.
- So, Chil-Sup, Zhang, De-Quan, Yun, Seong Taek, and Li, Da-Xing, 1998, Alterationmineralization zoning and fluid inclusions of the high-sulfidation epithermal Cu-Au mineralization at Zijinshan, Fujian Province, China: Economic Geology, v. 93, p. 961-980.
- Sokolov, Alexei, 1995, Regional and local controls on giant-scale Cu and Au mineralization, Uzbekistan, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Department of Geological Sciences, Queen's University, p. 514-538.
- Spilsbury, T.W., 1995, The Schaft Creek copper-molybdenum-gold-silver porphyry deposit, northwestern British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 239-246.
- Spry, P.G., Paredes, M.M., Foster, Fess, Truckle, Jack, and Chadwick, T.H., 1994, Evidence for a magmatic hydrothermal to epithermal origin for the Golden Sunlight gold-silver telluride deposit, Whitehall, Montana: Geological Society of America Abstracts with Programs, v. 26, no. 7, p. A-311.
- Spry, P.G., Paredes, M.M., Foster, Fess, Truckle, J.S., and Chadwick, T.H., 1996, Evidence for a genetic link between gold-silver telluride and porphyry molybdenum mineralization at the Golden Sunlight deposit, Whitehall, Montana: fluid inclusion and stable isotope studies: Economic Geology, v. 91, p. 507-526.

- Stanley, C.R., Holbek, P.M., Huyck, H.L.O., Lang, J.R., Preto, V.A.G., Blower, S.J., and Bottaro, J.C., 1995, Geology of the Copper Mountain alkalic porphyry copper-gold deposits, Princeton, British Columbia, *in* Schroeter, T.G., ed., Porphyry deposits of the northwestern Cordillera of North America: Canadian Institute of Mining, Metallurgy and Petroleum Special Volume 46, p. 537-564.
- Stein, H.J. 1985, A lead, strontium, and sulfur isotope study of Laramide-Tertiary intrusions and mineralization in the Colorado Mineral Belt with emphasis on Climaxtype porphyry molybdenum systems plus a summary of other newly acquired isotopic and rare earth element data: Chapel Hill, North Carolina, University of North Carolina at Chapel Hill, Ph.D. thesis, 493 p.
- Stewart, J.P., 1983, Petrology and geochemistry of the intrusives spatially associated with the Logtung W-Mo deposit, S. Yukon: Toronto, University of Toronto, M.Sc. thesis, 243 p.
- Storey, L.O., 1978, Geology and mineralization of the Lights Creek stock, Plumas County, California, *in* Jenney, J.P., and Hauck, H.R., eds., Proceedings of the porphyry copper symposium, Tucson, March 18-20, 1976: Tucson, Arizona Geological Society Digest 11, p. 49-58.
- Stultz, Andrew, 1985, Geology of the Bajo la Alumbrera porphyry copper and gold prospect, Catamarca Province, Argentina: Tucson, University of Arizona, M.S. thesis, 75 p.
- Suttill, K.R., 1993, The riches of Porgera: Engineering and Mining Journal, November, 1993, p. 24-28.
- Swainbank, R.C., Bundtzen, T.K., Clough, A.H., Hansen, E.W., and Nelson, M.G., 1992, Alaska's mineral industry 1992: Alaska Department of Natural Resources Division of Geological and Geophysical Surveys Special Report 47, 80 p.
- Tau-Loi, D., and Andrew, R.L., 1998, Wafi copper-gold deposit, *in* Berkman, D.A., and Mackenzie, D.H., eds., Geology of Australian and Papua New Guinea mineral deposits: Melbourne, Australasian Institute of Mining and Metallurgy Monograph 22, p. 827-831.
- Taylor, R.G., 1979, Geology of tin deposits: Amsterdam, Elsevier, 543 p.
- Theodore, T.G., Blake, D.W., Loucks, T.A., and Johnson, C.A., 1992, Geology of the Buckingham stockwork molybdenum deposit and surrounding area, Lander County, Nevada: U.S. Geological Survey Professional Paper 798-D, p. D1-D307.
- Theodore, T.G., and de Witt, M.P., 1976, Porphyry-type metallization and alteration at La Florida de Nacozari, Sonora, Mexico: U.S. Geological Survey Open-File Report 76-760, 28 p.
- Thomas, J.A., and Galey, J.T., Jr., 1982, Exploration and geology of the Mt. Emmons molybdenite deposits, Gunnison County, Colorado: Economic Geology, v. 77, p. 1085-1104.
- Thompson, J.F.H., Sillitoe, R.H., Baker, T., Lang, J.R., and Mortensen, J.K., 1999, Intrusion-related gold deposits associated with tungsten-tin provinces: Mineralium Deposita, v. 34, p. 323-334.

- Thoms, J.A., 1978, Textural variations and mineral zoning of the Pilares breccia pipe, Nacozari mining district, Sonora, Mexico, *in* Jenney, J.P., and Hauck, H.R., eds., Proceedings of the porphyry copper symposium: Tucson, Arizona Geological Society Digest 11, p. 143.
- Thorman, C.H., and Christensen, O.D., 1991, Geologic setting of gold deposits in the Great Basin, western United States, *in* Ladiera, E.A., ed., Brazil Gold '91: Rotterdam, Balkema, p. 65-75.
- Thorman, C.H., and Drew, L.J., 1988, A report on site visits to some of the largest tin deposits in Brazil, March 11-25, 1988: U.S. Geological Survey Open-File Report 88-0594, 19 p.
- Titley, S.R., 1993, Characteristics of porphyry copper occurrence in the American Southwest, *in* Kirkham, R.V., Sinclair, W.D., Thorpe, R.I., and Duke, J.M., eds., Mineral deposit modeling: Geological Association of Canada Special Paper 40, p. 433-464.
- Titley, S.R., 1994, Silver Bell porphyry copper deposit, Silver Bell Mountains, Pima County, Arizona: U.S. Geological Survey Circular 1103-B, p. 77-88.
- Titley, S.R., and Anthony, E.Y., 1989, Laramide mineral deposits in Arizona, *in* Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Tucson, Arizona Geological Society Digest 17, p. 485-514.
- Tobey, Eugene, Schneider, Albrecht, Alegria, Aquiles, Olcay, Luis, Perantonis, George, and Quiroga, Jorge, 1998, Skouries porphyry copper-gold deposit, Chalkidiki, Greece: setting, mineralization and resources, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 159-167.
- Tooker, E.W., 1990, Gold in the Bingham district, Utah: U.S. Geological Survey Bulletin 1857-E, p. E1-E16.
- Tooker, E.W., 1990, Gold in the Butte district, Montana: U.S. Geological Survey Bulletin 1857-E, p. E17-E27.
- Tosdal, Richard, 1995, Metal source differences in Cenozoic porphyry Cu-Mo-Au deposits in the central Chilean Andes between 26° and 28°: an influence on the size of porphyry deposits?, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Queen's University, Department of Geological Sciences, p. 137-151.
- Turner, S.J., and Harvey, B., 1998, The Yanacocha high sulfidation gold deposits, northern Peru: Society for Mining, Metallurgy and Exploration (SME) Annual Meeting, Orlando, Florida, March 9-11, Technical Program, p. 31.
- Ulrich, T.D., and Clark, A.H., 1998, Evolution of the Candelaria Cu-Au deposit, III Region, Chile: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-75.
- Van Leeuwen, T.M., 1994, 25 years of mineral exploration and discovery in Indonesia: Journal of Geochemical Exploration, v. 50, p. 13-90.

- Van Leeuwen, T.M., Leach, Terry, Hawke, A.H., and Hawke, M.M., 1990, The Kelian disseminated gold deposit, East Kalimantan, Indonesia: Journal of Geochemical Exploration, v. 35, p. 1-61.
- Van Thournout, F., Salemink, J., Valenzuela, G., Merlyn, M., Boven, A., and Muchez, P., 1996, Portovelo: a volcanic-hosted epithermal vein-system in Ecuador, South America: Mineralium Deposita, v. 31, p. 269-276.
- Vargas R., Ricardo, Gustafson, L.B., Vukasovic, Monica, Tidy F., Enrique, and Skewes, M.A., 1999, On breccias in the Rio Blanco-Los Bronces porphyry copper deposit, Chile, *in* Skinner, B.J., ed., Geology and ore deposits of the central Andes: Society of Economic Geologists Special Publication no. 7, p. 281-297.
- Vennemann, T.W., Muntean, J.L., Kesler, S.E., O'Neil, J.R., Valley, J.W., and Russell, N., 1993, Stable isotope evidence for magmatic fluids in the Pueblo Viejo epithermal acid sulfate Au-Ag deposit, Dominican Republic: Economic Geology, v. 88, p. 55-71.
- Verwoerd, W.J., 1986, Mineral deposits associated with carbonatites and alkaline rocks, in Anhaeusser, C.R., and Maske, S., eds., Mineral deposits of southern Africa: Geological Society of South Africa, v. 2, p. 2173-2191.
- Vikre, P.G., 1989, Ledge formation at the Sandstorm and Kendall gold mines, Goldfield, Nevada: Economic Geology, v. 84, p. 2115-2138.
- Vila, Tomás, Lindsay, Nicholas, and Zamora, Richard, 1996, Geology of the Manto Verde copper deposit, northern Chile: a specularite-rich, hydrothermal-tectonic breccia related to the Atacama fault zone, *in* Camus, F., Sillitoe, R.H., and Petersen, R., eds., Andean copper deposits: new discoveries, mineralization, styles and metallogeny: Society of Economic Geologists Special Publication no. 5, p. 157-170.
- Vila, T., and Sillitoe, R.H., 1991, Gold-rich porphyry systems in the Maricunga belt, northern Chile: Economic Geology, v. 86, p. 1238-1260.
- Vila, Tomás, Sillitoe, R.H., Betzhold, Jorge, and Viteri, Enrique, 1991, The porphyry gold deposit at Marte, northern Chile: Economic Geology, v. 86, p. 1271-1286.
- Waite, K.A., Keith, J.D., Christiansen, E.H., Whitney, J.A., Hatori, Keiko, Tingey, D.G., and Hook, C.J., 1998, Petrogenesis of the volcanic and intrusive rocks associated with the Bingham Canyon porphyry Cu-Au-Mo deposit, Utah, *in* John, D.A., and Ballantyne, G.H., eds., Geology and ore deposits of the Oquirrh and Wasatch Mountains, Utah, 2nd edition: Society of Economic Geologists Guidebook Series, v. 29, p. 69-90.
- Wallace, S.R., MacKenzie, W.B., Blair, R.G., and Muncaster, N.K., 1978, Geology of the Urad and Henderson molybdenite deposits, Clear Creek County, Colorado: Economic Geology, v. 73, p. 325-368.
- Wallace, S.R., Muncaster, N.K., Jonson, D.C., MacKenzie, W.B., Bookstrom, A.A., and Surface, V.E., 1968, Multiple intrusion and mineralization at Climax, Colorado, *in* Ridge, J.D., ed., Ore deposits of the United States, 1933-1967, The Graton-Sales Volume: New York, American Institute of Mining and Metallurgical Engineers, v. 1, p. 605-640.

- Wareham, C.D., Rice, C.M., Boyce, A.J., and Rogers, Graeme, 1998, S, C, Sr, and Pb sources in the Pliocene Silver Creek porphyry Mo system, Rico, Colorado: Economic Geology, v. 93, p. 32-46.
- Warnaars, F.W., Holmgren, D.C., and Barassi, F.S., 1985, Porphyry copper and tourmaline breccias at Los Bronces-Rio Blanco, Chile: Economic Geology, v. 80, p. 1544-1565.
- Watanabe, Yusushi, Stein, H.J., Morgan, J.W., and Markey, R.J., 1999, Re-Os geochronology brackets timing and duration of mineralization for the El Salvador porphyry Cu-Mo deposit, Chile: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A-30.
- Waterman, G.C., and Hamilton, R.L., 1975, The Sar Cheshmeh porphyry copper deposit: Economic Geology, v. 70, p. 568-576.
- Werle, J.L., Ikramuddin, Mohammed, and Mutschler, F.E., 1984, Allard stock, La Plata Mountains, Colorado—an alkaline rock-hosted porphyry copper-precious metal deposit: Canadian Journal of Earth Sciences, v. 21, p. 630-641.
- West, R.J., and Aiken, D.M., 1982, Geology of the Sierrita-Esperanza deposit, Pima mining district, Pima County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 433-465.
- Westra, Gerhard, and Riedell, K.B., 1996, Geology of the Mount Hope stockwork molybdenum deposit, Eureka County, Nevada, *in* Coyner, A.R., and Fahey, P.L., eds., Geology and ore deposits of the American Cordillera: Reno, Geological Society of Nevada, v. 3, p. 1639-1666.
- White, W.H., Bookstrom, A.A., Kamilli, R.J., Ganster, M.W., Smith, R.P., Ranta, D.E., and Steininger, R.C., 1981, Character and origin of Climax-type deposits: Economic Geology 75th Anniversary Volume, p. 270-316.
- Widolo, Sugeng, Belluz, Noris, Wiwoho, Nur, Kusnato, Bowo, Manning, Peter, Macdonald, George, and Edwards, Al, 1998, Geology of the Kucing Liar orebody, Irian Jaya, Indonesia, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 49-60.
- Wilkins, Joe, Jr., 1984, Distribution of gold- and silver-bearing deposits in the Basin and Range province, western United States, *in* Wilkins, Joe, Jr., ed., Gold and silver deposits of the Basin and Range province, western U.S.A.: Arizona Geological Society Digest, v. 15, p. 1-27.
- Wilkinson, W.H., More, S.W., Rivera, J.S., and Mortensen, J.K., 1999, Geological and structural evolution of the Ajo copper deposit, Pima Co., AZ: Society for Mining, Metallurgy, and Exploration (SME) 1999 Annual Meeting, Denver, Colorado, Technical Program with Abstracts, p. 31.

- Wilkinson, W.H., Jr., Vega, L.A., and Titley, S.R., 1982, Geology and ore deposits at Mineral Park, Mohave County, Arizona, *in* Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 523-541.
- Wilson, M.R., and Kyser, T.K., 1988, Geochemistry of porphyry-hosted Au-Ag deposits in the Little Rocky Mountains, Montana: Economic Geology, v. 83, p. 1329-1346.
- Wilson, M.R., and Kyser, T.K., 1989, Geochemistry of porphyry-hosted Au-Ag deposits in the Little Rocky Mountains, Montana—a reply: Economic Geology, v. 84, p. 972-973.
- Win, U Kyaw, and Kirwin, Douglas, 1998, Exploration, geology and mineralisation of the Monywa copper deposits, central Myanmar, *in* Porter, T.M., ed., Porphyry and hydrothermal copper & gold deposits, a global perspective, Conference Proceedings, 30 November & 1 December, 1998, Perth, Western Australia: Glenside, South Australia, Australian Mineral Foundation, p. 61-69.
- Witkind, I.J., 1973, Igneous rocks and related mineral deposits of the Barker quadrangle, Little Belt Mountains, Montana: U.S. Geological Survey Professional Paper 752, 58 p.
- Wright, Alan, 1983, The Ortiz gold deposit (Cunningham Hill): geology and exploration: Nevada Bureau of Mines and Geology Report 36, p. 42-51.
- Young, L.E., St. George, Phil, and Bouley, B.A., 1997, Porphyry copper deposits in relation to the magmatic history and palinspastic restoration of Alaska, *in* Goldfarb, R.J., and Miller, L.D., eds., Mineral deposits of Alaska: Economic Geology Monograph 9, p. 306-333.
- Zentilli, Marcos, Aracena, I., and Graves, M.C., 1997, Reconnaissance trace element study of Chuquicamata, Mansa Mina, and Radomiro Tomic porphyry copper deposits, Chile: Congreso Geológico Chileno, 8th, Antofagasta, 1997, Actas, v. 3, p. 1913-1917.
- Zentilli, M., Leiva Q., G., Rojos de la R., J., and Graves, M.C., 1994, The Chuquicamata porphyry copper system revisited: Congreso Geológico Chileno, 7th, Concepción, 1994, Actas, v. 2, p. 1647-1651.
- Zentilli, Marcos, and Maksaev, Victor, 1995, Metallogenic model for the late Eoceneearly Oligocene porphyry event, northern Chile, *in* Clark, A.H., ed., Giant ore deposits—II. Controls on the scale of orogenic magmatic-hydrothermal mineralization: Kingston, Ontario, Department of Geological Sciences, Queen's University, p. 152-165.
- Zhai, Y., Deng, J., and Peng, R., 1997, Some major mineral deposits in China: their tectonic setting and deposit model characteristics, *in* Pei, Rongfu, ed., Energy and mineral resources for the 21st century—geology of mineral deposits, mineral economics; Proceedings of the 30th International Congress, Beijing, China, 4-14 August, 1996, v. 9: Utrecht, Netherlands, VSP, p. 367-379.
- Zhang, Xiaomao, and Spry, P.G., 1994, Petrological, mineralogical, fluid inclusion, and stable isotope studies of the Gies gold-silver telluride deposit, Judith Mountains, Montana: Economic Geology, v. 89, p. 602-627.

- Zvezdov, V.S., Migachev, I.F., and Girfanov, M.M., 1993, Porphyry copper deposits of the CIS and the models of their formation: Ore Geology Reviews, v. 7, p. 511-549.
- Zweng, P.L., and Clark, A.H., 1995, Hypogene evolution of the Toquepala porphyry copper-molybdenum deposit, Moquegua, southeastern Peru, *in* Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Tucson, Arizona Geological Society Digest 20, p. 566-612.