		Τ.		D. 1.1 D. 6	 			,,		 			.,				
Date	Time La HST deg	Lon deg	Region	Publ Pref depth depth	Calc Dist	Slant dist	Mag class	M nomo	M M- S EW	M vert SPN	M other	M other source		M pref source	I max	Location/felt report	Comment
																	not listed in Hon station bulletin (Hazard, 1910); found on Hon film record; PCA, 10/14/1903; HG,
9/1/1903	19:16		east hawaii						5.16				5.16	hono	felt	Warshauer notes: felt at Hilo	10/16/1903; not found in HS, HEB, HH, HT or MN
2/18/04	10:25		east hawaii						4.97				4.97	hono	IV?	Warshauer notes: vigorous earthquake felt in Hilo between 10 and 11 o'clock	not found in Hon Station Bulletin (Hazard, 1910); found on Hon film record; PCA, 2/22/1904; HS, 2/20/1904; HT, 2/19/1904; not found in HG, HEB, HH or MN
																	not found in Hon Station Bulletin (Hazard, 1910); not found on Hon film record; WKC, 1992, p. 28;
3/19/04	21:00		east hawaii						< 5.2				5.00	int	V?	Lyman notes: one smart shock from SW.	not found in HS, HEB, HG, MN, HT, HH or PCA
3/29/04	11:45		kohala						5.38				5.38	hono	felt	Warshauer notes: A severe earthquake was felt in Kohala on the afternoon of the 29th inst. It lasted ten minutes, moved NW from Kohala toward Mahukona; felt in Kohala [11:45] and Waimea [no time]	found on Hon film record; HG, 4/5/1904; PCA, 4/13/1904; not found in HS, HEB, MN, HH or HT
3/29/04	11:48		kohala??						5.32				5.32	hono			not recognized in newspaper reports; Hon seismogram suggest different location
3/27/04	11.40		KUllaid ! !						5.52				3.32	попо		Hon notes: local earthquake about 18:05 [GMT on	Seismogram suggest unrefellt location
4/4/04	7:39		molokai?										5.30	int	V (S&C)	April 4]. Instrument not recording at that time; Warshauer notes: quite a severe shock was felt here Monday morning at 7:30. No damage done	Hon Station Bulletin (Hazard, 1910); PCA, 4/11/1904; HH, 4/7/1904; not found in MN
4/4/04	7:39		do										5.30	do	do	Warshauer notes: earthquake in Honolulu preceded by low rumbling noise as of far off distant thunder, the earth moving so that houses shook and dishes rattled; earthquake quite severe at Hilo [7:35], Kohala [7:40], and Pepeekeo [7:35]	PCA, 5/16/1904
4/29/04	22:30		kaoiki??						5.79				5.79	hono		Warshauer notes: On Friday, April 29 at 10:30 o'clock [pm] a most severe earthquake shock was felt at Keauhou and Punaluu. The shock lasted about eight seconds and was apparently from north to south; heavy shock at Pepeekeo [10:15] [same quake?]	
6/4/04	12:25		molokai?						5.63				5,63	hono	VI; V (S&C)	Hon notes: local, boom caught by spider web; Lyman notes: a long gentle shake about 12 noon [suggests farther from Hilo than Kilauea's distance]; Warshauer notes: felt sharply at Wailuku and around the island of Maui; some damage done outside of Wailuku	Hon station Bulletin (Hazard, 1910) [Appearance of Hon seismogram suggests distance of Hawaii or closer]; WKC, 1992, p. 28; MN, 6/11/1904
6/4/04	12:25		do						do				5.63		do	and Honolulu, lightly felt at Hilo and Honokaa; landslides in Molokai, damaged light furniture and bric-a-brac all over Maui; buildings swayed, windows rattled and some dishes broke in Honolulu	PCA, 6/5/1904; HT, 6/10/1904
6/4/04	12:25		do						do				5,63		do	Warshauer notes: severest in Maui in several years; pictures swung, china rattled, crockery broken and walls rattled ominously; felt generally throughout the group being heaviest on Maui; also felt at Pepeekeo; slight shock at Hilo much more vigorous on M	PCA, 6/13; 7/14/1904
6/4/04	12:25		do						do				5.63		do	experienced by Hiloites last Saturday noon was more vigorously felt on Molokai and Maui, where dishes and bric-a-brac suffered from the earth tremor	HT, 6/10/1904
7/17/04	14:00		kaoiki??						4.97				4.97	hono		Lyman notes: a 2 shock quake, the 2nd quite hard; In the afternoon [of July 17] there was an earthquake accompanied by rumbling sounds; also felt and heard by the Lymans while resting by the three craters	not reported in Hon Station Bulletin (Hazard, 1910); found on hon film record; WKC, 1992, p. 28; VHR, v. 4, W.D. Westerveldt entry dated 7/20/1904
7/17/04	14:00		do						do				4.97	do		Kau district, very frequent and some of considerable duration; no damage [no times given; mainshock at 2 p.m. followed by aftershocks?]; felt at Volcano House at 2 p.m., caused landslides at Halemaumau	

	Time La	t Lat	Lon	Lon		Publ 1	Pref	Publ	Calc	Slant		М	M M-	м м-	M vert	M hor		M other	М	M pref			
Date	HST de		deg		Region	depth d			Dist		Mag class						M other			source	I max	Location/felt report	Comment
7/17/04	14:00				do								do						4.97	do	umau); VI	Pepeekeo, hard at 1:55 p.m.; continued caving at Halemaumau; slow and steady quake caused trees to sway, tumbled pictures and bric-a-brac and damaged crockery in Hilo; also felt at Volcano House	PCA, 8/13/1904, p. 5; HH, 7/21/1904; HT, 7/22/1904
10/14/04	3:40				maui?	>							5.35						5.35	hono	v	Lyman notes: a slight shock; Warshauer notes: 3:40 am; distinct shock in Hilo; sharp and prolonged in Honolulu; heavy at Lahaina; violent shaking in East Maui; felt reports from Kohala, Puueo (Hilo), Waiawa and Aliamanu (Oahu), and Kipahulu (Maui)	not reported in Hon Station Bulletin (Hazard, 1910); seen on hon film record; WKC, 1992, p. 28; HT, 10/18/1904; PCA, 10/15; 17, 11/18/1904; MN, 10/15/1904; not found in HH
5/3/05	15:16				kl sf?	?							5.33						5.33	hono	V	Lyman notes: a long tremble, hard at the end, throwing down some things, 3:30 PM; Warshauer notes: first of 3 shocks, felt in Hilo (heaviest in 9 yrs) and volcano (distinct), and Hamakua coast; dishes rattled and damage to furniture and bric-a- brac (Hilo)	WKC, 1992, p. 28; HH, 5/4/1905; HT, 5/9/1905; PCA, 5/10; 12/1905: time given as 3:18 p.m.; HS, 5/6; 10, 1905; [Lyman comment may be exchanged with the following event; possible foreshock to event at 16:07]
5/3/05	16:07				kl sf?	?							6.18						6.18	hono	(W&K	Lyman notes: a long tremble and a twister; W&K notes: eastern or southern Hawaii; Warshauer notes: another shock at 4:10 PM, stronger (Hilo) than the first; rang church bell; damage to furniture, bric-a-brac and china; also felt volcano and Hamakua coast	Hon Station Bulletin (Hazard, 1910); WKC, 1992, p. 28; WK, 1992, p. 32; HH, 5/4/1905; HT, 5/9/1905; PCA, 5/10, 12/1905; HS, 5/6, 10/1905; not in MN; [Lyman comment exchanged with previous event?-seismogram shows this as a larger event. s-p about 1 minute]
5/3/05	18:40				kl sf?	?							<5.22						5.00	desp	felt	Lyman notes: a long tremble slight, at 6:40 p.m.; Warshauer notes: probably felt on Hamakua coast; 6:35 p.m., weakest of three shocks felt in Hilo; shock at 6:34	1992, p. 28; HH, 5/4/1905; HT, 5/9/1905; PCA, 5/10; 12/1905; HS, 5/6; 10/1905
5/7/05	19:20				kl sf?	,							5.03						5.03	hono	felt	Warshauer notes: a shock at 7:20 p.m. felt in Hilo	aftershock?; found on Hon film record; PCA, 5/12/1905; HT, 5/9/1905; not found in HS
5/28/05	9:22				north hawaii	i							<5.22						4.50	desp	IV?	Lyman notes: one smart shock and a tremble; Warshauer notes: felt at Honomu (10 a.m.; sharp), Kohala Mission (9:27 a.m.), Waimea (10:25 a.m. [9:25?]; smart) and Kealakekua (9:15 a.m.)	not reported in Hon Station Bulletin (Hazard, 1910); not found on hon film record; WKC, 1992, p. 28; PCA, 6/6/1905; not found in MN, HH or HT
4/25/06	1:47				north hawaii								6.01						6.01	hono	v	Hon notes: seismogram impulsive, incorrect amp in Hon bull.; Lyman notes: a smart shake at 2 am; Warshauer notes: heavy in (2 a.m.), followed by two slight at intervals of 10 min., Hakalau (1:57 a.m.) and Kau (2 a.m.), direction N to S	Hon Station Bulletin (Hazard, 1910); WKC, 1992, p. 29; PCA, 5/1/1906; not found in MN; fred-check berkelev
4/25/06	1:47				do								do						6.01	do		Warshauer notes: severe in Kona and Honokaa, duration 30 sec, followed by two less severe; quakes felt in Mahukona, threw down walls at Kawaihae; 3 distinct in Hilo, 2nd light; also in Kau felt at Volcano, Waimea, Hilo and Mahukona about equally	,
9/4/06	3:15				east hawaii								<5.41						5.30	int	v	Lyman notes: [9/3-wrong?] a smart shake, 2 shocks, SE & NW; Warshauer notes: severe [in Hilo] at 3:15 a.m.; not perceived at the Volcano House, felt lightly at Mountain View.; A sharp earthquake shock awakened most Hilonians at 3:15 a.m., no damage	not reported in Hon Station Bulletin (Hazard, 1910); not found on hon film record-disturbed record; WKC, 1992, p. 29; PCA, 9/5/1906; HH, 9/4/1906, quoted in PCA, 9/10/1906
1/8/07	15:00				ml swr?	?							< 5.35						5.90	int	VI?	Warshauer notes: Slight shocks felt at several stations [north Hawaii] from 8th to 10th inc. [no individual reports]; over 50 shocks at Pahala 8th-9th, one quite heavy on PM of 8th wavaying bushes/trees [not mentioned in Lyman Diary]	time assumed; not found on hon film record; PCA, 1/11; 15; 18/1907; HG, 1/11/1907; HS, 1/11/1907; HEB, 1/11/1907; HT, 1/15/1907; not in HH or MN; [precursory seismicity north of Mokuaweoweosaddle??; large event might be Hilea]
1/10/07	13:31				hilea?	P							5.82						5.82	hono	felt	Hon notes: probably local; [Honolulu seismogram is impulsive]; Lyman notes: a slight long tremble a 1:30 PM; Warshauer notes: Earthquake shocks were felt during the week at a number of stations ir the western and southern portions of Hawaii.	1/15/1907: Warshauer note, cont.: The observer at

	Time	Lat	Lat	Lon	Lon		Publ	Pref	Publ	Calc	Clout		М	мм	мм	M vert	Mho		M other	м	Manaf			
Date	HST	Lat deg		deg		Region		depth		Dist		Mag class						M other			M pref source		Location/felt report	Comment
1/10/07	13:3:	1				do	•							5.82						5.82	hono	felt	Warshauer notes: At Kapapala numerous earthquakes yesterday, none very severe. One shock at 1:30 o'clock; quite a heavy shock [at Pahala], plainly observing the trees and bushes swaying back and forth; several thumps felt, rotary motion	HEB, 1/12/1907; HG, 1/18/1907; HS, 1/22/1907; HEB, 1/31/1907
6/11/07	3:40	0				hilea?								< 5.27						4.50	int	IV-V?	Lyman notes: a 2 shock mild shake; Warshauer notes: heavy shocks of earthquakes at 3:43 on Hawaii; also felt at Paauilo, Laupahoehoe, Naalehu heavy, and Kealakekua; Honuapo-most severe shake, about 40 sec; also felt at Hilo, Kona and Waiohinu	not reported in Hon Station Bulletin (Hazard, 1911); not found on hon film-disturbed rec; no mention in 'VHR entry on this date; WKC, 1992, p. 29; PCA, 6/15; 18/1907; HS & HEB, 6/14/1907; not in MN, HH or HT; possible analog to quake of 8/20/24 (WK, p. 31)
7/5/07	23:45	5				molokai??								4.60						4.60	hono	felt	Lyman notes: a long continued shake near 12 last night; Warshauer notes: slight shock felt over Honolulu at 11:55 p.m., duration a few see, quite distinct; slight at Makawao [Maui] at 11:40 p.m.; distinct on Maui and throughout territory at 11:45	not reported in Hon Station Bulletin (Hazard, 1911); found on hon film record; WKC, 1992, p. 29; PCA, 7/6; 16/1907; MN, 7/13/1907; not found in HEB, HH or HT
9/5/07	18:52	2				kl sf?								5.16						5.16	hono	V	Hon notes: tremor; Lyman notes; a smart 2 shock quake, dur several sec; Warshauer notes: severe quake in Hilo, dur several min; ship in dock shook stem to stern, wharf shaken; felt all haw island, esp Kohala, Kau, Papaikou; volcano light, wire interrupted	Hazard, 1911; WKC, 1992, p. 29; HEB, 9/6; 7/1907; PCA, 9/8/1907
9/5/07	18:52	2				do								do						5.16	do	do	Warshauer notes: slight at volcano; lively shock in Hilo at 6:42 p.m., lasted a few seconds, with a long steady motion that swayed houses, spilled liquids, few articles moved; distinct shock at Shipman's ranch, most severe in many years	
9/6/07	0:30)				kl sf??												5.30	int	5.30	int	V	Lyman notes: a slight shock [felt at Hilo]; Warshauer notes: a third shock felt at Shipman's ranch at night that waked the entire family	aftershock; not found on hon film record; WKC, 1992, p. 29; HH, 9/12/1907; not found in HT, HG, HEB or PCA
12/19/07	20:55	5				alenuihaha deep?								5.63				4.90	this catalog- area of intensity V (W&K, p. 26)	5.63	hono	v	Hon notes: local shock; Warshauer notes: an earthquake felt all over Honolulu. Two shocks followed within a few seconds, the entire disturbance occupying about fifteen seconds; also felt in Nuuanu valley, Palolo, Waikiki and Kalihi; details in bib	Hazard, 1911; PCA, 12/20; MN, 12/21/1907 [not mentioned by Cox, 1986 or WK, 1992]
12/19/07	20:55	5				do								do						5,63	do	do	Warshauer notes: There was a sharp earthquake vibration in Lahaina [Maui] at 9 p.m.; two distinct shocks in Molokai, felt as if underfoot; felt on Hawaii at Kaueeleau [Puna], Naalehu [30 sec], Kona, 2-3 sec severe and long, and Kihei [Maui], 20 sec	PCA, 12/23; 24; 31/1907
12/19/07	20:55					do								do						5.63			Warshauer notes: double earthquake at Weather Bureau [Honolulu] at 8:51 p.m.; Kohala [several locations], violent, shaking buildings; Honokaa, 10	
12/19/07	20:55	5				do								do						5.63	do	do	Warshauer notes cont.: MauiHuelo and Puunene, 30 sec; Wailuku, two shocks with but an instant between, 8-10 sec, 2nd heavier, like a tremor; Kaanapali, severe; OahuWaianae and Ewa, light; MolokaiMapulehu, light, NE; Molokai Ranch, sharp	PCA, 12/25/1907;
12/19/07	20:55	5				do								do						5.63	do	do	Warshauer notes: long sustained shock felt in Hilo and all over the island of Hawaii, premonitory rumble, duration 15-25 sec, no damage; felt in Honokaa and throughout Kohala; shook bottles from shelves in Hilo, very sharp in Laupahoehoe and Honokaa	HT, 12/24/1907; HH, 12/26/1907

Date	Time HST	Lat deg		Lon min	Region	Publ	Pref depth	Publ	Calc Dist		Mag class		M M-	M vert		M other	M other source		M pref	I max	Location/felt report	Comment
9/20/08			ucg		kl si		цери	uist	Dist	uist	iviag class	nomo	6.70	SIN	IV-L	6.2; 6.8	USSR; (S&C) [from Abe,			VII; VI	Hon Notes: a sharp local shock, which probably has its origin near the volcano Kilauea on the island of Hawaii; W&K notes: int 5-6 Hilo to Puna probably Kilauea south flank	Hazard, 1911 [amp on Hon seismogram much larger
9/26/08	20:05				kl st								<5.2					4.00	desp	IV?	Lyman notes: Quite a smart shake; Warshauer notes: 2 quakes, this one at 8:04 PM, short but particularly sharp [Largest aftershock of 9/20/08]	aftershock; not found on hon film record; WKC, 1992, p. 30; PCA, 10/5/1908; HH, 10/1/1908
10/24/08	17:45				hilea								5.16					5.16	hono	felt	Warshauer notes: The following earthquake shocks were reported felt—all from Hawaii: 24th—Naalehu light followed by heavier, Kealakekua (Davis) 5:45 p.m., lasting two seconds	,
3/13/09	3:30				kl cal deep??								5.35					5.35	hono	v	Hon notes: local shock, felt generally over Island of Hawaii, recorded on magnetograph; Lyman notes: shook water out of vases, no damage done	Hazard, 1912 [time of large waves and ending time given]; no mention in VHR entry on this date; WKC, 1992, p. 30; PCA, 3/23/1909 [in USE, no int or mag]
3/13/09	3:30				do								4.80					5.35	do	do	Warshauer notes: sharp shock felt in Hilo and throughout Kona early yesterday morning [Mar. 13]; An earthquake shock, which was severe in parts of the island, was felt generally over Hawaii about 3:20 a.m. of the 13th	PCA, 3/14; 23/1909; HEB, 3/13/1909; not found in MN, HH or HT
4/19/10	3:45				kilauea?													5.30	int	v	Lyman notes: a smart 2 shock shake, North + South; Warshauer notes: very sharp shock Tuesday [Apr. 19] at about 3:50 a.m., awakened persons in Hilo; short duration; little damage except to crockery too close to shelf edges. Kilauea flared up after quake.	not found on hon film record; ESPHVO, v. 1, p. 28 [repeats info]; WKC, 1992, p. 30; HH, 4/21/1910; not found in PCA, HG, HS, HEB or HT
7/14/11	11:30				maui deep?	,							5.91					5.91	hono	V?	Hon notes: local shock; Lyman notes: long continued slight tremble; Warshauer notes: felt all territory; Honolulu-duration 20 sec, nowhere severe; Maui-two severe shocks at Wailuku, buildings shook, people ran out; Hawaii-felt generally, not at Halemaumau a strong shock [felt at Halemaumau] causing a	no mention in VHR of this date; Hazard, 1913 [Hon seismogram s-p <1 min]; ESPHVO, v. 1, p. 36 [repeats info, but gives 13th as date]; WKC, 1992, p. 30; PCA, 7/15; 19/1911; HS, 7/14/1911; HBB, 7/14/1911; HH, 7/20/1911; not found in HT or MN not found on hon film record; ESPHVO, v. 1, p. 44-
8/25/11	7:15 10:00				kl mer'i	,							< 5.3					5.30		V; IV	heavy landslide from the north black ledge Lyman notes: a slight shake, rattling things some; Warshauer notes: shock felt by hundreds in Hilo, inside and out, motion west to east, duration 17 seconds, 5 sec pause, 20 sec shake, 30 sec pause, three slight 10 sec shocks, separated by 2-3 sec	not reported in Hon Station Bulletin (Hazard, 1913); not on hon film record; not in ESPHVO supp. (Jaggar, 1947); WKC, 1992, p. 31; HH, 4/11/1912; HS, 4/13/1912; not in PCA, HG, HEB or HT [kaoiki guessed if s-p is 5 sec and possibility of aftershocks]
5/5/12					hilea								5.16					5.16			Warshauer notes: It appears that the shock reported	Hon Station Bulletin (Hazard, 1913); not mentioned in ESPHVO supp. (Jaggar, 1947); HS, 5/6/1912,
5/14/12	13:43				east hawaii								5.52					5.52	hono		Hon notes: very slight, amplitude 0.3 mm, duration 1 hr 16.3 min [strange that this doesn't correspond to the much heavier event on the 22nd!]; Lyman notes: May 15, quite a shake [no time given; event on the 14th or the 22nd]	Hon station bulletin (Hazard, 1913); not mentioned
5/22/12	23:00				kl sf	,							< 5.33					5.90	int	VI-VII	quake felt [Volcano-no date] and elsewhere in Hawaii; Warshauer notes: heaviest shake in years [Hilo], tidal waves in ponds, livestock terrorized, little damage, brief but distinct in Kau, west to east duration 7 sec; many smaller events earlier in week	not reported in Hon Station Bulletin (Hazard, 1913); not found on hon film record; ESPHVO supp. (Jaggar, 1947, p. 15); PCA, 5/24; 27/1912; HT, 5/28/1912; HH, 5/30/1912; [int dist analog to kl sf events of 3/54 and 9/79?]
10/13/12	5:45				alenuihaha deep?		40.0	130.0	130.0	136.0			5.02					5.02	hono	V; V (W&K)	notes: about 5:30 A.M., a long continued shake, no	distance and not Oahu]; ESPHVO supp (Jaggar, 1947, p. 44) [origin at a moderate rather than great

	Time L	at I	at Lo	n L	on		Publ Pref	Publ	Calc	Slant		М	M M-	м м.	M vert	M hor		M other	М	M pref			
Date	HST de		in de		in Region		depth depth		Dist		Mag class						M other			source	I max	Location/felt report	Comment
10/13/12	5:45					do							do						5.02	do	do	Warshauer notes: A severe earthquake was felt throughout Maui at 5:30 a.m. The shock was felt throughout the island of Hawaii and all over Honolulu. especially strong in the Kaimuki district felt throughout group, most severe on Maui	PCA, 10/15/1912; MN, 10/19/1912; not reported in HH or HT
12/5/12	2:14				oa	hu				448.0			5.25						5.25	hono			Hazard, 1913 [assume double amp of 1 mm to get separate phases]; ESPHVO supp (Jaggar, 1947, p. 55); not reported in PCA, HSB, HH or MN
12/17/12	15:21				kaoiki	i??				22,4	IV (cancani)	4.03							4.03	nomo	felt	duration approx. 4 min; distance 13-15 mi; not reported felt	ESPHVO supp (Jaggar, 1947, p. 59)
											IV-V												not reported in Hon Station Bulletin (Hazard, 1913); ESPHVO supp (Jaggar, 1947, p. 80); not reported in
3/25/13	22:57				kl s	sf?				32.0	(Cancani) medium	4.58	<5.1						4.58	nomo		duration 3 min 13 sec	HG, HSB or HH ESPHVO supp (Jaggar, 1947, p. 86); PCA,
5/15/13	8:30				kohala	1??				108.0	(Cancani)	4.23							4.23	nomo		moderate local shock, duration 4 min; distance 65- 70 mi	5/25/1913; repeats HVO info; not reported in HH or HT
											high VII (Cancani) ; off scale; medium VI assumed											Lyman notes: at 7:40 PM, 2 slight tremors followed by 2 short sharp shock; a few minutes	
5/18/13	19:51				kl s	sf?				14.0	to agree with Rossi- Forel	>4.6	5.22						5.22	hono		before 8 p.m. a moderately strong focal shock was felt at Volcano House and generally felt in Hilo; pens offscale to E and S, probably close to HVO, direction NW	not listed in Honolulu Station Bulletin (Hazard, 1916); seen on hon film record; WKC, 1992, p. 31; ESPHVO supp (Jaggar, 1947, p.86)
5/18/13	19:51					do				14.0	high VII (Cancani) ; off scale; medium VI assumed to agree with Rossi- Forel	do	do						5.22	do	do	Warshauer notes: in Hilo, a decided shock from sea to mountain followed by two shocks from Puna toward, duration 30 sec; jarred frame buildings sending people into street; strongest quake in 5 years; not felt at Volcano House [but see above]	HSB, 5/20/1913; HH, 5/23/1913; not found in PCA or HG
6/19/13	3:38				kl cal deep	0??				32.0	III-IV (Cancani) ; 1.0 mpu	4.04							4.04	nomo		duration 1 min 43 sec	ESPHVO, v. 2, p. 2
6/28/13	17:58				hilea	1??				48.0	III-IV (Cancani) ; 1.0 mpu	4.32							4.32	nomo		duration 3 min 33 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 5; not found in HG, HSB or HH
7/1/13	9:27				hilea	1??				48.0	medium III (Cancani) ; 0.8 mpu	4.19							4.19	nomo		duration 2 min 54 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 5; not reported in HH
7/4/13	8:22				ml mok	:??				33.6		4.07							4.07	nomo		duration 52 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 6; not reported in HH
7/9/13	2:24				hilea	1??				41.6	medium III (Cancani) ; 0.75 mpu	4.05							4.05	nomo		duration 1 min 03 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 7

	Tim	ne La	ıt Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	м м-	M vert	M hor		M other	М	M pre	f		
Date	HST					Region		depth		Dist		Mag class						M other			source		Location/felt report	Comment
7/12/13	3	3:59				hilea??	?				48.0	III-IV (Cancani) ; 1.0 mpu								4.32	nom	o felt	felt, Kapapala	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 12; not reported in HH
9/8/13	11	1:37				kaoiki??	?				22.4	VI (Cancani) ; off scale		<5.22						4.88	nom	IV (R-	A very sharp and short shock was felt in Hilo	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 19; ESPHVO, v. 2, p. 38; WKC, 1992, p. 31; PCA, 9/10/1913; not found in HG, HSB, HT or HH; no additional felt reports in PCA
10/2/13	7	7:29				hilea??	?				44.8	II-III (Cancani) ; 0.8 mpu								4.14	nome	o	duration 2 min 00 sec	ESPHVO, v. 2, p. 55; not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; not reported in HH
10/25/13	0	0:57				kl sí	f				15.0	off scale	5.27	5.81						5.81	hone		Hon notes: felt strongly at Hilo; [at HVO] shook buildings, objects fell, pictures swayed, walls cracked, rockslides, seismometers broken, felt mos strongly between Hilo and HVO; Lyman notes: a long smart shaking North and South East	Hazard, 1916; ESPHVO, v. 2, p. 62, 64-65 [distance est. 10-20 km; distance and felt reports implies Kilauea south flank]; WKC, 1992, p. 31
10/25/13		0:57				do)				15.0									5.81			Warshauer notes: severe earthquake felt in Hilo, lasting 28 seconds, followed by oscillation of land; two cracks in wall of concrete reinforced by steel; plate glass window cracked; stone bread ovens demolished in country	PCA, 10/29; 11/3, 9/1913; HSB, 10/25/1913; HT, 11/4/1913 [repeats info in ESPHVO]; not in HT or HH
11/7/13	10	0:07				hualalai?	?				76.8	low I (Cancani) ; 0.5 [0.05?] mpu								4.24	nom	0	duration 57 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 69; not reported in HH
11/10/13	13	3:13				hilea??	?				41.6	(Cancani) ; 0.9 mpu								4.16	nome	0	duration 25 sec	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 69; not reported in HH
11/27/13	13	3:27				kona?	?				73.6	(Cancani) ; 0.8 mpu								4.49	nom	o .	duration 2 min 20 sec; [mag high?]	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 78; not reported in HH
12/14/13	5	5:33				alenuihaha??	?				108.8	(Cancani) ; 0.6 mpu								4.59	nome	0	duration 3 min 01 sec; [mag high?]	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 79; not reported in HH
2/14/14	19	9:49				kl sf???	?				17.9	VI	4.10							4.10	nome)	d>2 mpu, rapid vibration; duration 1 min 49 sec	ESPHVO, v. 2, p. 116 not found in Honolulu Station Bulletin (Hazard,
3/8/14	2	2:07				kl sf??	?				10.9	(Cancani) ; 3 mpu								4.47	nome	IV	wakened one sleeping person; several times the mpu; duration 1 min 38 sec	1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 148
3/25/14	9	9:38				hilea??	?				42.0	VII [IV?] (Cancani) ; 11 mpu		<5.2						4.28	nome	o IV	10-12 mpu [cannot be correct; 1.0-1.2 mpu?]; rattled windows at HVO	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 136, 148; HT, 3/31/1914 repeats ESPHVO info; not found in HH
3/25/14	19	9:49				hilea??	?				51.2	(Cancani) ; 0.6 mpu								4.07	nome	0	duration 37 sec Hon notes: Local. Felt at Honolulu but not at	ESPHVO, v. 2, p. 148
3/29/14	20	0:04				molokai?	·				230.0	IV (Cancani) ; 1.5 mpu		5.22						5.22	hono	felt	strongly on Maui and Oahu; Warshauer notes: felt strongly in all parts of Honolulu; most severe in Maui in many years; recorded in Washington DC;	[HVO mag high?, hon mag low]; Hon Station Bulletin (Hazard, 1916); ESPHVO, v. 2, p. 140, 149; PCA, 3/30/1914, repeated in HG, 3/31/1914; MN, 4/4/1914; not found in HH

Date	Time HST	Lat deg	Lat Lor			rion	Publ Pref depth depth		Calc Dist	Slant dist	Mag class	M nomo	M M- S EW	M vert SPN	M other	M other source		M prei		Location/felt report	Comment
		8		,		,								 			Five				
											(Cancani)										ESPHVO, v. 2, p. 149; repeated in Wood/1915,
4/13/14	4:15					hilea??				46.4		4.35					4.35	nomo		duration 1 min 31 sec	table III, p. 49
											IV									barely felt at HVO; duration 2 min 53 sec? [start time in ESPHVO given as 9:58 PM, in	not found in Honolulu Station Bulletin (Hazard,
											(Cancani)									disagreement with end time]; a slight tremor [see	1916); ESPHVO, v. 2, p. 149; repeated in
4/13/14	21:28					hilea??				48.0	; 1.1 mpu	4.25					4.25	nomo	felt	below]; [mag too high?]	Wood/1915, table III, p. 49; WKC, 1992, p. 31
																				felt, feeble, duration 19 min, minimum 6 mpu;	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record;
											VI-VII									Lyman notes: a long shake E&W then N&S [Ross:	
											(Cancani)								II; II (R	Forel and Cancani readings conflict]; mild shock felt in Hilo by those seated or lying down; long	14:50]; repeated in Wood/1915, table III, p. 49; WKC, 1992, p. 31; HT, 5/5/1914; not found in HH
4/29/14	14:50				ml	l mok??				32.0	; 6 mpu	5.09	< 5.22				5.09	nomo	F)	duration; [mag high?]	or PCA
											V-VI										
											(Cancani)									felt?; 2nd maximum in preceding shock; distance	ESPHVO, v. 2, p. 193; repeated in Wood/1915,
4/29/14	14:59				ml	l mok??				32.0	; 4.0 mpu	4.85					4.85	nomo	felt	approximate; duration 18 sec; [mag high?]	table III, p. 49; [aftershock?]
											medium										
											(Cancani)										ESPHVO, v. 2, p. 194; repeated in Wood/1915,
5/13/14	15:41					kl sf??				16.0		4.09					4.09	nomo		duration 37 sec	table III, p. 49
																					Hazard, 1916; ESPHVO, v. 2, p. 194; repeated in
																				mm; nearby; felt locally, duration 6 min 37 sec; Lyman notes: quite a smart 4 shock earthquake [no	Wood/1915, table III, p. 49 [6 assumed as minimum mpu for offscale]; WKC, 1992, p. 31; HH,
60.04	c 20					11 000					ec 1		5.00							day or time given]; Warshauer notes: at 6:20, two	6/5/1914; not found in PCA, HSB, HT or MN
6/1/14	6:29			+		kl sf??				20.0	offscale	4.76	5.22				5.22	hono	(R-F)	distinct shocks in Hilo, first heavier, no damage	[south flank?]
											III-IV										
6/19/14	11:20				ml	l mok??				31.0	(Cancani) ; 1.0 mpu	4.02					4 02	nomo		duration 1 min 09 sec	ESPHVO, v. 2, p. 194; repeated in Wood/1915, table III, p. 49
										51.0		2					1.02	nome			
											(Cancani)									duration 3 min 18 sec; started the ordinary	ESPHVO, v. 2, p. 195; repeated in Wood/1915,
6/25/14	9:29				ml	l mok??				32.0		4.15					4.15	nomo		seismograph	table III, p. 49
											v										
											(Cancani)									not perceived, moderate-strong; duration 5 min 35	ESPHVO, v. 2, p. 195; repeated in Wood/1915,
7/5/14	15:16				k	kaoiki??				19.8	; 3.3 mpu	4.41					4.41	nomo		sec	table III, p. 49
																					not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record;
											VI										ESPHVO, v. 2, p. 195; repeated in Wood/1915, table III, p. 49; HT, 7/14/1914; not found in PCA or
7/5/14	19:18				k	kaoiki??				20.8	(Cancani) ; 6.2 mpu	4.81	<5.2				4.81	nomo	felt	moderate-strong; distinctly felt in volcano	HH
																				were wakened [Hawaii National Park?]; a felt	not found in Honolulu Station Bulletin (Hazard,
											Intensity IV-V								v	shock; Lyman notes: a sharp shock at 4:15 am; Warshauer notes: shock felt from Hilo to volcano,	1916); detected? on hon film record; ESPHVO v. 2, p.193, 196; repeated in Wood/1915, table III, p. 49;
											(Cancani)								(hilo);	sharp, 3 distinct parts, duration several seconds; no	WKC, 1992, p. 31; HH, 7/24/1914; not found in
7/20/14	4:03	\dashv	+	+	ml	l mok??		1		32.0	; 2.5 mpu	4.58	5.03				5.03	hono	II (R-F)	damage	PCA ESPHVO, v. 2, p. 227; repeated in Wood/1915,
																				no instrumental record; probably a succession of shocks, or several maxima in one shock; Lyman	table 1, p. 43 [shocks of 9/27-28 considered
																				notes: at 10:15 am 2 slight shocks & long tremble at the end; Warshauer notes: rather severe shock at	precursory to ML eruption 2 months later]; WKC,
											observed-									10:14 a.m., N to S, duration 15 sec; also felt	time recorded in Honolulu [foreshock?]; HH,
9/27/14	10:06	\dashv		-		hilea?		1			off scale		5.35				5.35	hono	II-III	elsewhere	10/2/1914; not in PCA
																				Hon notes (20:30 GMT): probably local; strong shock, felt elsewhere, not HVO; triggered ordinary	W&K location is Mauna Loa; Hazard, 1916:
																				seismograph; no instrumental record; probably a	ESPHVO, v. 2, p. 227; repeated in Wood/1915,
											observed-									succession of shocks, or several maxima in one shock; Wood has time of 10:08 for phases of same	table 1, p. 43 [shocks of 9/27-28 considered precursory to ML eruption two months later]; WKC
9/27/14	10:08					hilea?					strong		do				5.35	do	do	shock	1992, p. 31; HH, 10/2/1914; not in PCA

	m:				_			ъ.							 			.,				
Date	Time HST	Lat deg	Lat min	Lon deg	Lon min	Region	Publ depth	Pref depth	Publ dist	Calc Dist	Slant dist	Mag class	M nomo	M M- S EW	M vert SPN	M other	M other source		M pref source	I max	Location/felt report	Comment
9/27/14	13:11					hilea					33.6	IV (Cancani)							nomo		duration 3 min 02 sec; not felt at HVO; Warshauer notes: quake felt [Hilo] at 1:17 p.m., not as pronounced as one at 10:14 AM; also felt elsewhere [unspecified]	ESPHVO, v. 2, p. 227; repeated in Wood/1915, table 1, p. 43; HT, 10/2/1914; not found in PCA
11/6/14	19:24					kaoiki?	?				18.9	IV (Cancani) ; 2.2 mpu	4.13					4.13	nomo		1 mpu in ESPHVO; duration 19 sec; exceptionally short period; not perceived at HVO	ESPHVO, v. 2, p. 249; repeated in Wood/1915, table 1, p. 43
11/13/14	19:57					kaoiki?	?				24.8	low IV (Cancani) ; 1.6 mpu	4.14	<5.16				4.14	nomo	V	1.2-1.6 mpu; duration 2 min 10 sec; not felt at HVO; Warshauer notes; [Nov. 13] at 7:50 p.m. a shake of duration 15 sec; distinctly felt at Puueo where pictures hanging from walls swung to and fro; no damage	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; ESPHVO, v. 2, p. 250; repeated in Wood/1915, table 1, p. 44; HH, 11/20/1914; PCA, 11/23/1914
11/15/14	12:50					kaoiki?	?				18.7	low IV (Cancani) ; 2.2 mpu	4.13	<5.16				4.13	nomo	v	duration 2 min 48 sec; felt gently; Warshauer notes: before one PM [Nov. 15], a more severe shake [than on the 13th], south to north, duration 10 sec, rattled windows and threw pictures out of plumb again	not found in Hon film record; ESPHVO, v. 2, p. 250; repeated in Wood/1915, table 1, p. 44; HH, 11/20/1914; not found in PCA
11/25/14	12:23					ml mok	?				34.4	, .	4.63	<5.2				4.63	nomo		ESPHVO, v. 2, p. 261; repeated in Wood, 1915, table 1, p. 44; not perceived at HVO	not found in Honolulu Station Bulletin (Hazard, 1916); looked for, not seen on hon film record; minimum mpu; recording pen swept from cylinder; distance 21-22 mi
11/25/14	14:13					ml mok	?				36.8	IV (Cancani) ; 1.08 mpu	4.18					4.18	nomo		duration 4 min 38 sec; not perceived at HVO	ESPHVO, v. 2, p. 262; repeated in Wood/1915, table 1, p. 44
12/13/14	19:40					ml mok?	?				32.0	IV (Cancani) ; 1.0 mpu	4.31					4.31	nomo		minimum mpu; duration 1 min 20 sec; not perceived at HVO	ESPHVO, v. 2, p. 262; repeated in Wood/1915, table 2, p. 46
1/13/15	19:38					a3035	5				32.0		4.25	<5.22				4.25	nomo	II-III	felt in Hilo; Lyman notes: slight shock, long duration at 7:45 PM	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; ESPHVO, v. 2, p. 267; SBHVO, v. 1, no. 1; WKC, 1992, p. 31; not found in HH or PCA
1/25/15	15:35					ml swr	?				50.0		4.16					4.16	poor		distance calculated from Wood's catalog using the time difference between the maximum signal and the inferred s arrival	SBHVO, v. 1, no. 1
3/28/15	8:26					kaoiki?	?				21.0		>5.07	6.37				6.37	hono		shaking for 5-7 sec, 6 maxima, third was strongest, pens thrown off to S and E; clock stopped in Waiohinu where shock strongest to SW of HVO; needles thrown off to N (?) and E [inferred direction NE (SE?) or SW]	Hazard, 1918; not mentioned in WK; ESPHVO, v. 2, p. 285; SBHVO, v. 1, no. 2 [distance assumed from preceding and succeeding quake]
3/28/15	8:26					de	o				21.0		do	do				6.37	do	do	Warshauer notes: most severe in Hilo in a number of years; appears to be more severe at Hilo than on Pahala side or at HVO; felt all Hawaii island, houses shook, dishes off table, windows rattle;	HT, 3/30/1915; HSB 3/29/1915; MN, 4/3/1915; not in HH or PCA
3/28/15	9:06					kaoiki?	?				21.0			5.52				5.52	hono			[aftershock?]; recorded in Honolulu; lost in mainshock, so not noted in SBHVO, v. 1, no 2
5/26/15	7:26 5:15					kl sf?					31.0		5.24	<5.2					nomo		felt by several at Volcano House as a slow swing; origin SE or NW; N-S amplitude =32, E-W = 101, unusually discrepant; Warshauer notes: another quiver felt in Hilo at about 7:30 AM [mag high?]. about 5:20; felt at the Volcano House and generally in the vicinity of HVO; Warshauer notes: sharp shock felt in Hilo near 5:15 a.m.	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; ESPHVO, v. 2, p. 314; SBHVO, v. 1, no. 3; HH, 5/28/1914; HT, 6/1/1915; not found in PCA or HSB not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; ESPHVO, v. 2, p. 347; SBHVO, v. 1, no. 4; HH, 8/20/1915
8/16/15	13:56					a2025					21.0		4.10						nomo	1011		SBHVO, v. 1, no. 4
8/31/15	4:58					a2025	5				21.0		4.92	<5.2				4.92	nomo	felt	during week ending 9/1/15, 6 shocks, 3 in one day, one felt locally, two felt in Hilo; felt generally in the vicinity of HVO [and in Hilo, from ESPHVO note]	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; ESPHVO, v. 2, p. 354; SBHVO, v. 1, no. 4; not found in HH

Date	Time La				Publ Pref depth depth			Slant dist	Mag class		M M- S EW	M vert SPN	M other	M other source		M pref	I max	Location/felt report	Comment
																		during the past week and one on Sunday last [Sept. 25] was rather strenuous. It was felt at Honokaa and Kukuihaele more than near Hilo. Other quakes have been felt along the coast and all over the	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record;
9/25/15	13:24			mauna kea?				47.0		4.20					4.20	nomo	felt	island	SBHVO (Wood, unpub); HH, 10/1/1915
9/25/15	13:52			mauna kea?				40.0		4.09					4.09	nomo	felt	felt?see above	SBHVO (Wood, unpub)
9/25/15	16:25			kl sf?				21.0	offscale	>4.56	<5.2				4.60	poor	felt	felt-volcano; amplitude assumed	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; SBHVO (Wood, unpub); not found in HH
10/21/15	3:58			a2025				21.0	oriseare	4.22	W.2					nomo		morning; probably felt locally	ESPHVO, v. 2, p. 369; SBHVO (Wood, unpub)
11/7/15	15:01			a3035				32.0		4.02						nomo		3,1	SBHVO (Wood, unpub)
11/20/15	12:04			kona?				73.0		4.07					4.07	nomo			SBHVO (Wood, unpub)
12/5/15	5:25			a3035				32.0		4.86						nomo		felt at volcano house-see below	SBHVO (Wood, unpub)
12/8/15	1:09		_	a3035		_		32.0		4.51						nomo			SBHVO (Wood, unpub)
1/4/16	23:15			a2025				21.0		4.06						nomo			SBHVO (Wood, unpub)
1/10/16	17:24			a2025				21.0		4.33					4.33			early evening, Jan. 10; 2 felt in Hilo	ESPHVO, v. 2, p. 385; SBHVO (Wood, unpub)
1/10/16	18:46	_	+	a2025				21.0		4.19					4.19	nomo	felt	early evening Jan. 10; 2 felt in Hilo, not locally	SBHVO (Wood, unpub)
2/15/16	17:00			kaoiki?									5.30	int	5.30	int	V	no seismic registration; shock threw down stone house on Kilauea-Mauna Kea trail near Mauna Loa NE rift zone; felt by ranchmen on trail, not elsewhere; Warshauer notes: repeats info in ESPHVO	time given as "late pm"; ESPHVO, v. 2, p. 392-393; HT, 2/29/1916
4/9/16	22:00			ml mok?				35.0		4.91	5.16				5.16			Warshauer notes: Earthquakes shook the district severely last night and dismantled the instruments in the Volcano Observatory; [Tom-get original newspaper]	time assumed; not reported in SBHVO (Wood, unpub.) or in Hon Station Bulletin (Hazard, 1918); event on Hon film record at 14:53, 4/08 [differs from newspaper account]; HT, 4/10/1916; not found in PCA, HG, MN or HH
4/28/16	7:34			kaoiki?				20.0		4.14					4.14	nomo	felt	felt in Hilo, not locally	SBHVO (Wood, unpub)
																		The first fairly strong shock of the spasmfollowed	
5/20/16 5/20/16	8:39 16:40	+-	+	ml swr?		-	-	47.0 40.0		4.22 4.14					4.22	nomo		by a brief lull; felt-Hilea felt-Hilea	SBHVO (Wood, unpub) SBHVO (Wood, unpub)
5/20/16	17:07			hilea?				47.0		4.14						nomo		felt-Hilea	SBHVO (Wood, unpub)
5/21/16	8:21			hilea?				45.0		5.24	<5.2					nomo		felt-; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453, 456; not found in PCA, HSB or MN
5/21/16	8:33			hilea?				46.0		4.70	<5.2				4.70	nomo	felt	felt-; presumed felt s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453, 456; not found in PCA, HSB or MN
5/21/16	17:51			hilea?				47.0		4.37					4.37	nomo	felt	felt-	SBHVO (Wood, unpub)
5/22/16 5/22/16	0:02 7:40			ml wf??				58.0 55.0		>5.06	<5.2					nomo		minimum amplitude; pens swept off cylinders; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453 SBHVO (Wood, unpub)
5/22/16	7:42			hilea?				48.0		5.07	<5.2					nomo		presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); SBHVO (Wood, unpub); record being changed; ESPHVO, v. 2, p. 453
5/22/16	8:14			hilea?				50.0		5.16	<5.2				5.16	nomo	felt	minimum amplitude; pens swept off cylinders; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/22/16	13:27			hilea?				48.0		4.70	<5.2				4.70	nomo	felt	presumed felt s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/22/16	14:26			hilea?				50.0		4.53					4.53	nomo	felt	presumed felt s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/22/16	16:05			hilea?				52.0		4.48					4.48	nomo			not found in Honolulu Station Bulletin (Hazard, 1918); SBHVO (Wood, unpub)
5/22/16	16:52			ml wf??				66.0		5.44					5.44	nomo	felt	pens swept off cylinders; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453

Date	Time La HST deg		Lon deg		Region	Publ Pref depth depth	Publ	Calc Dist	Slant dist	Mag class n		M M- S EW		M vert		M other	M other source		M pre		Location/felt report	Comment
Date	TIST deg	5 11111	deg		Region	асриг асриг	uist	Dist	uist	iving class i	lomo	D L II	5145	DIII	1112	IVI Other	source	pier	Source	- Timux	Location/fert report	not found in Honolulu Station Bulletin (Hazard,
																						1918); looked for, not seen on Hon film record;
5/22/16	20:21				ml wf??				55.0		4.75	< 5.2						4.75			presumed felt s Hawaii	SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/22/16	21:36				ml swr?				46.0		4.34								nome			SBHVO (Wood, unpub)
5/22/16	21:44				ml swr?				45.0		4.42							4.42	nome)		SBHVO (Wood, unpub)
5/23/16	4:59				ml wf?				65.0		4.71	<5.2						4.71	nome	felt	presumed felt s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/23/16	5:37				hilea?				48.0		4.76	<5.2						4.76	nome	felt	presumed felt s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on Hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/23/16	5:53				ml wf?				57.5		5.50	5.16						5.16	avei	r felt	preferred magnitude calculated as average of nomogram and Honolulu; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); event seen on Hon film record at 05:50, amp = 0.2 mm [Wood time off?]; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/23/16	7:13				ml swr?				48.0		4.09								nomo			SBHVO (Wood, unpub)
5/23/16	7:48				hilea?				55.0		4.37								nome			SBHVO (Wood, unpub)
5/23/16	9:07				ml swr?				55.0		4.34								nome			SBHVO (Wood, unpub)
5/23/16	13:48		_		ml wf?	-			62.0		4.02				-	1			nome			SBHVO (Wood, unpub)
5/23/16	17:02		_		ml swr?				55.0		4.12								nome			SBHVO (Wood, unpub)
5/23/16	23:37		_		ml wf?				65.0		4.13							4.13	nome)		SBHVO (Wood, unpub)
5/24/16	6:04				ml wf?				63.0		5.50	<5.2						5.00	avei	r felt	preferred magnitude calculated as average of nomogram and Honolulu; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/24/16	6:51				hilea?				50.0			5.71						5.71	hone	felt	Pens swept off cylinder; the strongest shock of the series, up to this time, accompanying the eruption; presumed felt HVO, s Hawaii	not found in Honolulu Station Bulletin (Hazard, 1918); seen on hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/24/16	12:37				hilea?				46.0		4.51								nome	-	presumed felt s Hawaii	SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/24/16	13:42				ml swr?				48.0		4.06								nomo			SBHVO (Wood, unpub)
5/24/16	16:09				ml swr?				48.0		4.09							4.09	nomo)		SBHVO (Wood, unpub)
																					preferred magnitude calculated as average of	not found in Honolulu Station Bulletin (Hazard,
																					nomogram and Honolulu; presumed felt HVO, s	1918); seen on hon film record; SBHVO (Wood,
5/24/16	19:29		_		hilea?				49.0		5.32	5.08						5.08	ave	r felt	Hawaii	unpub); ESPHVO, v. 2, p. 453
																						not found in Honolulu Station Bulletin (Hazard,
5/25/16	13:41				ml wf?				58.0		E 45	<5.2						5.00		felt	presumed felt HVO, s Hawaii	1918); looked for, not seen on hon film record; SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/25/16	17:36				hilea?				50.0		5.45 4.49	₹3.2						5.00	nome	_	presumed left 11vO, s Hawaii	SBHVO (Wood, unpub)
5/25/16	21:50				kaoiki?				26.0		4.23								nome			SBHVO (Wood, unpub)
5/25/16	23:44				ml swr?				40.0		5.02				_				nome		presumed felt HVO, s Hawaii	SBHVO (Wood, unpub); ESPHVO, v. 2, p. 453
5/26/16	9:19				ml swr?				43.0		4.03								nomo			SBHVO (Wood, unpub)
																						not found in Honolulu Station Bulletin (Hazard,
																					Felt distinctly by nearly all, but without stopping	1918); seen on hon film record; SBHVO (Wood,
5/26/16	9:26				hilea?							5.08			_			5.08	hone	F)	pendulum clocks or producing alarm	unpub)
5/30/16	20:40				hilea				48.0		4.57	<5.2							nomo		very sharp shock felt in Kau; time given as about 20:15; felt outdoors at flow-source [Mauna Loa southwest rift] but stronger at Waiohinu and; Warshauer notes: one very sharp shock felt in Kau about 8:15 p.m.	HT, 6/7/1916; not found in PCA or HSB
6/5/16	0:25				kl sf?				24.0		4.05								nome			SBHVO (Wood, unpub)
6/5/16	0:36		_		kl sf?	-		\vdash	23.0		4.49				-	1			nome			SBHVO (Wood, unpub)
6/5/16	6:55 8:05	-	+	-	kl sf? kl sf?				26.0		4.00					-			nome			SBHVO (Wood, unpub)
6/5/16									24.0		4.05							4.05	nome			SBHVO (Wood, unpub) not found in Honolulu Station Bulletin (Hazard, 1918); looked for, not seen on hon film record;
6/5/16	8:59		\perp		kl sf?				24.0	offscale	>4.7	<5.2						4.80			Pens flung off; amplitude assumed	SBHVO (Wood, unpub)
6/5/16	9:40		_		hualalai?	-			80.0		4.70					1			nome		near shock; fairly energetic	SBHVO (Wood, unpub)
6/5/16	10:16	-	_		kl sf?	-		\vdash	27.0		4.42				-	1		4.42	nome		han fallenn dan dinama 2 d C	SBHVO (Wood, unpub)
6/5/16	11:32				kl sf?				32.0		4.37							4.37			here followed continuous vibration for several minutes [earthquake coda? or harmonic tremor?]	SBHVO (Wood, unpub)
6/5/16	11:46		_		kl sf?				22.0		4.29								nome			SBHVO (Wood, unpub)
6/5/16	12:13		\perp		kl sf?			\vdash	22.5		4.23				-	1			nome			SBHVO (Wood, unpub)
6/5/16	12:14	-	+		kl sf?			\vdash	23.0		4.85			-	-	-			nomo			SBHVO (Wood, unpub)
6/5/16 6/5/16	12:16 13:15	1	+	-	kl sf? kl sf?	-		\vdash	26.0		4.08		_	-	-	+			nome			SBHVO (Wood, unpub) SBHVO (Wood, unpub)
0/5/16	15:15				KI ST?				23.0		4.62						l	4.62	nome)	1	_ SDFLVO (WOOd, unpub)

	Time Lat	Lat	Lon	Lon		Publ Pref		Calc	Slant		M	M M-		M vert			M other		M pref			
Date	HST deg	min	deg	min	Region	depth depth	dist	Dist	dist	Mag class		S EW	S NS	SPN	N-L	M other	source		source	I max	Location/felt report	Comment
6/5/16	13:19				kl sf?				23.0		4.40								nomo			SBHVO (Wood, unpub)
6/5/16	20:03				kl sf?				23.0		4.22								nomo			SBHVO (Wood, unpub)
6/6/16	10:28 13:02				kl sf? molokai?				22.0		4.73								nomo			SBHVO (Wood, unpub)
6/6/16 6/6/16	13:02				molokai? molokai?				150.0 200.0		4.28								nomo		near shock near shock	SBHVO (Wood, unpub) SBHVO (Wood, unpub)
6/7/16	19:26				molokai? kl sf?				23.0		4.24								nomo nomo		near snock	SBHVO (Wood, unpub)
0/ // 10	14.54				KI SI :				25.0		4.59							4.59	nomo		distance calculated from Wood's catalog using the	SBITVO (Wood, unpub)
																					time difference between the maximum signal and	
6/7/16	16:55				kl cal deep?				31.0		4.26							4.26	poor		the inferred p arrival	SBHVO (Wood, unpub)
									51.0		11.20							11.20	poor			not found in Honolulu Station Bulletin (Hazard,
																						1918); looked for, not seen on Hon film record;
6/9/16	9:50				kl sf?				26.0		>4.9	< 5.2						5.00	nomo		Pens swept off cylinder; minimum amplitude	SBHVO (Wood, unpub); not found in HH
																					Hon notes: apparently local; Lyman notes: 2	
																					shocks at 6:45 a.m.; Warshauer notes: severe in	
																					Hilo although less than last year's quake [Mar. 28,	Hazard, 1918; WKC, 1992, p. 31 [this is the last
																					1915], animals alarmed, pictures swung, crockery	Lyman entry-time agrees with the Hon Station
6/12/16	6:45				kl sf?					off scale		5.41						5.41	hono	F)	rattled; duration 10-15 sec, south to north	Bulletin]; HH, 6/16/1916
																					slow, gentle rocking motion, stronger in Hilo,	
																					stopped HVO clock pendulum; not as strong as	
																					10/25/13; three maxima in total duration of 5 sec;	
6/10/16					, ,					cc 1										١,	large quake; pens flung off at once [Wood time of	EGDANIO 2 400 GDANIO (N. 1
6/12/16 6/24/16	6:45 8:01		\vdash		do kl sf?				21.0	off scale	4.20	do						5.41	do		16:57 GMT appears to be off] felt at HVO	ESPHVO v. 2, p. 469; SBHVO (Wood, unpub) ESPHVO, v. 2, p. 479; SBHVO (Wood, unpub)
6/24/16	8:01				KI SI ?				21.0		4.30							4.30	nomo	Teit		ESPHVO, V. 2, p. 4/9; SBHVO (Wood, unpub)
																					pens swept off cylinder; distance from 4 sec s-p;	not found in Honolulu Station Bulletin (Hazard.
																					amplitude assumed; severe shock felt in Hilo at 9:55 p.m.; duration almost one minute [wood time	1918); looked for, not seen on Hon film record;
																					assumed to be 12 hours off for consistency with	SBHVO (Wood, unpub); HH, 7/14/1916 [wood
7/11/16	21:41				kl sf?				42.0		5.04	<5.2						5 04	nomo	felt	note about the preceding quake being lost in next]	time GMT 20:11 7/12-see note to right]
7/21/16	8:00				a2025				24.0		4.35	₩.2							nomo	Ten	note about the preceding quante being rost in next	SBHVO (Wood, unpub)
9/4/16	10:50				kaoiki?				21.0		4.02								nomo			SBHVO (Wood, unpub)
9/28/16	11:46				ml mok?				34.0		4.51								nomo			SBHVO (Wood, unpub)
11/12/16	6:22				a2025				23.5		4.18							4.18	nomo			SBHVO (Wood, unpub)
																						ESPHVO, v. 2, p. 529; SBHVO (Wood, unpub); no
11/12/16	13:26				a2025				22.0		4.25							4.25	nomo	felt	felt locally, more strongly in Hilo	found in HH or HT
																						ESPHVO, v. 2, p. 539; SBHVO (Wood, unpub); no
12/5/16 1/31/17	13:15 18:04				hilea?				40.0 34.0		4.12								nomo	III	rattled windows at HVO; not perceived	found in HH
3/10/17	23:46				a2025				22.0		4.03								nomo	falt	felt locally, quite sharply	SBHVO (Wood, unpub) SBHVO (Wood, unpub); not found in HH or HT
3/10/17	4:57				kona?				72.0		4.46								nomo nomo		felt locally, rattled windows?	SBHVO (Wood, unpub); not found in HH or HT
3/14/17	4.57				Rona.				12.0		4.05							4.09	пошо	TOIL	This is the last earthquake recorded in the Wood	BBITTO (Wood, unpub), not round in Tiff of Tif
6/27/17	3:08				a3035				32.0		4.11							4.11	nomo		unpublished archive	SBHVO (Wood, unpub)
0/2//1/	5.00				45055				32.0		7.11							4.11	nomo		Warshauer notes: earthquake shook Hilo shortly	BETTY C (Wood, unpub)
																					after 8 PM [Jul. 28], swaying buildings, sending	
																					people into the streets; began with a long tremble	
																					gradually augmenting in force until windows	not found in Honolulu Station Bulletin (Hazard,
																					rattled; generally felt over the island; severest in	1920); looked for, not seen on Hon film record;
7/28/17	20:05				kl sf?							< 5.2						5.20	poor	VI	many years	PCA, 8/1/1917; HH, 8/3/1917
											T										Warshauer notes: A second quake followed six	
																					hours later and again buildings shook and people	
																					ran into the streets. No damage is reported except	not found in Honolulu Station Bulletin (Hazard,
	2.5																				near Laupahoehoe, where a huge stone rolled dowr	
7/29/17	2:05		\vdash		kl sf?			\vdash				<5.2			_			5.20	poor	V-VI	and tore up the road	PCA, 8/1/1917; not found in HH
																					n ch 11 1 cm " ch 1777	not found in Honolulu Station Bulletin (Hazard,
5/21/18	15:30				kl cal deep?							5.14						5.14	he:	IV	generally felt on island of Hawaii; felt at HVO as a	1920); seen on hon film record; ESPHVO, v. 2, p. 777
3/21/18	15:50		\vdash		ki cai deep?			\vdash				3.14		_	_			5.14	hono	1 1 1	prolonged n-s rocking;	
																					Warshauer notes: sharp shock felt in Hilo at 3:31	
																					p.m. [May 21], violent shaking of buildings, motion of swaying objects on a N-S line, no	not found in Honolulu Station Bulletin (Hazard,
																					damage; also felt in Kau, Kona, Hamakua, Puna	1920); seen on hon film record; HDT, 5/22/1918;
5/21/18	15:30				do							do						5.14	do	do	and north Hilo, slightly at volcano	not found in PCA, HSB or DPH
5/21/18	19:27		\vdash		kl cal deep??				25.0		4.27							4.27	desp	_	moderate	ESPHVO, v. 2, p. 777
5/22/18	15:30		\vdash		kl cal deep??				25.0		4.27							4.27			moderate	ESPHVO, v. 2, p. 777
J, 22/10	10.00				in car deep::			-	20.0		7.41							7.41	ucsp			1

								1													1		
	Time I	Lat	Lat 1	Lon	Lon		Publ Pref	Publ	Calc	Slant		M	M M-	м м-	M vert	M hor		M other	М	M pref			
Date					min	Region	depth depth		Dist		Mag class						M other			source		Location/felt report	Comment
		- 0		-															1			time differences and seismogram consistent with	Honolulu Station Bulletin (Hazard, 1920); not
																						local shock or part of a teleseism; magnitude	mentioned in ESPHVO; not found in PCA, HSB,
6/7/18	11:21					hawaii?							5.16						5.16	hono		calculated assumes Hawaii origin	HDT, HH or DPH
																						Hon notes: local shock, very irregular; generally	
																						felt, seismograph pens flung in S80E direction,	
																						near shock of great intensity, items thrown from	
																					V-VI	shelves in Naalehu in a westerly direction (ground	
																					(naaleh	displaced to east); long, slow swaying; duration 45	Honolulu Station Bulletin (Hazard, 1920); ESPHVO
6/14/18	11:13					ml wf?					off scale		5.76						5.76	hono	u)	min	v. 2, p. 785, 787
																						Warshauer notes: felt distinctly in Hilo, at the	
																						Volcano, and in the Kona and Kau districts; severe	
																						on Kona side; roadbed disrupted near Manu-ka,	HDT, 6/15/1918; HH, 6/21/1918; not found in PCA
6/14/18	11:13					do					off scale		do						5.76	do	do	water tank upset, bottles broken	HSB or MN
																						Hon notes: sharp earthquake from the island of	Isoseismal map in W&K [wrong date given]; Hon
																						Hawaii, with renewed activity at Kilauea; felt all	Station Bulletin (Hazard, 1920); ESPHVO v. 2, p.
																						island of Hawaii, most strongly in Kau with	840, 843; preferred mag calculated as average of
																					VII	damage at Kapapala; first movement WNW,	hon and W&K Hilea observer recorded time as
11/1/18	23:33	19 2	24.00	155	27.00	kaoiki		<u></u>	L		st		6.40				6.20	W&K	6.40	aver	(W&K)	toward Mokuaweoweo; duration 53 min	11:36 PM
					\neg																	Warshauer notes: noted Hilo, Kona, Kau, Hamakua	
																						and Kohala; most severe at Kapapala since 1887,	
																						24 tremors counted; shook down stone walls, slides	
																						blocked highways, Kilauea caldera floor cracked,	
																						water pipe broken, houses rattled and crockery	PCA, 11/3/1918; HSB, 11/4/1918; DPH, 11/2/1918
11/1/18	23:33	19 2	24.00	155	27.00	kaoiki			20.2	22.1	st		do				do	do	6.40	do	do	broken	HDT, 11/3/1918; MN, 11/8/1918
																						shocks at wharf, crockery broke, pictures out of	
																						line, clocks stopped, dogs barked, people ran out;	
																						also sharply felt in Hamakua district; all wakened	
																						in Waimea, good and stiff in Kona, stiff at	
11/1/18	23:33	19 2	24.00	155	27.00	do			20.2	22.1	st		do				do	do	6.40	do	do	Honuapo	DPH, 11/2/1918
11/1/18	23:38					kaoiki?				22.1	slight?	4.19							4.19	poor	felt	felt Hilea; lost in mainshock?	aftershock; ESPHVO, v. 2, p. 840, 843
																						recorded instrumentally; felt Hilea, time recorded	
11/1/18	23:44					kaoiki?				22.1	slight?	4.19							4.19	poor	felt	as 11:46	aftershock; ESPHVO, v. 2, p. 840, 843
																						recorded instrumentally; felt Hilea, time recorded	
11/1/18	23:52					kaoiki?				22.1	slight?	4.19							4.19	poor	felt	as midnight	aftershock; ESPHVO, v. 2, p. 843
11/2/18	5:00					kaoiki?				22.1	slight?	4.19							4.19	poor	felt	pronounced; felt Hilea	aftershock; ESPHVO, v. 2, p. 843
																						Hon & USEQ notes: Felt by many persons in the	
																						islands; Warshauer notes: A very brief but sharp	Hon Station Bulletin (Hazard, 1922) [1/28Jan. 27
																					V	earthquake shock was felt on Maui by many	in newspaper accounts; seismogram appears too
																						persons in different parts of the island; also felt on	short for Hawaii Island; intensity 5 not
																					II-III		substantiated]; PCA, 2/2/1919; MN, 1/31/1919; not
1/27/19	16:53					molokai?							4.77						4.77	hono	(Hon)	Honolulu	found in HH or DPH
																						A few local earthquakes [in the preceding week]	
																						and a near shock on the afternoon of January 28	
																						[Jan. 27] was felt in Honolulu; Warshauer notes:	
																						seismographs registered a near shock on the	
1/27/19	16:53					do													4.77	do	do	afternoon of Jan. 29!, which was felt in Honolulu	ESPHVO, v. 2, p. 883; HDT, 2/5/1919
			Γ		T																	strongly felt; Warshauer notes: a sharp, grinding,	
																						abrupt earthquake felt in Hilo, the Volcano House,	not reported in Hon station bulletin; seen on Hon
																						Puna district generally, and even in the Kohalas.	film record; duration 7 min; ESPHVO, v. 2, p. 899,
																						Kawaihae noted that it was strongly felt at the	903; PCA, 2/26/1919; HDT, 2/26; 27/1919; MN,
2/25/19	21:25					kl sf?							5.20						5.20	hono	felt	wireless station; quake product of upward pressure	
I T					I					7													not found on Hon film record; ESPHVO, v. 2, p.
																						large amplitude; felt strongly in Kau district, not	951; HDT, 6/10/1919 [repeats ESPHVO]; not found
6/2/19	16:14			\perp		hilea?				38.0	slight?	4.08	<5.2						4.08	desp	IV?	locally	in HH or DPH; distance and amplitude assumed
																							not reported in Hon Station Bulletin (Hazard, 1922)
																					V		not found on Hon film record; ESPHVO, v. 2, p.
8/26/19	2:04					kl cal deep?							<5.2						5.00	desp	(W&K)	moderate shock; strongly felt in Hilo and Kona	994-995; not found in HH
T			Γ		T				1	1			7		7							Hon notes: Volcanic disturbance on Mauna Loa,	Isoseismal map in W&K Hon Station Bulletin
																						Hawaii; recorded on all three variometers of the	(Hazard, 1922); ESPHVO, v. 2, p. 1001, 1002;
																						magnetograph; a strong quake felt generally on	damage report in ESPHVO; HSB, 9/15; 16/1919;
																					VII	Hawaii island and slightly on Maui and Oahu; 2	Warshauer notes: severe shock recorded on UH
9/14/19	17:20	19 1	12.00	155	33.00	hilea?			<u> </u>		st	L_	5.99		<u> </u>		6.10	W&K	5.99	aver	(Kau)	aftershocks within 1 hr; dur > 1 h;	seismometer
								•														•	

Decompose 1977 day 1978 day da		Time	Lat	Lat	Lon	Lon		Publ Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M hor		M other	М	M pref			
17.20 40 8 40 40 8 40 40 8 50 50 50 50 50 50 50	Date						Region					Mag class						M other				I max	Location/felt report	Comment
17-20 do																							shock felt throughout the island of Hawaii, Maui and Honolulu; ground motion continued for one hour, slow swaying like teleseism; 22 hours of aftershocks in Hilo: probably deep-seated; see also	
Spirit 17-20 de	9/14/19	17:2	20				do					st		do				do	W&K	5.99	do	(Kau)	bib	PCA, 9/18, 28/919; HDT, 9/16/1919
Second strong local shakes was registered at IFVO; the two was under arrong local and two others; and can developed the strong strong local shakes was registered at IFVO; the two was under arrong local and two others; and the strong local strong loca	9/14/19	17:2	20				do					st		do				do	W&K	5.99	do		courthouse swayed, bottles off shelves, plate glass window broken, strongly felt at Volcano House, which swayed, and Halemaumau, loss of huge cliff of lava; general panic in Hilo	DPH, 9/15/1919; HH, 9/19/1919; not found in MN
5												st		5.46									second strong local shock was registered at HVO; there was another strong local shock and two others in the course of thirty seconds; Warshauer notes: Another shock took place on September 18	2, p. 1001, 1005; PCA, 9/28/1919; not found in HSB, HH, DPH or MN
\$\frac{9}{2}\) \$\frac{1}{2}\) \$\frac{1}{2}\] \$\frac{1}\] \$\frac{1}{2}\] \$\frac{1}{2}\] \$\frac{1}{2}\] \$	9/26/19	14:2	20		_		ml swr?				38.0	S	4.31							4.31	nomo			ESPHVO, v. 2, p. 1008
93010 438	9/26/19	14:3	34				ml swr?				38.0	f	3.76							4 40	calc		preferred magnitude calculated as nomogram	ESPHVO. v. 2. p. 1008
10519												s												
100-10	10/5/19	7:4	48				hilea?				47.0	m-st	4 99	<5.16						4 99	nomo		registered beginning Oct. 5; 14 shocks recorded in six days, all but two were feeble [disagrees with	not found on Hon film record; 43.2-51.2 km; ESPHVO, v. 2, p. 1017, 1025 [note: during this period m-st amplitude assumed to be 40 mm, corresponding to moderate, to agree with Hon magnitudes]; not found in PCA, HDT, HH, DPH or MN: see note for 9/29
1071/9 13-46 hilear 47.0 s 4.45 4.45 monu ESPHVO, v. 2, p. 1025 monu 109/19 4.25 hilear 47.0 m 4.95 6.50 4.95 monu 109/19 11:28 hilear 47.0 m 4.95 6.50 4.95 monu 109/19 11:28 hilear 47.0 m 4.95 6.50 4.95 monu 109/19 11:28 hilear 47.0 s 4.45 monu 109/19 109/19 109/19												S		3.10									anouncing on p. 1020j	
109/19 6-40	10/7/19	13:4	46				hilea?					s												
109/19 11:28							hilea?				47.0	S												
109/19 11:28	10/9/19	6:4	40		_		hilea?				47.0	m	4.95	< 5.0						4.95	nomo			not found on Hon film; ESPHVO, v. 2, p. 1025
109/19 12:30	10/0/10	11.0	20				1.10				47.0		4.05	5.16						~ 1.c				accepted as local; HVO time of 10:26 one hour off?
1011/19 18.06 18.06					-							m		5.16									and two other slight quakes	
10/12/19 10-50																							slight[ly felt?] at Hilea [time given as 10/11, 19:45, not consistent with Whitney record. We assign the	•
10/13/19 16:00					-							S								_			felt report to the nearest m-st event]	
10/13/19 18:15 Shilea?					\rightarrow							S												
10/14/19 0.15 hilea? 47.0 s 4.45 4.45 4.45 1.00 F) 10/14/19 13.52 hilea? 47.0 s 4.45 4.45 4.45 1.00 1.												s												ESPHVO, v. 2, p. 1031
Slight; distances accord with Kahuku rift; no strong shocks since September; 4 shocks reported as felt at Hilea between Oct. 11 and 17, dur 1-3 s, II-IV (R	10/13/19	18:3	30				hilea?				47.0	S	4.45											ESPHVO, v. 2, p. 1031
10/14/19 13:52 hilea? 47.0 m-st 4.99 <5.0 4.99 nomo F)? assign the felt report to the nearest m-st event v. 2, p. 1031; see note for 10/5/19 10/14/19 23:06 hilea? 47.0 s 4.45 4.45 nomo and three other small disturbances ESPHVO, v. 2, p. 1031 ESPH	10/14/19	0.1	15				hilas?				47.0	e	1.15							1 15	nomo	falt	slight; distances accord with Kahuku rift; no strong shocks since September; 4 shocks reported as felt	ESPHVO v 2 p 1026 1031: HITT 10/16/1919
10/14/19 13:52	10/14/19	0.1	13				ilica:				47.0		4.43							4.43	nomo			looked for, not seen on Hon film record; ESPHVO,
10/14/19 23:06 hilea? 47.0 s 4.45 4.45 10/16/19 10/20 hilea? 47.0 s 4.45 4.45 10/20 hilea? 47.0 s 4.45 4.45 10/20 10/20 hilea? 47.0 s 4.45 4.45 10/20 10/20 hilea? 47.0 s 4.45 10/20 10/20 hilea? 47.0 s 4.45 10/20 10/20 hilea? 47.0 s 4.45 10/20 10/												m-st		< 5.0								F)?	assign the felt report to the nearest m-st event]	
10/15/19 8:28 hilea? 47.0 m-st 4.99 <5.0 4.99 nomo F)? warshauer notes: recurrence of earthquakes ESPHVO, v. 2, p. 1031; PCA, 10/16/1919; posterial 10/15/19 10:20 hilea? 47.0 s 4.45 4.45 nomo ESPHVO, v. 2, p. 1031 10/15/19 15:40 hilea? 47.0 s 4.45 4.45 nomo none of the four strong ones registered Oct. 16-18 not found on Hon film record; 43.2-51.2 kg ESPHVO, v. 2, p. 1031; PCA, 10/16/1919; see note for 10/5/19 10/16/1919; see note for 10/5/19 ESPHVO, v. 2, p. 1031 ESPHVO, v. 2, p. 1031 ESPHVO, v. 2, p. 1031 none of the four strong ones registered Oct. 16-18 not found on Hon film record; 43.2-51.2 kg 4.45 nomo none of the four strong ones registered Oct. 16-18 not found on Hon film record; 43.2-51.2 kg 47.0 s 4.45 nomo was reported at Hilea 51.2 km; ESPHVO, v. 2, p. 1030, 1031 10/16/19 9:05 hilea? 47.0 s 4.45 nomo ESPHVO, v. 2, p. 1030, 1031												S											14 4 15 1	
10/15/19 8:28 hilea? 47.0 m-st 4.99 <5.0 4.99 nomo F)? warshauer notes: recurrence of earthquakes ESPHVO, v. 2, p. 1031 FSPHVO, v. 2, p. 1031 FSPH	10/14/19	23:0	76		\rightarrow		hilea?		-		47.0	S	4.45			-				4.45	nomo			ESPHVO, v. 2, p. 1031
10/15/19 15:40 hilea? 47.0 s 4.45 4.45 nomo ESPHVO, v. 2, p. 1031												m-st		<5.0								,	assign the felt report to the nearest m-st event]; Warshauer notes: recurrence of earthquakes	
10/16/19 9:00 hilea? 47.0 st 5.23 <5.16 5.23 nomo none of the four strong ones registered Oct. 16-18 not found on Hon film record; 43.2-51.2 km; ESPHVO, v. 2, p. 1030, 1031 10/16/19 9:05 hilea? 47.0 st 4.45 nomo 44.45 nomo ESPHVO, v. 2, p. 1031					-				-			S				-								
10/16/19 9:05 hilea? 47.0 s 4.45 4.45 nomo ESPHVO, v. 2, p. 1031												s		-5 10										not found on Hon film record; 43.2-51.2 km; 43.2-
17.0					-			 	-			st		< 3.16	-								was теропец ат ниеа	
10/16/19 15:35 hilea? 47.0 s 4.45 nomo ESPHVO, v. 2, p. 1031					-							8												

	Time Lat			Lon	ъ.				Slant	,, ,		M M-		M vert			M other		M pref	١.	T (C)	
Date	HST deg	min	deg	min	Region	depth depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pret	source	I max	Location/felt report	Comment
																					none of the four strong ones registered Oct. 16-18	not found on Hon film record; 43.2-51.2 km; 43.2-51.2 km; ESPHVO, v. 2, p. 1030, 1031; see note for
10/16/19	20:20				hilea?	,			47.0	m-st	4.99	< 5.0						1 00	nomo		was reported at Hilea	10/5/19
10/17/19	5:40				hilea?				47.0	S S	4.45	~							nomo		was reported at Tired	ESPHVO, v. 2, p. 1031
10/17/19	8:35				hilea?				47.0	s	4.45								nomo			ESPHVO, v. 2, p. 1031
																					none of the four strong ones registered Oct. 16-18	
																					was reported at Hilea; And three other small	
																					disturbances; weak[ly felt?] at Hilea [time given as	
																				II (R-	10/15, 0:00, not consistent with Whitney record.	not found on Hon film record; 43.2-51.2 km;
10/17/19	23:25				hilea?				47.0	m-st	4.99	< 5.0						4.99	nomo	F)?		ESPHVO, v. 2, p. 1030, 1031; see note for 10/5/19
																					none of the four strong ones registered Oct. 16-18	not found on Hon film record; 43.2-51.2 km;
10/18/19	13:14				hilea?	1			47.0	m-st	4.99	< 5.0						4.99			was reported at Hilea	ESPHVO, v. 2, p. 1030, 1033; see note for 10/5/19
10/19/19	3:50				hilea?				47.0	S	4.45								nomo			ESPHVO, v. 2, p. 1033
10/19/19	7:10				hilea?	1			47.0	S	4.45							4.45	nomo			ESPHVO, v. 2, p. 1033
10/10/10	12.10				1.7																	not found on Hon film record; ESPHVO, v. 2, p.
10/19/19	12:10 11:00				hilea?			-	47.0	m-st	4.99	<5.0						4.99				1033; see note for 10/5/19 ESPHVO, v. 2, p. 1033
10/21/19	11:00				niiea	1			47.0	S	4.45							4.45	nomo			
10/21/19	12:23				hilea?	,			47.0	m-st	4.99	< 5.0						4.00	nomo			not found on Hon film record; ESPHVO, v. 2, p. 1033; see note for 10/5/19
10/21/19	12.23				illiea :				47.0	111-50	4.99	< 5.0						4.99	пошо			not found on Hon film record; ESPHVO, v. 2, p.
10/22/19	12:40				hilea?	,			47.0	st	5.23	< 5.0						5.23	nomo		prob not strong	1033
10/22/17	12.40				inica.				47.0	30	3.23	₹5.0						3.23	пошо		prob not strong	Hon Station Bulletin (Hazard, 1922); ESPHVO, v.
10/22/19	14:08				hilea?	,			47.0	vst	5.53	5.57						5.57	hono	felt	Hon notes: Local shock; very strong, felt	2, p. 1034
									17.0		0.00							0.07	nono		, , , , , , , , , , , , , , , , , , , ,	not found on Hon film record; ESPHVO, v. 2, p.
10/23/19	0:20				hilea?				47.0	m-st	4.99	< 5.0						4.99	nomo			1034; see note for 10/5/19
																						not found on Hon film record; ESPHVO, v. 2, p.
10/23/19	16:35				hilea?				47.0	m-st	4.99	< 5.0						4.99	nomo		And one other small disturbance	1034; see note for 10/5/19
10/24/19	12:30				hilea?				47.0	s	4.45							4.45	nomo			ESPHVO, v. 2, p. 1034
																						not found on Hon film record; ESPHVO, v. 2, p.
10/24/19	13:12				hilea?	1			47.0	vst		< 5.0							nomo		cannot be very strong	1034
10/25/19	16:30				hilea?	1			47.0	s	4.45								nomo			ESPHVO, v. 2, p. 1043
10/25/19	20:00				hilea?	1			47.0	s	4.45							4.45	_			ESPHVO, v. 2, p. 1043
10/26/19	4:18				hilea?				47.0	S	4.45							4.45		felt	felt at Hilea; none on this day felt at eruption site	ESPHVO, v. 2, p. 1043 ESPHVO, v. 2, p. 1043
10/26/19	7:15 9:58				hilea?			-	47.0 47.0	S	4.45 4.45							4.45				ESPHVO, v. 2, p. 1043 ESPHVO, v. 2, p. 1043
10/26/19	10:49				hilea?	,			47.0		4.45							_	nomo nomo			ESPHVO, v. 2, p. 1043
10/26/19	12:48				hilea?	,			47.0		4.45								nomo		listed in error as AM	ESPHVO, v. 2, p. 1043
10/26/19	19:02				hilea?	 			47.0	8	4.45								nomo		instea in error as 7 tivi	ESPHVO, v. 2, p. 1043
10/26/19	20:10				hilea?	,			47.0	s	4.45							4.45				ESPHVO, v. 2, p. 1043
10/26/19	20:43				hilea?	 			47.0	s	4.45								nomo			ESPHVO, v. 2, p. 1043
10/27/19	1:30				hilea?				47.0	s	4.45							4.45	nomo			ESPHVO, v. 2, p. 1043
																						not found on Hon film record; ESPHVO, v. 2, p.
10/27/19	5:17				hilea?				47.0	m-st	4.99	< 5.2						4.99	nomo			1043; see note for 10/5/19
																						not found on Hon film record; ESPHVO, v. 2, p.
10/29/19	5:00				hilea?				47.0	m-st	4.99	< 5.2						4.99	nomo	felt	felt in Kona	1043; see note for 10/5/19
																						not found on Hon film record; ESPHVO, v. 2, p.
10/31/19	5:12				hilea?	1			47.0	m-st	4.99	< 5.27						4.99	nomo			1043; see note for 10/5/19
																				IV (R-		
1																				F) at		10 sec duration; ESPHVO, v. 2, p. 1050; time of felt
11/11/19	8:42	\vdash	\vdash		hilea?	1	-	1	47.0	S	4.45					\vdash		4.45	nomo	Hilea	felt at Hilea	report 9:00-assigned to this quake
																				W.B.E		15 burding ECDINIO 2 1050 d
11/13/19	11:52				hilea?	,			47.0		4.45							1 15		V (R-F)	felt at Hilea	15 sec duration; ESPHVO, v. 2, p. 1050; time of felt report 12:00-assigned to this quake
11/13/19	11:32	\vdash	\vdash		iiilea !			+	47.0	s	4.45					\vdash		4.45	nomo	at fillea		report 12.00-assigned to this quake
																					Hon notes: amp 0.2; strongly felt in Maui; Warshauer notes: sharply felt in Maui at 10:03	
																					p.m., rattled doors and windows, duration several	Hon Station Bulletin (Hazard, 1922); ESPHVO, v.
																					seconds, no damage; shook upper floors of frame	2, p. 1059; HSB, 11/26/1919; MN, 11/28/1919; not
11/25/19	21:58				maui?	.			176.0			4.87						4.87	hono	IV	buildings	found in PCA, HDT, HH or DPH
1/18/20	8:10	\vdash	\vdash		kl sf?	 		19.5		s?	4.17										felt at Hilea	ESPHVO, v. 2, p. 1100
1/10/20	0.10		\perp		K1 51 :			17.3	21.3	31	7.1/			_				7.1/	uesp	icit	ron at aniou	120211. O, 1. 2, p. 1100

	Time	Lat	Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M hor		M other	M	M pref			
Date	HST	deg	min	deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
1/24/20 3/26/20	15:15 5:35					kl sf? hilea?	,			19.5	21.5 48.0		4.44							4.44	nomo	felt	recorded at Hilo; strongly felt at Hilea as a double jolt accompanied by a loud rumbling	not reported in Hon Station Bulletin (Hazard, 1922); looked for, not seen on Hon film record-possible event at 14:28, amp = 0.3 mm; possible teleseism; ESPHVO, v. 2, p. 1103; see note for 10/5/19; not found in HDT, HH or DPH ESPHVO, v. 2, p. 1137
													,							,		III-IV		
																						(Honol ulu); III, III (R-F) (Hilea) V	felt in Honolulu as a very perceptible shock; felt in Hilea; Warshauer notes: sharpest shock on Maui ir years, sleepers awakened, duration several seconds	not reported in Hon Station Bulletin (Hazard, 1922); looked for, not seen on Hon film record [disturbed s, instrument-working??]; ESPHVO, v. 2, p. 1158;
5/15/20	2:20					maui?	1				190.0	m?	5.68							5.68	int	(Maui) IV-V:	no damage; felt in Honolulu as two distinct shocks	MN, 5/21/1920; not found in HDT, HSB or PCA
5/24/20	6:00)				hilea?	,				48.0	m	4.96	5.08						5.08	hono	IV (R-F) at	felt in Hilea	not reported in Hon Station Bulletin (Hazard, 1922); event seen on Hon film record at 05:55, amp = 0.15 mm [HVO time wrong?]; ; ESPHVO, v. 2, p. 1162; not found in PCA, HSB, HDT, HH, DPH or MN
5/26/20	1:55					hilea?	,				48.0	m	4.96	<5.16						4.96	nomo	IV-V; IV (R- F) at Hilea	felt in Hilea	not reported in Hon Station Bulletin (Hazard, 1922); looked for, not seen on Hon film record; ESPHVO, v. 2, p. 1162; not found in PCA, HSB, HDT, HH, DPH or MN
8/16/20	19:20					hilea?	•				40.0	m-st									nomo		felt at HVO and Hilea	not found on Hon film record; ESPHVO, v. 2, p. 1195; see note for 10/5/19; not found in PCA, HSB, HDT, HH, DPH or MN
9/9/20	23:59					hilea?					43.2	s	4.40							4.40	nomo			ESPHVO, v. 2, p. 1204
10/27/20	5:33					kl sf?					16.0	2	4.20					5.30	:	4.20	aver	v	felt locally; NW or SE from Whitney; Warshauer notes: At 5:35 a.m. a pronounced earthquake shock, three distinct rocking motions followed by lengthy shivering. Houses tipped back and forth and sleepers awakened; felt in all districts of Hilo	not reported in Hon Station Bulletin (Hazard, 1922); looked for, not seen on Hon film record; ESPHVO, v. 2, p. 1232; DPH, 10/27/1920, HH, 10/29/1920; not found in PCA; dist assumed >5 mi to fit felt report; pref mag average of int mag and nomo mag
7/20/24	13:25					hilo					43.2	s	4.40					3.30	int		nomo		felt locally; Warshauer notes: quake dur several secs, severe, rocked Hilo, knocked pictures and vases down; seemed to come in a wave, which	ESPHVO, v. 3, p. 586; not in Hon station bulletin; HTH, 7/21/1924
8/20/24	6:20					kaoiki	i				25.6	m	4.80					5.00	W&K	5.00	nomo	V (Kau)	earthquake centering near Kapapala, felt HVO, Hilo, Pahala, and Kona, but not Kapoho; distance 16 mi, felt all over Hawaii; isoseismal map in W&K, who suggest a Hilea epicenter	ESPHVO, v. 3, p. 590, 592, 595; [M~5.0 predicts ar amp of 4 mm on Milne-Shaw, which was not reported in the Honolulu station bulletin]; HTH, 8/20/1924see bib
8/20/24	22:48					kaoiki?	,				25.6		4.03							4.03	nomo			aftershocks?-distance and region assumed; ESPHVO, v. 3, p. 595
8/23/24	0:10					ml mok					32.0	s	4.19								nomo	V?	sharply felt at HVO; felt very severe at Mokuaweoweo	[distance of 2 mi inconsistent with felt report; misprint for 20?] ESPHVO, v. 3, p. 590, 592, 595
8/23/24	0:13					ml mok					32.0	m	4.68		5.59					5.59	hono	V-VI	sharply felt at HVO; felt very severe and stone monuments shaken down and ground cracked oper at Mokuaweoweo; seismographs dismantled; distance 20 mi; Hon notes: onset to max 1m 10s; 1 sec period	h Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 590, 592, 595; [probably larger than 8/20/24 M5.0 at Hilea which was not reported in Hon bulletin]; not in HTH
8/24/24	7:48					ml mok?					32.0		4.19									felt	presumed felt more strongly in Kau than Puna	[distance of 2 mi inconsistent with statement on p, 590; misprint for 20?]ESPHVO, v. 3, p. 590, 595
9/8/24	22:07			П		kona					57.6	s	4.19							4.19	nomo		felt in Kona	not found in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 600, 602
9/10/24	17:03					mauna kea?	,				40.0	e	4.12							4 12	nomo		ESPHVO v. 3, p. 604 notes (felt in Hilo and Honokaa)	not found in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 604
10/10/24	0:21					ml swr?					51.2	s	4.12							4.12			felt in Hilea	not found in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 615
10/18/24	14:10					hilea??					40.0	m	4.60							4.60	nomo		felt locally	not found in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 615
2/18/25	10:18			Ш		kohala?					90.0	f	4.09							4.09	nomo	felt	Probably in Kohala; felt in Kohala	not in Hon Station Bulletin (Neumann, 1926); ESPHVO, v. 3, p. 661, 669; VL 9
2/23/25	10:20					a2025					20.8	m	4.15							4.15	nomo	III	dismantled instruments	not in Hon Station Bulletin (Neumann, 1926); ESPHVO, v. 3, p. 661, 669; VL 9

	Time Lat	Lat	Lon	Lon		Publ Pref	Publ	Calc	Slant		М	M M-	мм	M vert	Mhon		M other	м	M pre			
Date	Time Lat HST deg		Lon deg		Region	depth depth				Mag class		S EW				M other			source		Location/felt report	Comment
4/15/25	5:28		ueg		a3035		unot	Dist	30.4		4.15	D 2	5115	DIII	112	ivi otnici	source		nome		awakened a few at Volcano House	ESPHVO, v. 3, p. 687, 689; VL 16
																					felt locally; gave the appearance of a Mauna Loa	1
4/20/25	20:52				ml mok?				33.5	s	4.22							4.22			shake	ESPHVO, v. 3, p. 687, 689; VL 17
5/17/25	2:02				kaoiki?				28.8	s	4.11								nome		felt locally, strong at Hilea	ESPHVO, v. 3, p. 695, 696; VL 21
7/4/25	19:55				ml mok?				35.1	s	4.25								nome		felt locally and in Hilo (VL)	ESPHVO, v. 3, p. 719; VL 28
7/6/25	13:47		\perp		a1320				17.6	m	4.27							4.27	nome	III	dismantled instruments; felt locally	ESPHVO, v. 3, p. 719
																					felt all over Hawaii (moderate or strong?, or greate distance?); VL 28 has incorrect? time of 0645";	Г
																				137	Hon notes: not registered but felt report received-	H G C B H C AL 1026) EGNINO
7/8/25	5:45				a1320				17.6		4.03							4.03	nome	IV (USE)	time 16:20, felt by several at Kapaau; rapid bump; sounds faint rattle; 2 shocks	Hon Station Bulletin (Neumann, 1926c); ESPHVO, v. 3, p. 719; VL 29
7/14/25	3:23				hilea?				43.1	s	4.17								nome		felt at Pahala (VL)	ESPHVO, v. 3, p. 713, 719; VL 29
7/27/25	2:42				a3035				30.4	s	4.15								nome		felt locally	ESPHVO, v. 3, p. 714, 720; VL 31
																				IV	felt in Hilo and Kohala; Hon notes: not recorded;	ESPHVO, v. 3, p. 723, 725; VL 35; Seismological
																				(Kohala		Report (Hon Mag Obs), July-September, 1925
8/19/25	11:32				mauna kea?				65.5	s	4.46								nome		rpd bump rkg trm ls; sounds ld rmb rtl bef"	(Neumannn, 1926)
8/19/25	15:48				mauna kea?	1			63.9	s	4.44							4.44	nomo)		ESPHVO, v. 3, p. 725
																					felt at Kona and Honokaa; plainly felt Kealakekua	;
																					not felt HVO; Hon notes: not registered; felt report	
																				V; IV	,	ESPHVO, v. 3, p. 723, 725; VL 36; Seismological
0/20/25	21.02																	4.17			short dur; sounds rtl"; USEQ notes: time 07:36; fel	
8/28/25	21:03		\vdash		mauna kea?				68.7	I	4.17							4.17	nome)	by several in Kohala; doors moved; short duration	
9/5/25	15:34				mauna kea?	,			62.3		4.43							1 13	nome	felt	felt locally	not in Hon Station Bulletin (Neumann, 1926c); ESPHVO, v. 3, p. 734; VL 37
10/28/25	16:52				a2530				28.8	s	4.11								nome		felt locally (VL), 8 mi (18?) to SE	ESPHVO, v. 3, p. 750; VL 45
10,10,10									20.0										nome	,	around 10:14 PM a prolonged quake, pheasants	
																					squawked much during and after the main shock,	
																					and a dog jumped up and showed alarm; felt	distance given as 9 mi, 19 mi more consistent with
																					locally; felt locally and in Hilo; Warshauer notes:	felt report; not in Hon Station Bulletin (Neumann,
																					knocked down books and dishes in Pahala, sent	1927a); ESPHVO, v. 3, p. 762, 767, 768; VL 50;
12/8/25	22:16				hilea?				30.4	s	4.15								nome		furniture across floor	HTH, 12/9/1925. see also bib
1/16/26	12:33		\vdash		kaoiki?				22.4	S	4.20							4.20	nome		felt in Hilo and Kona; plainly felt in Hilo	ESPHVO, v. 3, p. 772, 782; VL 56
																				IV	felt Honolulu and Maui; Cox notes: 124 mi from	
																				(Maui)		EGDING 2 505 502 5: 11 20:
																				III (Honol	(like an explosion) and Honolulu; two shocks on Maui 2 minutes apart, second one at 11:30 brought	ESPHVO, v. 3, p. 785, 793 [time given as 11:30 in
2/7/26	11:28				maui?							4.30	4.29					4 30	hone		people out doors; also felt on Oahu	MN, 2/10/1926
2///20	11.20				maur.							4.50	4.27					4.50	HOIIC	, uiu)	people out doors, also leit on oand	1411, 2/10/1920
																				IV	Hon notes: local shock; felt in Oahu and Maui; P.	Seismological Report, January-March, 1926
																					distinct in Honolulu; many residents of Kaimuki,	(Neumann and Service, 1927) [Hon: phases 5 and
																						17 sec apart (s-p?); 1-2 sec period; duration 45 sec);
																				(Ewa,		
2/7/26	11:28				do							do	do					4.30	do	Oahu)	sharp, exp.; felt by sev at Ewa	w Maui fits both distances]
																					ESPHVO, v. 3, p. 786 cont.: strongest eq felt on	ESPHVO, v. 3, p. 786, 793 notes: eq centered under
																					Kapapala Ranch within past two years; also felt at	Mauna Loa; felt generally throughout the island of
																					Puu Oo on s slope of Mauna Kea; epicenter	Hawaii, duration more than 10 sec at Kilauea;
																				l v	estimated under Mauna Loa NE rift; VL 62 notes	dismantled seismographs at HVO and Kona;
2/28/26	6:41				kaoiki?				19.2	m	4.33							4 32	nom.		repeats ESPHVO; USEQ notes (felt by many standing); see also bib	dislodged rock and broke pipe at Kapapala; HTH, 3/1/1926
2/20/20	0.+1		\vdash		Kauiki?				19.2	111	4.33							7.33	HOIR	, (wax	not registered; felt by many standing [Honomu,	Seismological Report, January-March, 1926
2/28/26	6:41				do				do	do	do							4.33	nome	do	Hawaii]; "grd rkg SE, abt 10s; rtl sounds; val."	(Neumann and Service, 1927)
			\Box																		3, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	
																				v	Hon notes: Heeia (Oahu)felt tremor, dur 1.5 s;	
																				(Kohala	Ewa (Oahu)distinctly felt by sev, Haiku (Maui)	
																					felt abt 1 min, E to NW; Kohalafelt by many; rpd	
											_									(Honol		
3/19/26	22:33		\vdash		alenuihaha				118.2	m	5.59		5.52		_	≥ 6	W&K	5.52	hono	ulu)	S abt 20 m.; Volcano Housefelt distinctly by all	January-March, 1926 (Neumann and Service, 1927)
																					long swaying quake dismantled seismographs;	
																					severe in Kohala; toppled bottles in Hilo; felt, with	
																					small tsunami in Honolulu; felt on Maui and Oahu 26 mi N of Honokaa, 25 mi NE of Kohala; strongly	
3/19/26	22:33				do				do	do	do		do			do	do	5.52	do	do	felt at Kohala and Honomu, less at Hilo	ESPHVO v. 3, p. 796, 798, 803; VL 65
3/17/20	44.33				uo				u0	u0	uθ		u0			u0	uo	1 3.32	l do	, uo	Terr at Isonala and Honomu, less at Hill	LDI 11 + O +. 3, p. 170, 170, 003, +L 03

Date	Time Lat		Lon min	Region	Publ	Pref depth	Publ	Calc Dist	Slant dist	Mag class		M M- S EW		M vert		M other	M other source		M prei		Location/felt report	Comment
3/19/26	22:33	ueg		do		depin	dist	Dist	do	do		3 EW	do		N-L	do		5.52			Warshauer notes: felt in Hilo, unusually long—two waves a few sec apart, bottles fell; felt by nearly everyone in Kohala as quite strong; felt generally on island; series of shocks on Oahu, local tsunami; felt on Maui as severe jolt followed by swaying	
3/20/26	7:27			alenuihaha					118.2	s	4.87		4.10					4.10			Hon notes: felt; aftershock felt at Kohala, felt locally; recorded at Hilo, Kona, Hilea and HVO; Warshauer notes: felt at Kohala 7:30 AM, not as strong as last night's shock; a very light quake was felt in Hilo shortly after 7	Neumann and Service, 1927a; ESPHVO, v. 3, p. 796, 798, 803; VL 65; HTH, 3/20/1926; HSB, 3/20/1926; HA, 3/21; 27/1926; MN, 3/24/1926
3/29/26	0:34			ml ner?					30.4	m			4.10						nomo		dismantled one seismograph component	not in Hon Station Bulletin (Neumann and Service, 1927); ESPHVO, v. 3, p. 796, 803; VL 66
5/31/26	19:10			hilea?	,				35.1	s	4.25								nomo	III (Waioh	felt locally and Hilo; Hon notes: not recorded; felt by many sitting []; abr prolonged but not severe, finished trm; dishes rtl; pln rky; USEQ notes: repeats Neumann, 1928	ESPHVO, v. 3, p. 854; VL 75; Seismological Report, April-June, 1926 (Neuman, 1928)
6/4/26	1:53			east hawaii						e			4.40					4.40	hono		slightly felt in Hilo (VL); Hon notes: felt by sev lying down [Honomu]; grd trm, N-S; 2 shocks abt 2 s each; USEQ notes: repeats Neumann, 1928	ESPHVO, v. 3, p. 858; VL 76; Seismological Report, April-June, 1926 (Neuman, 1928); not found in MN
6/9/26	9:34			kaoiki					25.6	m	4.53					5.30	intensity	4 90	nomo	III Pepeek		Neumann, 1928; ESPHVO, v. 3, p. 856, 858; VL 76; HTH, 6/9/1926; preferred magnitude calculated as average of intensity and nomogram
0/9/20	7.34			Kaoiki					23.0	111	4.33					3.30	intensity	4.50	пошо	60	Hon notes: not recorded;felt by all; abr bmp, N-S	;
6/9/26	9:34			do					do	do	do					do	do	4.90	nomo	felt	few pictures slightly displaced; pln rky;felt by 15 or more people; abr bmp and rkg; sounds surface heard; bld and trees sway; bottles knocked from shelves; pictures SW	Neumann, 1928; Hon notes cont.: shock appeared to come from directly beneath lasting 5s; Pepeekeo felt by 2; doors rtl and creaked; rpd trm; slope of hill
12/25/26	21:26			ml swr?	,				39.9	m								4.84	nomo	nu	repeats Neumann, 1928.	ESPHVO, v. 3, p. 912, 913; VL 105; Seismological Report, October-December, 1926 (Neumann, 1928); not registered on Oahu
2/2/27	23:26	-	+	kona		\vdash			71.9	f	4.20							4.20	nomo	felt	felt locally	ESPHVO, v. 3, p. 934
3/20/27	4:52			mauna kea os deep?		30.0			80.0	m	5.32	>6.43	6.77			6.00	W&K	6.77	hono	u,	Hon notes: felt throughout Hawaiian Islands; felt times 4:45-5:00; Haiku, Mauifelt by many; rpd trm; pln. Hamakua1 shock; grd trm N-S; felt by many; made loud sounds; hls sandy. Hilofelt by sev; grd trm; 3 clocks on higher levels stopped; pln	Seismological Report, Jan3/1927 (Neumann, 1929): probably submarine origin; On NS the motion of the light spot was too rapid to register the maximum amplitude. Recorded on the D and H variometers at Ewa.

	Time	Lat	Lat	Lon	Lon		Publ	D6	Publ	Calc	Slant		М	M M-	мм	M vert	Mhaa		M other		M pref			
Date	HST				min	Region		depth				Mag class						M other			source		Location/felt report	Comment
3/20/27	4:5					do						do						do		6.77			Honolulures awakened; felt about equally in all parts of island; many telephone calls to newspaper offices. Kohalafelt by many; grd trm. Kukuihaele-felt by nrly all; many alarmed; grd, then rpd, then grd trm and bmp, 30 s; hills, rocky.	Seismological Report, Jan3/1927 (Neumann, 1929) cont.
3/20/27	4:3	32				do		do			do	do	do	do	do			do	do	0.77	do	do	Waimanalo, Oahufbm; grd trm; mod bmp sds bef	1929) Cont.
3/20/27	4:5	52				do		do			do	do	do	do	do			do	do	6.77	do	do	shock; val, rky. Waiohinufelt by many; trees and poles sway sl; grd rkg and sway; two shocks; pln rocky	Seismological Report, Jan3/1927 (Neumann, 1929) cont.
3/20/27	4:5	52				do		do			do	do	do	do	do			do	do	6.77	do	IV-V (Honol	heaviest eq since similar event on 3/19/26; seismometers at HVO and Hilo dismantled, no direction or distance; felt with about equal intensity throughout Hawaiian group; apparently deep- seated; items shaken from shelves in Hilo; severe all Maui ex Hana	Isoseismal map in W&K ESPHVO, v. 3, p. 943, 949; VL 117: seismometers off scale after about 10 seconds of shaking; [s-p of 10 s implies an 80 km distance equal to the Mauna Kea offshore location found by W&K]; HTH, HA, and HSB, 3/21/1927; MN, 3/23/1927
4/30/27	13:3	34				mauna kea					63.9	s	4.44							4.44		IV	not recorded; HVO time 14:43 [wrong?]; Haina felt by part of pop; many alarmed; windows rtl; rpd trm, then bmp, then trm: 15 s; 1d thn sounds; hls, rky; felt locally; felt by a few in HVO and Hilo; Hilo dist 34 mi; followed by vf aftershocks	Neumann, 1930; ESPHVO, v. 3, p. 962; VL 123 [max accel 11.0 mm/sec/sec, minimum slight?]
7/7/27	3:2	21				mauna loa deep?					55.9	m	5.07		>5.1?					5.07	nomo		Hon notes: det, no amp; very rapid; Haina-felt by majority; rpd bmp EW about 10 s; 2d shock about 1/2 m; Honomu-felt by many; rpd rkg SW; Kohala-felt by many; rpd bmp; 2 shocks each 2 or 3 s; hls; felt all island; wakened persons at summer camp [hnp]	Neumann, 1930; ESPHVO, v. 3, p. 991, 993, 1002; VL 133 [sugg. high freq. deep event; hotspot activation?]
7/7/27	3:2					do					do	do	do		do					5.07		(Waiohi nu)	Waiohinufelt by all; abr bmp; sway at finish; rky; USEQ notes repeat Neumann, 1930; Warshauer nose: wakened persons in volcano district and in Hilo; two of the heaviest quakes ever felt in Honokaa	time of Waiohinu report given as 3:00 HST on July 6 [assume same event, time wrong]; Seismological Report, July-September, 1927 (Neumann, 1930); HTH, 7/7/1927; HA, 7/8/1927; HSB, 7/7/1927
7/24/27	6:0	05				a3540					40.0	s	4.34							4.34	nomo	felt	felt locally	ESPHVO, v. 3, p. 1002; VL 135
7/25/27	2:0	07				ml nf??					39.9	s	4.34							4.34	nomo	II (Hono mu)	felt locally; felt Volcano & Hilo, possibly elsewhere; Hon notes: time 2:10; Honomufelt by sev; grd rkg NS; mts.; US EQ notes: repeats Neumann, 1930; Warshauer notes: two quakes, 2:07 and 6:13 a.m. felt at Hilo and Volcano districts	ESPHVO, v. 3, p. 1002; VL 135; Seismological Report, July-September, 1927 (Neumann, 1930); HTH, 7/25/1927
7/25/27	6:1					hilea?	,				44.7	s	4.42							4.42	nomo	(Waiohi	Waiohinufelt by many; grd sway N-S; rky; felt locally; felt Volcano & Hilo, possibly elsewhere; Warshauer note: two quakes, 2:07 and 6:13 a.m. felt at Hilo and Volcano districts	Seismological Report, July-September, 1927 (Neumann, 1930) [time given as 7/26 at 6:02date wrong?]; ESPHVO, v. 3, p. 1002; VL 135; HTH, 7/25/1927
7/29/27	11:3	31				west hawaii					62.3	s	4.65							4.65	nomo	felt	felt locally	ESPHVO, v. 3, p. 1002; VL 136
7/31/27	2:1	14				kl cal deep??					25.6	f	3.81		4.58					4.58	hono	(Kohala and Honom	felt locally; felt; barely perceptible (I = II); time 02:20; Honomu-felt by sev; rpd tws; val. Kohalafelt by sev; grd trm; fnt sounds before and during shock; Hon notes: local shock; misinterpreted as quarry blast??; USEQ notes: repeats Neumann, 1930	ESPHVO, v. 3, p. 1002, 1044 [narrative suggests that this event and those in early August could be Kilauea events responding to the collapse of the lava column]; VL 136; Seismological Report, July-September, 1927 (Neumann, 1930
8/3/27	9:4	42				hilea?					25.6	m [st?]	4.80	5.86						5.86	hono	(W&K) ; V	seis dismantled, felt; Kona & Hilo seis dismantled, felt by nearly everyone, strongly felt in Hilo, items off shelves; Warshauer notes: recorded equally at Kona, Hilo and HVO; felt strongly Hilo, no damage; Kona, dishes off shelves; lighter locally	ESPHVO, v. 3, p. 1002; VL 136; [34 mi from Hilo, 16 mi from HVO, suggests Kaoiki; max accel 90 mm/sec/sec]c; [intensity pattern matches M=5.0 8/20/24 & suggests Hilea]; HA, 8/6/1927; HTH, 8/3/1927; HSB, 8/5/1927; not found in MN

					Lon		Publ	Pref	Publ	Calc	Slant		M	M M-		M vert		r	M other	M	M pre	f		
Date	HST (deg	min (deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	e I max	Location/felt report	Comment
8/3/27	9:42					do					do	do	do	do						5.86	do	VI (Pahala, Waiohi	Hilofelt by sev all parts of city; pendulum clock on basement floor stopped at 9:13 [43?]; Honomu	Seismological Report, July-September, 1927 (Neumann, 1930); Hon notes: no rec on E-W; felt in Hawaii; times 9:40-52; Hainafelt by many; abt bmp N-S abt 2 s; rky.
8/3/27	9:42					do					do	do	do	do						5.86	do	o felt	Waiohinufelt by all; few alarmed; trees and telephone wire down; stone walls fell down to S and SE; dishes on shelves and pictures displaced, some bottles thrown off, clock pendulum swinging NE-SW stopped at 9:43; onset grd, then trm motion N to S.	
10/28/27		19	37.00	155	56.00	kona			73.2	73.2	73.7	f	4.25							4.25				ESPHVO, v. 3, p. 1031; VL 149 ESPHVO, v. 3, p. 1066; VL 159; not found in HTH
1/4/28	13:07	-	-+	\dashv		a3035					33.5	m	4.48					-		4.48	nome	felt	other places; not listed in Hon station bulletin Hon notes: felt Mauna Loa section of Honolulu;	or HA
2/5/29	2:25					kl cal deep		30.0	5.0	5.0	30.4	st	4.92	5.36	5.36	5				5.36		; IV (R- F)	local to Kilauea; deep quake under e side of island, s Kilauea; dismantled seis, waked people all island of Hawaii, fel hnp, Hilo, Kohala; Warshauer notes: strongly felt eq; felt as far as Kona and Kohala	VL 215, 216; HA, 2/11/1929; HSB, 2/5/1929; not found in HTH or MN
3/8/21	16:24					a2530					28.8	S	4.11								nome		azimuth NE-SW	ESPHVO, v. 3, p. 79
3/17/21	13:27			-		kona?					66.0	I	4.15					1		4.15	nome	felt	probably felt in Kona	ESPHVO, v. 3, p. 79 not reported in Hon Station Bulletin (Hazard, 1924);
3/19/21	15:44					kaoiki?					28.8	m	4.61							4.61	nome	felt	felt in Hilea and probably in Pahala	Hon film record not available; ESPHVO, v. 3, p. 79
4/1/21 5/6/21	5:26 16:55					a3035 a3035					33.6	m	4.72 4.19								nome		azimuth NE-SW; felt generally on Hawaii azimuth NW-SE; felt locally	not reported in Hon Station Bulletin (Hazard, 1924); Hon film record not available; ESPHVO, v. 3, p. 96; not in HH
3/0/21	10:33			+		a5055					32.0	S	4.19							4.19	nome) leit	azimutii NW-SE; leit locally	ESPHVO, v. 3, p. 117 not reported in Hon Station Bulletin (Hazard, 1924);
5/19/21	21:21					south hawaii?					25.0	m	4.51							4.50	nome	felt	felt over most of Hawaii; distance assumed to agree with felt report (M range 4-5)	Hon film record not available; ESPHVO, v. 3, p. 117; not in HH
6/24/21	12:24					a2530					28.8	m	4.61							4.61			azimuth NW-SE; felt locally and in Hilo	not reported in Hon Station Bulletin (Hazard, 1924); Hon film record not available; ESPHVO, v. 3, p. 133
7/29/21	19:01 0:39	_		-		mauna kea?					59.2	f	4.07								nome		felt strongly in Waimea	ESPHVO, v. 3, p. 154
9/30/21 11/7/21	12:59	\dashv	-+	\dashv		a2530 a2530					28.8	S S	4.11					+			nomo			ESPHVO, v. 3, p. 187 ESPHVO, v. 3, p. 217
1/26/22	8:35					mauna kea?					64.0	s	4.67							4.67	nome	felt	felt in Kohala	not reported in Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 234
2/3/22	0:33 7:55					a2530 kl sf?					32.0	m [st?]	4.11	5.78	5.65					5.72			azimuth SW-NE Hon notes (local shock); strongly felt and prolonged earthquake causing avalanches at Uwekahuna; azimuth WNW-ESE. Felt over E half of Hawaii); Warshauer notes: felt in Hilo, clothes pole and construction pole swayed wildly, one person fell down stairs	ESPHVO, v. 3, p. 241 Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 239, 241 [listed as moderate, must be strong]; DPH, 2/21/1922; not in HA or HSB
2/21/22	14:56					kl sf?					32.0	s	4.19							4.19	nome		aftershock?; felt locally	ESPHVO, v. 3, p. 241
3/12/22	14:33					kl cal deep??					32.0	m								4.68			azimuth-ESE; felt locally and in Hilo; Dismantled instruments; Warshauer notes: On Sunday afternoon an earthquake shock, slightly more severe than [last month's], shook Hilo for possibly 30 seconds. Some crashes of china on plate rails; no other damage	not reported in Hon Station Bulletin (Hazard, 1924); HVO, v. 3, p. 252; HDT, 3/14/1922; Warshauer notes cont.: Houses and buildings quivered and shimmied.
3/12/22	16:55					kl cal deep??					32.0	S	4.19								nome)	aftershock?	ESPHVO, v. 3, p. 252
5/21/22	10:13					kl sf?					16.0	m	4.20							4.20	nome	felt	felt locally	ESPHVO, v. 3, p. 288, 290

		Lat	Lat	Lon			Pub							M M-		M vert			M other		M pref			_
Date	HST	deg	min	deg	min	Region	dept	th depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report dismantled instruments; felt locally; also at Hilo, Honomu and Waiohinu: Warshauer notes: several papers note earthquakes; DPH says "earthquakes	Comment Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 275, 288, 290; DPH, 5/27, 29/1922; HDT,
5/22/22	16:53					kl sf??					16.0	m [st?]	4.20	5.98	6.08					6.03		felt	are frequent in all the region," "earthquakes felt in Hilo for a fortnight"	5/30, 31/1922; HSB, 5/30/1922 [quotes Jaggar]; not found in HA or MN
5/22/22	22:24					kl sf?	?				16.0	m	4.48							4.48	nomo	III	dismantled instruments; felt locally	ESPHVO, v. 3, p. 288, 290; distance assumed
5/24/22	21:58					kl sf?	?				16.0		4.20								nomo		felt locally; and at Hilo, and?	ESPHVO, v. 3, p. 275, 288, 290; distance assumed
5/25/22	0:43					kl sf					16.0		4.20								nomo		felt locally; and at Hilo, and?	ESPHVO, v. 3, p. 288, 290; distance assumed
5/25/22	2:00					kl sf?	?				16.0	m	4.20							4.20	nomo	felt	felt locally; and at Hilo, and?	ESPHVO, v. 3, p. 288, 290; distance assumed
5/25/22	6:15					kl st	f				16.0	m	4.48							4.48	nomo	Ш	instruments dismantled; felt locally; and at Hilo, and?	ESPHVO, v. 3, p. 288, 290
5/25/22	21:36					kl sf	?				16.0	m	4.48	5.15	5.27					5.21	hono	felt	dismantled instruments; felt locally and at Hilo, Honomu and Waiohinu?	ESPHVO, v. 3, p. 288; distance assumed
5/25/22	23:24					kl st	f				14.4	m	4.40							4.40	nomo	Ш	dismantled instruments; felt locally; and at Hilo, Honomu and Waiohinu?	ESPHVO, v. 3, p. 289, 290
5/25/22	23:26					kl sf	?				16.0	m	4.20								nomo		felt locally; and at Hilo, Honomu and Waiohinu?	ESPHVO, v. 3, p. 289, 290; distance assumed
5/25/22	23:43					kl st	f				17.6	m	4.27								nomo		felt locally; and at Hilo, Honomu and Waiohinu?	ESPHVO, v. 3, p. 289, 290
5/27/22	18:54					kl sf?	?				16.0	m	4.48								nomo		dismantled instruments; felt locally	ESPHVO, v. 3, p. 289; distance assumed
5/27/22	20:04					kl uer?	?				8.0	m	4.00							4.00	nomo	III	dismantled instruments; felt locally	ESPHVO, v. 3, p. 289
5/28/22	15:40					kl sf	?				17.6	m	4.54							4.54	nomo	III	dismantled instruments; felt locally	ESPHVO, v. 3, p. 289
																							a slow, swaying earthquake; dismantled instruments; felt locally; Warshauer notes: precursory earthquake created rift through which eruption could take place [implies the creation of a	ESPHVO, v. 3, p. 284, 289; distance assumed; HA, 5/30/1922; HSB, 5/29; 30/1922; DPH, 5/29/1922;
5/28/22	19:57					kl mer?		5.0	12.0)	13.0	m								4.33		III	fracture associated with a rift earthquake].	HDT, 5/30; 31/1922; HH, 6/1 missing
6/2/22	6:21					kl uer?	?				9.6	m	4.12							4.12	nomo	III	do; dismantled instruments; felt locally	ESPHVO, v. 3, p. 302; distance assumed
																								not found in Hon Station Bulletin (Hazard, 1924);
7/20/22	19:58					hilea??	?				40.0	s	4.34							4.34	nomo			ESPHVO, v. 3, p. 319
7/24/22	16:59					hilea??	?				38.4	s	4.31							4.31	nomo	felt	felt locally; Warshauer notes: There was a sharp shock of earthquake yesterday afternoon at exactly 5 o'clock, and it was more especially noticeable in the center of the city [Hilo], although no damage was done; not felt at Volcano House	not found in Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 319; HDT, 7/25/1922
10/13/22	23:08					mauna kea?	?				64.0	s	4.67							4.67	nomo	felt	felt in Hilo and strongly in Kohala	not found in Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 354
10/18/22	11:13					a3035					32.0	s	4.19								nomo			not found in Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 354
10/29/22	22:13					a2530)				25.6	s	4.03							4.03	nomo	felt	felt in Hilo	ESPHVO, v. 3, p. 354
11/21/22	3:27					kl sf??	?							5.32	5.67					5.50	hono	VI	felt over island; heavy shaking in Kona, Kau, Hamakua; also locally, Hilea, Hilo; dur 10-15 s; dismantled inst; Warshauer notes: strongly felt Hilo, Volcano; cracked houses and broke mirrors; two distinct shocks, 1st slight, 2nd felt in six separate waves	Hon Station Bulletin (Hazard, 1924); not mentioned in WK; ESPHVO, v. 3, p. 357, 358, 359, 363; DPH, 11/21/1922; HH, 11/23/1922; HDT, 11/21; 23/1922; HA, 11/22/1922; duration 5 minutes on Hilo seismograph; see also bib
11/22/22	0:15					kl sf??	?				14.4	m	4.13	nomo						4.13	nomo	v	e-w component dismantled; Warshauer notes: slight earthquake sufficient to waken light sleepers felt in Hilo; two separate shocks at 12:20 a.m. with a slight interval between	aftershock; not in Hon Station Bulletin (Hazard, 1924); ESPHVO, v. 3, p. 358, 363; DPH, 11/22/1922; HDT, 11/23/1922; duration 5 minutes on the Hilo seismograph
							1	1										1					Ť	not found in Hon Station Bulletin (Hazard, 1924);
12/16/22	5:00					ml mok??	?				35.2	s	4.25	nomo				-		4.25	nomo		foreshock?; Warshauer notes: Reports of an earlier	ESPHVO, v. 3, p. 374
1/14/23	1:00					hilea??	?													4.00	felt	IV?	temblor about 1 o'clock are also heard from severa	
1/14/23	2:28					hilea	?					et		6.01	5.91						hono	IV (oahu): V-VI	Hon notes: Local shock; felt locally and all parts o	Hon Station Bulletin (McFarland, 1929); Cox, 1986 [awakened thousands implies int 5, more typically 4]; ESPHVO, v. 3, p. 378, 381, 386
1/14/23	2:28					do						do		do						5.95			Warshauer notes: two shocks, same intensity with short but distinct separation, awakened persons at Wailuku, houses groaned; felt all east Hawaii	MN, 1/15/1923; DPH, 1/15/1923; HSB, 1/17/1922; HA, 1/15/1922; not found in HH

	Time L	at La	Lon	Lon		Publ Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M hor		M other	М	M pre	f		
Date	HST de	eg mii	ı deg	min	Region	depth depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source		source		Location/felt report	Comment
1/24/23	2:29				hilea??				38.4	m	4.57							4.57	nomo			not reported in Hon Station Bulletin (McFarland, 1929); aftershock?; ESPHVO, v. 3, p. 386; not in HA or HSB
									50		1.57								lionic		Hon notes: an irregularity in the microseisms;	
																					quake felt [at HVO]; dismantled instruments, felt	
																					over Hawaii Island; Warshauer notes: quake last night felt all along this line of territory but not at	Hon Station Bulletin (McFarland, 1929) [no amplitude reported; assume 2 mm]; ESPHVO, v. 3,
																					the volcano; slight quake caused rockslide at	p. 390, 393; DPH, 2/10/1923; HA, 2/11/1923; not in
2/9/23	20:41				hilea??				45.0		4.68	4.50	4.50					4.50			Kilauea	нн
3/3/23	23:46				a1320				19.2	m	4.09							4.09	nome	felt	felt in Hilo	ESPHVO, v. 3, p. 401
4/1/23	10:45				mauna kea??				36.8		4.28							4.28	nome		NW-SE	not found in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 413; not in HTH
5/30/23	12:06				a2530				28.8	S	4.28								nome		SE-NW	ESPHVO, v. 3, p. 429
																						not in Hon Station Bulletin (McFarland, 1929);
11/15/23	10:40				a3035				35.2	s	4.25							4.25	nome)		ESPHVO, v. 3, p. 488
12/14/23	5:34				ml mok??				36.8		4.28							4.28	nome	felt	felt in Hilo, Kona and Kau	not in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 497
12/14/23	3.34		+	+	III IIIOK : :				30.8		4.28							4.20	поше) leit	felt Oahu, Molokai and Lanai; Cox notes: UH	ESF11VO, V. 3, p. 457
																					seismograph out of commission, felt Oahu,	
																					Molokai, Maui, and lanai (not Hawaii); Warshauer	
10/05/00	10.46				1.1.0													4.02		IV	notes: felt as sharp but short on Maui, no damage;	1929); ESPHVO, v. 3, p. 497; Cox, 1986; MN,
12/25/23	18:46				molokai?				260.0	vf	4.83							4.83	nome	(oahu)	not felt at Hilo, but felt on Oahu. instruments dismantled: felt over east Hawaii:	12/28/1923
																					Warshauer notes: quake exceptionally severe in	
																					Kau district; felt at HVO and along the Hamakua	not reported in Hon Station Bulletin (McFarland,
12/28/23	16:37			_	mauna kea??				43.2	m	4.65							4.65	nome) III	coast as far as Honomu.	1929); ESPHVO, v. 3, p. 497; HTH, 12/31/1923
1/8/24	10:46				ml wf??				45.0		4.20							4.20		felt	felt in Kona	not reported in Hon Station Bulletin (McFarland, 1929); ESPHVO, v. 3, p. 504; distance assumed
3/10/24	17:45			-	kl sf?				45.0 28.8	S	4.20								nomo		leit iii Kolia	ESPHVO, v. 3, p. 512, 513
									20.0										nome	1	felt, Hilo; Warshauer notes: Hilo felt a pretty	
1																					strong quake at 1:35 a.m. today. Houses in several	
3/29/24	1:27		-	-	kl sf?				43.2	s	4.40							4.40	nome) IV		. 1929); ESPHVO, v. 3, p. 512, 513; HTH, 3/29/1924
																					strongish earthquake in Puna, felt in Hilo and reported quite severe in some districts; felt locally,	
																					and in Hilo; [distance of 9 mi actually 19? (assume	
																					sf from felt reports); east rift traversed on 4/11 and	not reported in Hon Station Bulletin (McFarland,
4/10/24 4/19/24	22:46 7:23				kl sf? kl ler?				30.4 40.0	S	4.15							4.15	nomo		again on 4/16, no new cracks observed]	1929); ESPHVO, v. 3, p. 516, 525 ESPHVO, v. 3, p. 525; distance assumed
4/19/24	1.23		+	+	KI ICI :				40.0		4.34							4.34	поше)		not reported in Hon Station Bulletin (McFarland,
4/28/24	11:35				kl ler				43.2	s	4.40							4.40	nome			1929); ESPHVO, v. 3, p. 527
																						Phreatic explosions begin evening of 5/10, lasting
																						through 5/27; ESPHVO, v. 3, p. 529-560; 101 earthquakes, 3 felt; 2 explosions; ESPHVO, v. 3, p.
5/10/24	23:59				kl cal 0-5?				4.0	f	2.20							4.01	calc	,	see note for 5/1/24; untabulated feeble = 98	557: table
																					see note for May 1, 1924; untabulated feeble =	
l																					107; beginning of diary of observations made	111 earthquakes, 3 felt; 1 explosions; ESPHVO, v.
5/11/24	23:59				kl cal 0-5?				4.0	f	2.20							4.04	calc		during 1924 crisis; no earthquakes mentioned	3, p. 557; table; Jaggar, 1947, p. 214
5/14/24	23:59				kl cal 0-5?				4.0	f	2.20							4.00	calc	,	see note for 5/1/24; untabulated feeble = 96	113 earthquakes, 17 felt; 3 explosions; ESPHVO, v. 3, p. 557; table
											2.20							10	Care		, , , , , , , , , , , , , , , , , , , ,	132 earthquakes, 15 felt; 2 explosions; ESPHVO, v.
5/15/24	23:59				kl cal 0-5?				4.0	f	2.20							4.07	calc	:	see note for 5/1/24; untabulated feeble = 116	3, p. 557; table
5/16/24	17:33				kl cal deep?				31.0	st?	4.94	5.04	5.38					5.21	L		Hon notes: timing years similar to such a 634 20	Hon Station Bulletin (McFarland, 1929); not reported in Jaggar, 1947, p. 218; not found in MN
3/10/24	17:55			+	ki cai deep?				31.0	SU?	4.94	5.04	3.38					3.21	hono	,	from notes, thining very similar to quake of May 30	276 earthquakes, 45 felt; 4 explosions; ESPHVO, v.
5/16/24	23:59				kl cal 0-5?				4.0	f	2.20							4.35	calc		see note for 5/1/24; untabulated feeble = 231	3, p. 557; table
																						276 earthquakes, 45 felt; 4 explosions; ESPHVO, v.
5/16/24	23:59	-	+	-	do				4.0	s	2.74					_		4.22	calc	-	see note for 5/1/24; untabulated slight = 42	3, p. 557; table
5/17/24	23:59				kl cal 0-5?				4.0	e	2.74							4.10	calc	,	see note for 5/1/24; untabulated slight = 31	150 earthquakes, 30 felt; 3 explosions; ESPHVO, v. 3, p. 557; table
3,11124	25.57				cui 0 '3 i				-+.0	3	2.74							10	Calc		22 201 5/1/21, amadamod siigit — 51	150 earthquakes, 30 felt; 3 explosions; ESPHVO, v.
5/17/24	23:59				do				4.0	f	2.20							4.07	calc	:	see note for 5/1/24; untabulated feeble = 115	3, p. 557; table
F /4 0 /2 :	22.50				11 10 ==																6 50004	165 earthquakes, 25 felt; 3 explosions; ESPHVO, v.
5/18/24	23:59				kl cal 0-5?				4.0	f	2.20			<u> </u>				4.14	calc		see note for 5/1/24; untabulated feeble = 138	3, p. 557; table

		Lat					Publ		Publ	Calc				M M-		M vert			M other		M pref			
Date	HST	deg	min	deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Jaggar, 1947, p. 227 [for quakes felt away from
5/19/24	21:23					a0513					10.0	m-st	4.04							4 04	nomo	IV	a heavy quake, N-S component dismantled, felt strongly at Glenwood	Signa, 1747, p. 227 fto quacts that away nom Kilauea caldera we assign a 10 km slant distance and region "a0513"; calculated magnitudes are constrained by lack of recognition in the Honolulu Seismic Bulletin (McFarland, 1929); film records unavailable]
												111 30										- 11		180 earthquakes, 21 felt; 3 explosions; ESPHVO, v.
5/19/24	23:59			_		kl cal 0-5?	-				4.0	f	2.20							4.18	calc		see note for 5/1/24; untabulated feeble = 150 moderate, sharp; instruments dismantled;	3, p. 557; table
																							Warshauer notes: four heavy quakes felt at Hilea	ESPHVO, v. 3, p. 552; Jaggar, 1947, p. 230; HA,
5/20/24	6:17	-		\dashv		kaoiki?			19.0	19.0	21.0	m-st	4.56							4.56	nomo	III	during the day [5/20] strong; instruments not operating; a very heavy	5/21/1924
5/20/24	7:03					kaoiki?			19.0	19.0	21.0	st	4.67							4.67	nomo		quake; Warshauer notes: four heavy quakes felt at Hilea during the day [5/20]	ESPHVO, v. 3, p. 552; Jaggar, 1947, p. 230; HA, 5/21/1924
5/20/24	14:40					kaoiki			19.0	19.0	21.0	m-st	4.56							4.56	nomo	III	a moderate quake, dismantled both pens; origin more distant than Halemaumau, thought to be in Kau; Warshauer notes: four heavy earthquakes felt at Hilea during this day [May 20]	distance of 19 km in Kau direction assumed from report of road cracks (ESPHVO, v. 3, p. 576); not reported in Hon Station Bulletin (McFarland, 1929); see ESPHVO, v. 3, p. 576; Jaggar, 1947, p. 231; HA, 5/21/1924
																							four heavy quakes felt at Hilea during the day	
5/20/24	20:46					kaoiki?			19.0	19.0	21.0	m-st	4.56							4.56	nomo	III	[5/20]	Jaggar, 1947, p. 232; HA, 5/21/1924 201 earthquakes, 41 felt; 3 explosions; ESPHVO, v.
5/20/24	23:59					kl cal 0-5?					4.0	f	2.20							4.21	calc		see note for 5/1/24; untabulated feeble = 164	3, p. 557; table
5/21/24	23:59					kl cal 0-5?					4.0	f	2.20							4.34	calc		see note for May 1, 1924; untabulated feeble = 225; Warshauer notes: Almost continual quakes have been recorded during the past two days [May 19-20] at Hilea	275 earthquakes, 50 felt; 4 explosions; ESPHVO, v. 3, p. 557; table; HA, 5/22/1924
5/21/24	23:59					do					4.0	s	2.74							4.19	calc		see note for May 1, 1924; untabulated slight = 39; Warshauer notes: Almost continual quakes have been recorded during the past two days [May 19-20] at Hilea	275 earthquakes, 50 felt; 4 explosions; ESPHVO, v. 3, p. 557; table; HA, 5/22/1924
5/22/24	23:59					kl cal 0-5?					4.0	f	2.20							4.38	calc		see note for May 1, 1924; untabulated feeble = 255; Warshauer notes: visit to Kau found no new cracks [but see ESPHVO, v. 3, p. 576]; Kapoho area continues to experience slight earthquakes	339 earthquakes, 75 felt; 3 explosions; ESPHVO, v. 3, p. 557; table; HA. 5/23/1924
5/22/24	23:59					do					4.0	s	2.74							4.13	calc		see note for May 1, 1924; untabulated slight = 34; Warshauer notes: visit to Kau found no new cracks [but see ESPHVO, v. 3, p. 576]; Kapoho area continues to experience slight earthquakes	339 earthquakes, 75 felt; 3 explosions; ESPHVO, v. 3, p. 557; table; HA. 5/23/1924
5/23/24	23:59					kl cal 0-5?					4.0		2.20							4.28	calc		198; Warshauer notes: Hilea is recording an almos continuous tremble on the seismograph, but no perceptible earthquakes; no activity in Hilo, other than a few scattered and inconsiderable earthquakes	257 earthquakes, 59 felt; 3 explosions; ESPHVO, v. 3, p. 557; table; HA, 5/24/1924, p. 2
5/23/24	23:59					do					4.0		2.74							4.22	oute		Warshauer notes: Hilea is recording an almost continuous tremble on the seismograph, but no perceptible earthquakes; no activity in Hilo, other than a few scattered and inconsiderable earthquakes	257 earthquakes, 59 felt; 3 explosions; ESPHVO, v. 3, p. 557; table; HA, 5/24/1924, p. 2
5/24/24	3:48					a0513					10.0		4.04							4.04	nomo	IV	this quake, as with many others, caused the E or SI part of the building to creak first, followed by windows rattling on W side; Warshauer notes: Quakes shake Hilo Saturday morning; A rather strong earthquake shock was felt [in Pahala] early this morning	
5/24/24	5:51					a0513					10.0	m-st	4.04								nomo	III	both components dismantled; Warshauer notes: Quakes shake Hilo Saturday morning	see note for May 19, 1924; time 11:23; Jaggar, 1947, p. 246; HA, 5/24/1924
5/24/24	23:59					kl cal 0-5?					4.0	f	2.20							4.56			see note for May 1, 1924; untabulated feeble = 400; Warshauer notes: Earthquakes were distinctly felt in Hilo last night [May 23-24], but no tremors were reported from any section today	

	Time Lat	Lat	Lon	Lon		Publ Pref			Slant			M M-		M vert			M other		M prei			
Date	HST deg	min	deg	min	Region	depth depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
																					see note for May 1, 1924; untabulated slight = 43;	
																					Warshauer notes: Earthquakes were distinctly felt	ACZ and makes CZ fale 2 and along ESDIMO
5/24/24	23:59				do				4.0		2.74							4.23	calc	felt	reported from any section today	467 earthquakes, 67 felt; 2 explosions; ESPHVO, v. 3, p. 557; table; HA, 5/25/1924
3/24/24	23.37		\vdash		do				4.0		2.74							4.23	Caic	icit	reported from any section today	248 earthquakes, 45 felt; 2 explosions; ESPHVO, v.
5/25/24	23:59				kl cal 0-5?				4.0	f	2.20							4.29	calc		see note for 5/1/24; untabulated feeble = 202	3, p. 557; table
																						248 earthquakes, 45 felt; 2 explosions; ESPHVO, v.
5/25/24	23:59				do				4.0	s	2.74							4.10	calc		see note for 5/1/24; untabulated slight = 31	3, p. 557; table
																					a moderate quake; dismantled both instruments;	
5/26/24	8:06				a0513				10.0	m-st	4.04							4.04	nomo	IV	Warshauer notes: A strong earthquake shook the entire Kilauea district at 9 o'clock [time wrong?]	see note for May 19, 1924; time 11:23; Jaggar, 1947, p. 253; HA, 5/27/1924
3/20/24	8.00		\vdash		80313				10.0	III-st	4.04							4.04	пошо	11	entire Knauca district at 5 0 clock [time wrong:]	156 earthquakes, 19 felt; 1 explosions; ESPHVO, v.
5/26/24	23:59				kl cal 0-5?				4.0	f	2.20							4.14	calc		see note for 5/1/24; untabulated feeble = 137	3, p. 557; table
																						195 earthquakes, 36 felt; 1 explosions; ESPHVO, v.
5/27/24	23:59				kl cal 0-5?				4.0	s	2.74							4.74	calc		see note for 5/1/24; untabulated slight = 17	3, p. 557; table
l																						195 earthquakes, 36 felt; 1 explosions; ESPHVO, v.
5/27/24	23:59		\vdash		do kl cal 0-5?				4.0	t	2.20			-				4.20			see note for 5/1/24; untabulated feeble = 158	3, p. 557; table
5/28/24	25:39		\vdash		Ki cai U-5?				4.0	I	2.20							4.00	nomo	<u>'</u>	see note for 5/1/24; untabulated feeble = 111	130 earthquakes; ESPHVO, v. 3, p. 560 table
																					Hon notes: evidently not far away; unusually strong; both instruments dismantled; raised dust	
																					cloud at pit; N-S component set back 0.5 inch on	
																						Hon Station Bulletin (McFarland, 1929); ESPHVO,
5/30/24	8:42				kl cal deep?				10.0	st	4.15	5.78	5.91					5.85	hono	V	long time	v. 3, p. 556; Jaggar, 1947, p. 259
																					Warshauer notes: A severe earthquake was felt at	
																					the Volcano this morning, another was felt in Hilo at 8:42 a.m. Both earthquakes are said to have	
5/30/24	8:42				do				do	do	do	do	do	,				5.85	do	do	occurred at the same time.	HTH, 5/30/1924; not found in HA, HSB or MN
									uo		uo	do							uo	1	preferred magnitude calculated as Richter	
																					distribution assuming b = 1.8 and 76 events	distance and region assumed; 5 shakes; ESPHVO,
4/1/26	23:59				ml mok?				35.0	f-s	4.03							4.66	calc		>M3.25 apportioned over the month	v. 3, p. 836 table
1/2/25	22.50				1 10					c								4.20			,	distance and region assumed; 2 shakes; ESPHVO,
4/2/26	23:59				ml mok?				35.0	f-s	4.03							4.30	calc	-	do	v. 3, p. 836 table distance and region assumed; 7 shakes; ESPHVO,
4/4/26	23:59				ml mok?				35.0	f-s	4.03							4.79	calc		do	v. 3, p. 836 table
4/5/26	23:59				ml mok?				35.0	f-s								4.30			do	2 shakes; ESPHVO, v. 3, p. 836 table
																						distance and region assumed; 1 shake; ESPHVO, v.
4/7/26	23:59				ml mok?				35.0	f-s	4.03							4.03	calc		do	3, p. 836 table
4/8/26	23:59				ml mok?				35.0	f-s	4.03							4.57			see note for April 1, 1926	distance and region assumed; 4 shakes; ESPHVO, v. 3, p. 836 table
4/8/20	23:39				IIII IIIOK ?				35.0	1-8	4.03							4.57	calc	-	not registered; felt report from Island of Hawaii:	v. 5, p. 850 table
																					several shocks preceded eruption of Mauna Loa.	Seismological Report, April-June, 1926 (Neumann,
4/9/26	16:30				ml mok?				35.0	s-m	4.51							4.51	nomo	felt	"Shocks almost incessant until 20th."	1928)
																						distance and region assumed; 3 shakes; ESPHVO,
4/9/26	23:59		\square		ml mok?				35.0	f-s	4.03							4.30	calc		2 shocks not reported	v. 3, p. 836 table
																					felt widely e half of Hawaii island; epicenter at upper end of Mauna Loa southwest rift to east of	
																					Mokuaweoweo; Warshauer notes: felt widely on	not reported at Hon mag obs (Neumann, 1928);
4/10/26	1:50				ml mok?				35.0	s-m	4.51							4.51	nomo	felt	east half of island	ESPHVO, v. 3, p. 807, 812; VL 68; HTH, 04/15
			П																			not reported at Hon mag obs (Neumann, 1928);
																						ESPHVO, v. 3, p. 807, 812; VL 68; HA, 04/10;
4/10/26	2:04		\sqcup		ml mok?				35.0	s-m	4.51							4.51	nomo	-	following these two quakes	HTH, 04/15
4/10/26	23:59				ml mok?				35.0	f-s	4.03							5.71	calc		do	do; 71 quakes not felt at HVO, not reported separately
4/10/20	43.39		\vdash		III IIIOK ?				33.0	1-S	4.03							5./1	caic	-		separatery
																					4 felt at HVO; local earthquakes during the last few months with origin distance about 19 miles	
																					(30.4 km) and line of direction suggesting the	75 earthquakes; ESPHVO, v. 3, p. 811 table, 813;
																					northeast summit region of Mauna Loa; additional	[seismic prelude to Mauna Loa southwest rift
	22.5-																				notes on the eruption in VL 68-72; see note for	eruption]; 1.128 quakes assumed to have dismantled
4/10/26 4/10/26	23:59		\vdash		do do		-		35.0 35.0	m								4.96 4.45			April 1, 1926 do	seismograph; see note for May 1, 1926
4/10/20	25:39	_	\vdash		do				33.0	s-m	4.51							4.45	calc	-	uo	separately do; 71 quakes not felt at HVO, not reported
4/11/26	23:59				ml swr?				47.3	f-s	4.24							5.63	calc		do	separately
								-		- 0	1.24		_						Luit		i e e e e e e e e e e e e e e e e e e e	I A

	Time La	ıt Lat	Lon	Lon		Publ Pref	Publ	Calc	Slant		М	M M-	мм	M vert	Mhon		M other	м	M pre			
Date	HST de		deg		Region	depth depth		Dist		Mag class						M other				e I max	Location/felt report	Comment
Dute	1101 00	5	ueg		region	асран асран	unot	Dist	uist	rrang crass	nomo	D D	5115	DI I	.,, 2	IVI Othici	source	prer	Joure	1 1114.5	230 and 1011 report	35 earthquakes; ESPHVO, v. 3, p. 811 table; 1.128
																						quakes assumed to have dismantled seismograph;
4/11/26	23:59				do				47.3	m	5.12							4.62	cal	c felt	1 felt at HVO; see note for April 1, 1926	see note for May 1, 1926
4/11/26	23:59				do				47.3	s-m								4.59			do	separately
																					swaying eq, producing the effect of e-w rocking;	
4/12/26	11:41				ml swr?				48.0	s-m	4.73							4.73	nom	o felt	felt Pahala and HVO	ESPHVO, v. 3, p. 812
																					felt by many at Honomu, rpd trm; 2s, val.; USEQ	
																					notes: 22:25 felt by many int. III); stronger than	
																				III	11:41 quake; not individually listed in table; felt	
																				(Hono	Pahala and HVO; majority of shakes from	
4/12/26	11:48				ml ner?				25.0	s-m	4.27							4.27	nom	o mu)	extension of mlswr; some from mok and mlner	Neumann, 1928; ESPHVO, v. 3, p. 812; VL 68
																						do; 71 quakes not felt at HVO, not reported
4/12/26	23:59				ml swr?				47.3	f-s	4.24							5.95	cal	с	do	separately
																						8 81 earthquakes; ESPHVO, v. 3, p. 811 table, 812,
4/12/26	22.50																		_	6.1	felt at MLO camp during the day; see note for	816; 1.128 quakes assumed to have dismantled
4/12/26	23:59				do do				47.3	m	5.12							5.26 4.90			April 1, 1926	seismograph; see note for May 1, 1926
4/12/26	23:59				do				47.3	s-m	4.72							4.90	cal	С	do	separately
																					one of 2 strongest shakes of series [confused with	not remorted by Hon Mon abou ESDITYO at 2 m
4/13/26	4:30				ml swr?	5.0	47.0		47.3	s-m	4.72							4.72			quake at 19:46?]; Waiohinu telephone operator timed shock Tuesday morning [Apr. 13], dur 1 min	not reported by Hon Mag obs; ESPHVO, v. 3, p.
4/13/26	7:30	+			ml swr?	5.0			47.3	s-m	4.72							_	nom		felt at HVO	ESPHVO, v. 3, p. 812
4/13/26	14:30				ml swr?	5.0			47.3	s-m									nom		sharp shock felt at HVO	ESPHVO, v. 3, p. 812
4/13/20	14.50	+			illi SWI.	3.0	47.0	-	47.5	3 111	4.72							4.72	пош	U ICI		EST117 O, 7. 3, p. 012
																					unusually sharp quake felt on Mauna Loa this evening; quake with strong, twisting motion felt at	
																					HVO, dur >30 sec (Whitney); alarming shock at	
																					7:45 PM with wrenching movement and creaking	
																					of rocks; Honolulu time 19:41; Warshauer notes:	Neumann, 1928; ESPHVO, v. 3, p. 807, 813, 817;
4/13/26	19:46				hilea		45.0		45.9	m	5.10	5.21	5.05					5.13	hon	o felt	hm crack widened	HTH, 4/15/1926
																						do; 71 quakes not felt at HVO, not reported
4/13/26	23:59				ml swr?				47.3	f-s	4.24							5.94	cal	c	do	separately
																					9 felt at HVO; see note for April 1, 1926;	83 earthquakes; ESPHVO, v. 3, p. 811 table; HSB,
																					Warshauer notes: 50 slight shocks bet 3 and 4 p.m.	; 4/14/26; HA, 4/14/1926; HTH, 4/15/1926; 1.128
																					150 rec at HVO, 12 felt, 6 severe; eqs felt on	quakes assumed to have dismantled seismograph;
4/13/26	23:59				do				47.3	m	5.12							5.21			higher slopes of Mauna Loa, inc rift cones	see note for May 1, 1926
4/13/26	23:59				do				47.3	s-m								5.12			do	separately
4/14/26	2:45				ml swr?				47.0	s-m	4.71							4.71	nom	o felt	earthquake with e-w motion felt at Wingate camp	ESPHVO, v. 3, p. 817
																					vertical jolt followed by n-s motion felt at Wingate	
4/14/26	3:50				ml swr?				47.0	s-m	4.71							4.71	nom	o felt	camp	ESPHVO, v. 3, p. 817
																					light earthquake felt at Wingate camp; Warshauer	EGDINA 2 015 HELL 445 402 CH : :
4/14/26	8:30				ml swr?				47.0		4.71							4 71	nom	o felt	8:30 a.m. Apr. 14	ESPHVO, v. 3, p. 817; HTH, 4/15/1926 [beginning of Mauna Loa's lower southwest rift eruption]
4/14/26	12:00				ml swr?				47.0	s-m s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/14/26	15:30	+			ml swr?			-	47.0	s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/14/26	15:45				ml swr?				47.0	s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/14/26	21:45				ml swr?				47.0										nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
									17.0										110111			do; 71 quakes not felt at HVO, not reported
4/14/26	23:59				ml swr?				47.3	f-s	4.24							5.79	cal	c	do	separately
		1																				60 earthquakes; ESPHVO, v. 3, p. 811 table; 1.128
																						quakes assumed to have dismantled seismograph;
4/14/26	23:59	\perp	⊥ I		do			L ∣	47.3	m	5.12		L					5.49	cal	c felt	9 felt at HVO; see note for April 1, 1926	see note for May 1, 1926
4/14/26	23:59				do				47.3	s-m	4.72							5.07			do	separately
4/15/26	5:45				ml swr?							4.99	4.69					4.85	hon	o felt	felt (at Wingate camp?; Honolulu time 5:46	ESPHVO, v. 3, p. 818
4/15/26	7:50				ml swr?				47.0	s-m								4.71	nom	o felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	12:12	1			ml swr?				47.0	s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	14:05				ml swr?			\sqcup	47.0	s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	15:20	_	1		ml swr?			\vdash	47.0	s-m									nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	17:21	+	+		ml swr?			\vdash	47.0	s-m	4.71								nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	19:15	+	+		ml swr?		-	\vdash	47.0	s-m				-		\vdash			nom		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26	21:09	-	+		ml swr?				47.0	s-m	_			-		\vdash		4.71			felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/26 4/15/26	21:15	-	+		ml swr? ml swr?		-	\vdash	47.0 47.0	s-m s-m									nom		felt (at Wingate camp?) felt (at Wingate camp?)	ESPHVO, v. 3, p. 818 ESPHVO, v. 3, p. 818
4/13/20	21:43	+	+-		IIII SWI?		-	\vdash	47.0	s-m	4./1							4./1	nom	o ieit	ren (at wingate camp:)	do; 71 quakes not felt at HVO, not reported
4/15/26	23:59				ml swr?				47.3	f-s	4.24							5.92	a-1		do	do; /1 quakes not felt at HVO, not reported separately
7/13/20	40.07		\perp		IIII SWI !			\Box	4/.5	1-8	4.24							3.72	cal	u	uo	эсрансту

	Time Lat	Lat	Lon	Lon		Publ Pre	f Pub	l Calc	Slant		М	M M-	M M.	M vert	M hor		M other	м	M pre	,		
Date	HST deg		deg	min	Region	depth dept				Mag class						M other			source		Location/felt report	Comment
						1												1				86 earthquakes; ESPHVO, v. 3, p. 811 table; 1.128
																						quakes assumed to have dismantled seismograph;
4/15/26	23:59				do				47.3	m	5.12							5.64	calc	felt	13 felt at HVO; see note for April 1, 1926	see note for May 1, 1926
4/16/26	1:15				ml swr?				47.0	s-m	4.71							4.71	nomo	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	1:17				ml swr?				47.0	s-m	4.71							4.71	nomo	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	6:16				ml swr?				47.0	s-m	4.71								nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	9:30				ml swr?				47.0	s-m	4.71							4.71	nome	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	10:10				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	11:00				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	11:58				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	12:03				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	13:10				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	13:18				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	13:34				ml swr?				47.0		4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	13:59				ml swr?				47.0	s-m	4.71							4.71	nome	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	16:10				ml swr?				47.0	s-m	4.71								nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	17:27				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	19:56		\vdash		ml swr?		-	_	47.0	s-m	4.71								nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	20:08		\vdash		ml swr?		_	_	47.0	s-m	4.71	1.10	4 5 1			\vdash			nome	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/16/26	21:59		+		ml swr?	_	+	_	47.0	s-m	4.71	4.42	4.51						hono	6.1.	folt (at Winasta samm?)	not specifically mentioned isESPHVO or VL
4/16/26	23:08		\vdash		ml swr?		-		47.0	s-m	4.71							4.71	nome	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/15/25	22.50				1 0													5.73	١.		,	do; 71 quakes not felt at HVO, not reported
4/16/26	23:59		\vdash		ml swr?		_	_	47.3	f-s	4.24									6.14	do	separately
4/17/26	1:16 7:26		\vdash		ml swr?		-	_	47.0	s-m	4.71								nome		felt (at Wingate camp?	ESPHVO, v. 3, p. 818
4/17/26 4/17/26	12:06		\vdash		ml swr?		-		47.0	s-m	4.71							4./1	nome	felt	felt (at Wingate camp?) felt (at Wingate camp?)	ESPHVO, v. 3, p. 818 ESPHVO, v. 3, p. 818
4/17/26	12:12				ml swr?		-		47.0	s-m s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/17/26	15:44				ml swr?				47.0 47.0		4.71							4.71	nomo	felt	felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/17/26	15:45		\vdash		ml swr?		+-	_	47.0	s-m	4.71	-							nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/17/20	13.43				IIII SWI :				47.0	8-111	4./1							4./1	поше	ien	leit (at wingate camp:)	do; 71 quakes not felt at HVO, not reported
4/17/26	23:59				ml swr?				47.3	f-s	4.24							5.72	calc		do	separately
4/17/20	23.37				IIII SWI :				47.3	1-3	4.24							3.12	Caic		do	53 earthquakes; ESPHVO, v. 3, p. 811 table; 1.128
																						quakes assumed to have dismantled seismograph;
4/17/26	23:59				do				47.3	m	5.12							5.39	calc	felt	7 felt at HVO; see note for April 1, 1926	see note for May 1, 1926
4/18/26	2:35				ml swr?				47.0	s-m	4.71	4.42	4.69					4.55			felt (at Wingate camp?); Honolulu time 2:45	ESPHVO, v. 3, p. 818
4/18/26	3:50				ml swr?				47.0		4.71	7.72	1.07						nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
4/18/26	4:22				ml swr?				47.0	s-m	4.71	4.50	4.51					4.50	hono		felt (at Wingate camp?); Honolulu time 4:33	ESPHVO, v. 3, p. 818
4/18/26	11:03				ml swr?				47.0	s-m	4.71								nome		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
											, -										felt (at Wingate camp?); Warshauer notes: 250	
																					quakes recorded at HVO from 4/14 to 4/18 a.m.,	
4/18/26	11:09				ml swr?				47.0	s-m	4.71							4.71	nome	felt	none of great strength	ESPHVO, v. 3, p. 818; HSB, 4/20/1926
4/18/26	12:27				ml swr?				47.0	s-m	4.71								nomo		felt (at Wingate camp?)	ESPHVO, v. 3, p. 818
											, .										Hon notes: origin time accepted over HVO felt	
																					times; sharp earthquake felt at HVO and elsewhere	
																					at 14:05; felt (at Wingate camp? at 13:45; USEQ	
																					notes: strong shock; Honolulu time 13:57; distance	Neumann, 1928 has eq at 14:00, 325 km distant;
4/18/26	13:58				ml swr?		45	0	45.9	m	5.10	5.16	5.21					5.18	hono	felt	325 km	ESPHVO, v. 3, p. 813, 818, 831
																					Warshauer notes: 3 severe earthquakes in quick	
																					succession at 2:05 p.m. rocked the Kilauea district	
																					and were felt in Hilo. Dishes fell from shelves,	
																					doors slammed and chandeliers were set swinging.	
4/18/26	13:58				do	do d	lo d	o do	do	do	do	do	do					5.18	do	felt	Avalanches in Halemaumau	HA, 4/19/1926
																						26 earthquakes; ESPHVO, v. 3, p. 811 table; 1.128
																						quakes assumed to have dismantled seismograph;
4/18/26	23:59				ml swr?				47.3	m	5.12							5.36	calc	felt	10 felt at HVO; see note for April 1, 1926	see note for May 1, 1926
																						do; 71 quakes not felt at HVO, not reported
4/18/26	23:59				do				47.3	f-s	4.24							5.33	calc		do	separately
4/18/26	23:59				do				47.3	s-m	4.72							4.78			do	separately
																					dismantled seismographs at Hilea, Hilo and	
																					Kealakekua; felt at, said to be the strongest yet;	
																					Warshauer notes: Severe earthquakes at 9:06 and	
																					9:46 this morning were reported from but were not	
4/19/26	9:13				ml swr?	5.	.0 47	0	47.3	s-m	4.72							4.72	nome	III	felt at, Kau; felt locally	831; HSB, 4/19/1926; HTH, 4/25/1926

4/19/26 23-59 do	Comment
4/19/26 23-59	
4/19/26 23-59	elt at HVO, not reported
4/19/26 23:59 do 47.3 m 5.12 5.17 cale felt 4 (Hat HVO see note for May 1, 4 (Hat	PHVO, v. 3, p. 811 table; 1.128
419/26 23:59	nave dismantled seismograph;
470 23.55 ml swr7 47.0 s-m 4.71 4.71 nomo felt self-at HVO. Warshauer notes: Terrific carthquakes shook the Kilaues section at 5.05 clock this afternoon, causing enormous avalanches in Halenaumau pit and frightening SSPHVO, v. 3, p. 8 4.70 calc do separately 23 carthquakes SSPHVO, v. 3, p. 8 4.70 calc do separately 24.70 calc do separately 24.70 calc do separately calc	1926
42026 17:00 ml swr? 47.0 s-m 4.71	
470/26 17:00	
4.70.06 17.00 ml swr? 47.0 s-m 4.71 4.71 nomo fel guests at Volcano House. ESPHVO, v. 3, p. 8 4.70.0 do do do do do do do d	
42026 23.59 ml swr? 47.0 s-m 4.71 4.71 nomo felt guests at Volcano House. ESPHVO, v. 3, p. 8	
42026 23:59	
47.026 23:59	
4/20/26 23:59	
4720/26 23:59	PHVO, v. 3, p. 811 table; VL 6
4/21/26 23:59 do 47.3 s-m 4.72 do 4.71 nome felt small earthquake felt at Kahuku ranch ESPHVO, v. 3, p. 8 4/21/26 23:59 ml swr? 47.3 f-s 4.24 5.33 calc do separately do 7.1 quakes not for separately 4/21/26 23:59 do 47.3 m 5.12 4.62 calc felt 1 felt at HVO; see note for April 1, 1926 see note for May 1, see note fo	
47.1 47.1 47.1 47.2	ie for May 1, 1926
4/21/26 23:59 ml swr?	33
4/21/26 23:59 ml swr? 47.3 f-s 4.24 5.33 calc do separately 17 earthquakes; ES quakes assumed to see note for April 1, 1926 separately 4/21/26 23:59 do 47.3 m 5.12 4.59 calc do separately 4/21/26 23:59 do 47.3 s-m 4.72 4.47 4.47 5.30 int	elt at HVO, not reported
4/21/26 23:59 do 47.3 m 5.12 4.62 calc felt 1 felt at HVO; see note for April 1, 1926 see note for May 1, 4/21/26 23:59 do 47.3 s-m 4.72 4.59 calc do separately	· · · · · · · · · · · · · · · · · · ·
4/21/26 23:59 do 47.3 m 5.12 4.62 calc felt 1 felt at HVO; see note for April 1, 1926 see note for May 1, 4/21/26 23:59 do 47.3 s·m 4.72 4.59 calc do separately	PHVO, v. 3, p. 811 table; 1.128
4/21/26 23:59	nave dismantled seismograph;
4/22/26 4:32 kaoiki deep? 40.0 m 5.01 4.17 4.47 5.30 int	1926
A/22/26 4:32	
4/22/26 4:32 kaoiki deep? 40.0 m 5.01 4.17 4.47 5.30 int	mt Amril Ivano 1026 (November
4/22/26 4:32 do do do do do 5.01 do do 5.02 do do 5.02 do do 5.03 do do do do do do do d	
4/22/26 4:32 kaoiki deep? 40.0 m 5.01 4.17 4.47 5.30 int 5.30 int ulu) repeats Neumann, 1928 mag based on inten widely felt over island; dismantled seismometers at Hilo, Hilea, Kealakekua and HVO; one of 2 Hilea (Realakekua and HVO; one of 2 Hilea	mp & mag are low; preferred
4/22/26 4:32 do do do do 5.01 do do do 5.01 do do do 5.01 do do do 5.00 do do ranch 4:35 am Warshauer notes: Hilo shaken by severe quake, duration 10 sec; shed moved off foundation; strong quake felt at Kapoho at 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; out felt at Hawi; at 122/26 4:32 do do do 5.01 do do 5.01 do do 5.00 do do shed felt in Kau; v slight at Honomalino 4/22/1926; HA, 4/2 warshauer notes: The second quake [at Kapoho]	ity]
4/22/26 4:32 do do do do 5.01 do do do 5.01 do do do 5.00 do do strongest shakes of series; strongly felt at Kahuku ESPHVO, v. 3, p. 8 separate events Warshauer notes: Hilo shaken by severe quake, duration 10 sec; shed moved off foundation; strong quake felt at Kapoho at 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; not felt at Hawi; 4/22/1926; HA, 4/2 4/22/26 4:32 do do do 5.01 do do 5.00 do do salso felt in Kaiv, v slight at Honomaino 4/22/1926; HA, 4/2 Warshauer notes: The second quake [at Kapoho]	
4/22/26 4:32 do do do do 5.01 do do do 5.01 do do do 5.30 do do ranch 4:35 am separate events Warshauer notes: Hilo shaken by severe quake, duration 10 sec; shed moved off foundation; strong quake felt at Kapoho at 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; not felt at Hawi; MN, 4/24/1926; HT 4/22/26 4:32 do do do do 5.01 do do 5.40 do 5.30 do do also felt in Kau; v slight at Honomalino 4/22/1926; HA, 4/2 Warshauer notes: The second quake [at Kapoho]	0 C 0 1 2 0 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Warshauer notes: Hilo shaken by severe quake, duration 10 sec; shed moved off foundation; strong quake felt at Kapoho at 4:40 a.m.; quake of unusual force felt at Honokoa, 4:40 a.m.; quake of unusual force felt at Honokoa, 4:40 a.m.; otel fet at Hawi; MN, 4/24/1926; HT 4/22/26 4:32 do do do do 5.01 do do 5.40 do 5.30 do do also felt in Kau; vigilet at Honomalino 4/22/1926; HA, 4/2 Warshauer notes: The second quake [at Kapoho]	J6, 812, 833; VL /0; no list of
duration 10 sec; shed moved off foundation; strong quake felt at Kapoho at 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; quake of unusual felt at Honokaa, 4:4	
4/22/26 4:32 do do do do 5.01 do do 5.40 do 5.30 do do at 4:40 a.m.; quake of unusual force felt at Honokaa, 4:40 a.m.; quake of unusual felt felt at Honokaa, 4:40 a.m.; quake of unusual felt felt felt felt felt felt felt fel	
4/22/26 4:32 do do do do 5.01 do do 5.01 do do 5.01 do do 5.00 do do also felt in Kau; v slight at Honomalino 4/22/1926; HA, 4/2 Warshauer notes: The second quake [at Kapoho]	
Warshauer notes: The second quake [at Kapoho]	H, 4/22, 24/1926; HSB,
	i/1926; see also bib
came at 5 o'clock but was not unusually powerful;	
came at 3 crock out was not undustany powerfur,	
4/22/26 5:00 kaoiki? 19.2 s-m 4.09 4.09 nomo felt eruption?] HTH, 4/22/1926; H	A, 4/23/1926
4/22/26 23:05 kaoiki? 19.2 s-m 4.09 4.09 nomo no list of separate events ESPHVO, v. 3, p. 8)6
	lt at HVO, not reported
4/22/26 23:59 kaoiki?? 19.2 f-s 3.61 4.43 calc do separately	
4/22/26 23:59 do 19.2 s-m 4.09 4.34 calc do separately 4/23/26 23:59 kaoiki?? 19.2 f-s 3.61 4.72 calc see note for April 1, 1926 6 earthquakes; ESP	HVO, v. 3, p. 811 table
	HVO, v. 3, p. 811 table; HSB,
4/24/26 23:59 kaoiki?? 19.2 f-s 3.61 4.56 calc felt probably felt in Hilo	1, 0, v. 3, p. 011 table, 113D,
	HVO, v. 3, p. 811 table
	VO, v. 3, p. 811 table
	VO, v. 3, p. 811 table
4/28/26 23:59 kaoiki?? 19.2 f-s 3.61 4.01 calc see note for April 1, 1926 1 earthquake; ESPF 4/27/28 17:16 hualalai? 84.7 f 4.32 4.32 nomo felt time given as 5:01 PM, might have been felt (VL) ESPHVO, v. 3, p. 1	VO, v. 3, p. 811 table
4.21/28 17:10 nuaratar? 84.7 I 4.52 4.52 nomo feit time given as 5:01 PM, might have been feit (VL) ESPHVO, V. 5, p. 1 Hon notes: registered; small landslide in	.00, VL 1/3
	VO, v. 3, p. 1193, 1194; VL
R-F direction, felt-hip, strong eq caused small landslide 219; moderate? (see	
	VL 251, col 2, paragraph 3!)

Date	Time HST					Region	Publ			Calc Dist	Slant dist	Mag class		M M- S EW		M vert SPN		M other	M other source		M pref	I max	Location/felt report	Comment
6/18/29			,	dep		kaoiki?	2	исри	17.6				4.62				.,,2	III oute	source		hono		Hon notes: local, v short per; slides at Halemaumar and w wall Kilauea crater, strongly felt hnp, dism seis; Warshauer notes: first of 3 tremors barely noticeable in Hilo; kealakekua-5, felt kailua/holualoa, 2 sharp quakes acc by rattling	Peters, 1929; ESPHVO, v. 3, p. 1205, 1206; VL 234; HTH, 6/18/1929; HSB, 6/18/1929; not found in HA or MN; HVO, unpub
6/18/29	9:31:0	00				kona?	?		40.0	40.0	41.0	m	5.13	5.83	5.95					5.89	hono	VI	Hon notes: local shock; not rep felt; strongly felt at hnp, buildings creaked, prolonged E-W swaying, dismantled seismograph; felt at halfway house (Kau), acc by rumble, trees set in motion; felt at Hilo-articles displaced from shelves	Peters, 1929; ESPHVO, v. 3, p. 1206; VL 234 [distance of 44 mi doesn't match felt reports; intensity map suggests Hilea, as do newspaper reports of 20-30 mi]
6/18/29	9:31:0	00				do			do	do	do	do	do	do	do					5.89	do	do	strong enough to shake buildings, followed by a third shock at 9:32, lasting 7 seconds, felt throughout city [two phases of one quake?]; felt kealakekua, kailua, holualoa, stronger than previous	HTH, 6/18/1929; HSB, 6/18/29; not found in MN; HVO, unpub
9/18/29	23:5	59				hualalai			22.0	22.0	23.8	vf; m (kona)								5.11	nomo	V? (W&K)	seismic crisis on Hualalai begins after noon; many more events reported locally on Hualalai than the 221 events recorded on the Kona seismometer; details given in VL 248; additional analysis and statistics given in VL 309, p. 1-2	eqs; 9 [8?-see VL 247] events (very feeble at Whitney, moderate at Kona) occurred 9/12-18 inclusive (VL 251 list, col 2, 3rd paragraph from bottom); not recorded in Honolulu; minimum nomogram mag assumed
	18:34:0	00				hualalai						m (kona)		4.65	4.65						hono		time from Hon record; Hon notes: The following shocks with origin in the volcano district on Hawai Id. were recorded. The period is short, between 1	
9/22/29	21:28:0	00				hualalai	i		22.0	22.0	23.8	m (kona)	4.48	4.95	4.95					4.95	hono		time from Hon record; Hon notes: The following shocks with origin in the volcano district on Hawai Id. were recorded. The period is short, between 1 and 2 seconds, and only the "P" phase is definitely distinguishable	Peters, 1929; VL 248: 79 seismic spells in 22 hour felt at Puu Waawaa; WK table shows 9/23 night; should be 9/22
9/24/29	7:44:4	40				hualalai	i		22.0	22.0	23.8	m (kona)	4.48	5.25	5.12					5.19	hono	V? (BSSA, 1929)	Warshauer notes: the hardest tremor in this city]Hilo] was felt at 7:45 this morning	time from Honolulu record-10.5 hrs subtracted; HTH, 9/25/1929
9/24/29	13:59:3	30				hualalai			22.0	22.0	23.8	st (kona)?	4 75	4 87	5.25					5.06	hono	V?	hnp?-time 1:50 p.m., strong shock, swayed ferns and rocked house, E-W vibration	time from Honolulu record-10.5 hrs subtracted; HVO, unpub
	18:20:5		9 42.0	0 155	54.00	hualalai						st (kona)						5.6; 6.1	GUTE; WK		hono	VIII (VL;	felt generally-Hawaiian island chain; damage report in VL 249; Warshauer notes: Ship captain in Kealakekua Bay felt quake as quivering, watched landslide into bay; time given as 6:23 PM; Kona inn twisted on its foundations; also severe in Kohala and Hilo	
	23:59:0					hualalai				22.0										5.30			do	eqs; 28 events (slight at Kona) assumed for week of 9/19-25/1929; total event count of 221 reported in VL 251 list, col 2, 3rd paragraph from bottom
	23:59:0					do						m (kona)								5.11			seismic crisis on Hualalai begins after noon; many more events reported locally on Hualalai than the 221 events recorded on the Kona seismometer; details given in VL 248; preferred mag calculated as nomogram magnitude multiplied by number of events	eqs; 9 events (moderate at Kona) occurred 9/19- 25/1929 inclusive (VL 251 list, col 2, 3rd paragrap from bottom); not recorded in Honolulu; minimum nomogram mag assumed
9/25/29	23:59:0	00				do			22.0	22.0	23.8	f (kona)	3.44							5.04	calc		do	eqs; 58 events (feeble at Kona) assumed for week of 9/19-25/1929; total event count of 221 reported in VL 251 list, col 2, 3rd paragraph from bottom
9/25/29	23:59:0	00				do			22.0	22.0	23.8	vf (kona)	2.42							4.31	calc		do	eqs; 121 events (very feeble at Kona) assumed for week of 9/19-25/1929; total event count of 221 reported in VL 251 list, col 2, 3rd paragraph from bottom
	23:59:0					do			22.0	22.0		vf? (kona)	2.42							4.06			Warshauer notes: 63 shocks recorded at HVO at distances of 14-46 miles, dominantly 23-32 miles.	HA, 10/2/1929
9/27/29	10:23:3 22:19:5	50				hualalai hualalai	i		22.0	22.0		st (kona)	4.75	4.95	5.07					5.01	hono	VI (HTH)		VL 249 lists time 10:50 AM; WK list time 11:20 AM; neither fits Honolulu record
9/27/29	22:27:3	35				hualalai	i		22.0	22.0	23.8	st (kona)	4.75		4.77					4.77	hono			

n.	Time			Lon	Lon	ъ.		ıbl Pref	Publ	Calc	Slant	., ,	M		M M-				M other		M pref	,	T. d. delt.	
Date 9/27/29	HST 22:45:30	deg	min	deg	min	Region huala		pth depth	dıst	Dist	dist	Mag class	nomo	5.07			N-L	M other	source		source	I max	Location/felt report	Comment not in VL: time from Hon record
3/2/1/2	22.43.30					nuala	iai							3.07	5.17					3.12	nono	VII (HTH:	Bull. Seis. Soc. Am. (1929, v. 119, p. 185) gives location "15 mi e of Hilo in the Puu Oo district"; Warshauer notes: The Hilo district experienced several heavy shocks during the day; strongest shocks at 7 a.m. and 2 p.m.; distances 14-35 miles	not in V.J., time noin noin record
9/28/29	7:10:15					huala	lai		22.0	22.0	65.0	vst (kona)	5.75	5.62	5.65	5				5.63	hono	USE)	from HVO	VL time 7:08; HA, 9/29/1929
																						VI	Warshauer notes: The Hilo district experienced several heavy shocks during the day; strongest shocks at 7 a.m. and 2 p.m.[3? p.m.]; distances 14-	
9/28/29	15:17:35		_	_		huala	lai		22.0	22.0	23.8	st (kona)	4.75	5.62	5.55	5		-		5.58	hono	(HTH)	35 miles from HVO	VL time 15:18; HA, 9/29/1929
9/28/29	17:46:10					huala	lai		22.0	22.0	23.8	st (kona)	4.75	5.51	5.32	2				5.41	hono			time from Honolulu record-10.5 hrs subtracted; not listed in WK
9/29/29	5 21 15					huala	la:		22.0	22.0	22.0	st (kona)	4.75	5.25	5.25					5.25				time from Honolulu record-10.5 hrs subtracted; not listed in WK
	5:31:15 22:49:00					huala			22.0	22.0	23.8			_							hono			time from Honolulu record-10.5 hrs subtracted
	11:54:00					huala			22.0						5.32					5.35		VI (HTH)	Warshauer notes: Two severe shocks were felt in Hilo and Kona today. One of these, occurring at 11:55 a.m. was extremely heavy, destroying several stone fences on the slopes of Hualalai.	VL time 11:55; HA, 10/1/1929
10/2/29	18:37:40					huala	lai		22.0	22.0	23.8	st (kona)	4.75	4 54	4.54	ı				4.54	hono			time from Honolulu record-10.5 hrs subtracted; not listed in WK
	23:59:00					huala						st (kona)								5.39			preferred magnitude calculated as nomogram magnitude multiplied by number of events	eqs; 5 events (strong at Kona), 9/26-10/2/29, cited in VL 251 list, col 2, 3rd paragraph from bottom, are not accounted for in Honolulu records; minimum magnitude preferred; magnitude fit improved if closer to Kealakekua
10/2/29	23:59:00						do		22.0	22.0	23.8	m (kona)	4.24							5.38	calc		do	eqs; 18 events (moderate at Kona), 9/26-10/2/29, cited in VL 251 list, col 2, 3rd paragraph from bottom, are not accounted for in Honolulu records; minimum magnitude preferred
10/2/29	23:59:00						do		22.0	22.0	23.8	s (kona)	3.98							5.37	calc		do	eqs; 34 events (slight at Kona) assumed for week of 9/26-10/2/1929; total event count of 244 reported in VL 251 list, col 2, 3rd paragraph from bottom
10/2/29	23:59:00						do		22.0	22.0	23.8	f (kona)	3.44							5.09	calc		do	eqs; 65 events (feeble at Kona) assumed for week of 9/26-10/2/1929; total event count of 244 reported in VL 251 list, col 2, 3rd paragraph from bottom
10/2/29	23:59:00						do		22.0	22.0	23.8	vf (kona)	2.42							4.29	calc		do	eqs; 114 events (very feeble at Kona) assumed for week of 9/26-10/2/1929; total event count of 244 reported in VL 251 list, col 2, 3rd paragraph from bottom
10/3/20	9:42:43					huala	lai		22.0	22.0	23.8	st (kona)	4.75	5.04	4.54					4.79	hono			time from Honolulu record-10.5 hrs subtracted; time not listed in W&K
10/5/29	21:22:31 0:37:45					huala huala	lai		74.0 22.0	75.5	76.0	st; vst (kona)	5.56	seism omete r disma ntled	seism omete disma ntlec	1 7 1		6.50	GUTE	6.50	nono	VIII (VL; USE?)	felt generally-Hawaiian island chain; damage report in VL 250; Warshauer notes: see bib	isoseismal map in W&K, who accept GUTE magnitude 6.5; a crustal depth is consistent with isoseismal gradients; HA, 10/6-9/1929;
		П										, , ,												eqs; 9 events (moderate at Kona), 10/3-9/1929, cited
																								in VL 251 list, col 2, 3rd paragraph from bottom, are not accounted for in Honolulu records;
10/9/29	23:59:00	Ш				huala	lai		22.0	22.0	23.8	m (kona)	4.24							5.11	calc		do	minimum magnitude preferred
10/9/29	23:59:00						do		22.0	22.0	23.8	s (kona)	3.98							5.10	calc		do	eqs; 17 events (slight at Kona) assumed for week of 10/3-9/1929; total event count of 129 reported in VL 251 list, col 2, 3rd paragraph from bottom
10/9/29	23:59:00						do		22.0	22.0	23.8	f (kona)	3.44							4.87	calc		do	eqs; 32 events (feeble at Kona) assumed for week of 10/3-9/1929; total event count of 129 reported in VL 251 list, col 2, 3rd paragraph from bottom

The Lef Lef Lef Lef Core Core	
18-929 23-9-989	ment
100 100	aph from bottom, are not records; minimum
10 10 10 10 10 10 10 10	l event count of 129
101429 2235500	rded on Oahu; not given
10 15 79 9.95	ragraph from top and 3rd ot recorded in Honolulu
1015/29 1741-90	as 2.5-6 cm amplitude;
1015/29 1741/90	
101529 22:05:00	
Section Sect	
1016/29 23.59.00	and) assumed for mode o
10/16/29 23:59:00 do 22:00 23:8 f (kona) 3.44 4.71 calc do VL 251 ist, cot 2, 3rd paragraphy VL 251 ist, cot 2, 3rd pa	t count of 97 reported in agraph from bottom
Capt 1 1 1 1 1 1 1 1 1	t count of 97 reported in
Fried Frie	, 3rd paragraph from for in Honolulu records;
10/21/29 23:59:00	rf; 10/24-30, 12 vf, 1f; 14 vf; 11/14-20, 5 vf; 4, 1f, 6 vf; 12/5-11, 5 vf;
10/21/29 23:59:00	23, 1 11, 12/20 1/1/30, 5
10/21/29 23:59:00	
Hualalai?-most distances are swarm; not noted in Honoluli 257 Hualalai?-most distances are swarm; not noted in Honoluli 257 Hualalai?-most distances are swarm; not noted in Honoluli 258 Hualalai?-most distances are swarm; not noted in Honoluli 258 Hualalai?-most distances are swarm; not noted in Honoluli 258 Hualalai?-most distances are swarm; not noted in Honoluli 258 Honoluli 258 Honoluli 258 Honoluli 258 Honoluli 259 Honoluli 2	
Swarm; not noted in Honolub Swar	
12/1/29 14:06:00 kona? 67.2 67.2 67.8 f-felt 4.16 4.16 4.16 nomo felt 42 mi from HVO; felt-Kona swarm; not noted in Honoluli 258	lulu station bulletin; VL
1/29/30 18:42:00 hualalai? 76.8 s 4.80 4.80 nomo felt generally on the island of Hawaii. [Magnitude fits generally o	
2/19/30 17:42:00 hilea? 43.2 s 4.40 4.40 nomo felt felt strongest in Kau district not registered on Oahu; VL 2 felt locally, more strongly in N Hilo; period slow on the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at the state of island, quicker in N Kona, suggesting a Hualidai source; Warshauer notes: [shocks at t	3-4; not found in MN
felt locally, more strongly in N Hilo; period slow on E side of island, quicker in N Kona, suggesting a Hualalai source; Warshauer notes: [shocks at VL 283, p. 3-4; HTH, 5/21/1	I 270 - 4
on E side of island, quicker in N Kona, suggesting sharp local shock, no amplitu a Hualalai source; Warshauer notes: [shocks at VL 283, p. 3-4; HTH, 5/21/1	- 1
5/20/30 2:47:00 hualalai os? 169.6 f-felt 4.80 2:47 a.m. and 6:52 p.m.] were strongly felt at Puu cont.: Similar felt pattern to I Waawaa and, also noticed in Hilo at Puueo. Oct./1929	litude given, dur 6.2 min;

		ime Lat		Lon	Lon				Publ		Slant		M	M M-		M vert			M other		M pref			
Date	Н	ST deg	min	deg	min	Region	depth de	lepth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
5/20/30	18:5	52:00				hualalai os?			97.6	97.6	98.0	f-felt	4.42							4.42	nomo	V (HTH; USE)	Hon notes: registered at 5:23, 5:21/30 (GMT); loca shock, no amplitude given, dur 3.7 min; felt locally, more strongly in N Hilo; period slow on E side of island, quicker in N Kona, suggesting a Hualalai source	Peters, 1930; VL 283, p. 3-4; HTH, 5/21/1930
5/25/30	20:1	17:00 19	26.00	155	25.00	kl sf?				25.0	26.6	m	4.55					4.70	WK	4.55	nomo	V (USE)	felt all Hawaii island, no objects overturned; stronger motion in Kau and Puna (strong at Keaau beach) than in Kona or Kohala; seismographs dismantled; WK M4.7 based on intensity distribution; VL 283, p. 4 suggests deep origin beneath Kilauea or Mauna Loa	VL 283 cont. Whitney-first motion down to S and E; Hilo-began w swaying, then strong jerks that quickly ended, first to NE, then to SW; Puu Waawaa-vibration long, not strong; Honokahau-a moderate shock with thunderous noise; Kealakekua-alarmingly sudden
5/25/30						do				25.0	26.6	m	4.55					do	do	4.55			Kona	Peters, 1930; HTH, 5/30/1930; [W&K give Lat. 19°26', Long. 155°25' to fit their preferred Kaoiki location. Better fit to felt reports, first motion and W&K magnitude if Kilauea south flank location, 25km epicentral distance, is chosen
6/3/30	4:5	54:00				north hawaii		_			107.2	f-felt	4.48							4.48	nomo	felt	felt on both east and west sides of island	not registered on Oahu; VL 285. p. 3
6/14/30	0:2	25:00				kl sf?					19.2	s	4.09							4.09	nomo	IV	Hon notes: registered at 0:26; nearby type, no amplitude given; generally felt on east side of island; movement prolonged and moderate at Kilauea, shorter and ending in a sharp jerk at Hilo; vertical component pronounced on Kilauea seismogram; [moderate?]	Peters, 1930; VL 286. p. 3
7/22/30	13:5	53:00				ml nf?					56.0	m	5.07							5.07	nomo	V-VI	felt generally on island of Hawaii, especially in N Kona; workmen severely jolted at halfway house on the Mauna Loa trail; shock alleged to be strongest since the Hualalai series last autumn; epicenter in saddle between Mauna Kea, Mauna Loa and Hualalai	VL 292, p. 3; HTH, 7/22/1930; not found in HA; Warshauer notes: felt most strongly in Kohala (objects thrown off shelves), and Puu Waawaa. Saic to be strongest at since Hualalai series; see also bib
7/22/30	13:5	53:00				do														5.07	do	do	Hon notes: registered at 13:53:30; local origin. Not reported as felt. Unable to separate P, S and L waves; no amplitude given	Peters, 1930
																							dismantled instruments, strong vertical movement; felt as v gentle rocking motion by few; distance given as 12 mi on some instruments, 20 mi on others; inferred deep from Kona and Hilo records;	VL 301, p. 4; VL 302, p. 4 [Powers inferred location as deep under Mokuaweoweo-distances fit Kilauea deep]; Peters, 1930; Hon notes: registered
9/28/30						kl cal deep?		30.0	3.0	3.0	30.1	m m						5.60	int		nomo	V-VI; V	felt hnp, kona; felt by some in all parts of island dismantled seismographs; felt all Hawaii island, strongest on Kilauea slopes; seismograms indicate source under Kilauea crater; Warshauer notes: felt in Hilo, Honokaa, Puu Waawaa, Kohala, and Waiohinu. Articles off shelves in Hilo and Waiohinu	at 20:36:33; no amplitude given; not found in HTH Peters, 1930; Hon notes: registered at 8:25:24; felt sharply at Kilauea where all instruments were dismantled; no amplitude given, dur 20.5 min; distance assumed; VL 304, p. 4; HTH, 10/20/1930; see also bib
10/31/30	18:2	23:00				south hawaii					51.2	s	4.29							4.29	nomo	felt	felt locally by many persons, and by a few persons in Hilo; probably felt in Kau and Kona, but not strong enough to cause comment	not registered on Oahu; VL 306, p. 2
12/1/30						south hawaii					51.2	s?									nomo		felt from Hilo to Kona (slight??-given as vf)	VL 311, p. 3
1/16/31	20:4	44:00				ml ner deep?					48.0	s?	4.25							4.25	nomo		than elsewhere; epicenter apparently under center of island; origin deep under NE slope of Mauna Loa	not registered on Oahu; VL 317, p. 3; VL 319, p. 3
1/29/31						kl cal deep?			22.0	22.0	30.0	s-felt								4.40		aumau) V (Waioh nu; USE)	seconds, no damage; felt all Kona, Kohala, Hamakua, and Puna	distance is 22 km]; Peters, 1931; VL 319, p. 3 [rockfalls in Halemaumau during quake]; HTH, 1/30/1931 [moderate? and/or deeper?]; not found in MN
3/8/31	6:5	53:00		\vdash		east hawaii		-			48.0	s-felt	4.47			-				4.47	nomo	felt	felt in Hilo	not registered on Oahu; VL 324, p. 4
6/11/31	18:5	51:00				ml wf?					60.0	s-felt	4.88							4.88	nomo	V	felt stronger and quicker at Honokahau, small objects overturned; felt as a slow motion at Waimea, Hilo, Kau, and hnp; Warshauer notes: felt generally on the island, pronounced at Holualoa, definite in Hilo (Puueo)	Peters, 1931; VL 338, p. 4; Hon notes: registered at 18:52; local, dur 8 min, no amplitude given; HTH, 6/12/1931; Warshauer notes cont.: Powers quoted a saying quake 27 mi from HVO, on slopes of Mauni Loa [distance low?-increased to raise mag]

Date	Tir HS			Lon deg		Region	Publ depth		Publ	Calc Dist	Slant dist	Mag class	M	M M-		M vert SPN		M other	M other source		M pref source	I max	Location/felt report	Comment
8/30/31				ucg		mauna loa		depin	uist	Dist	24.0	st?		SEW	5145	SIN	IV-L	Woller	source		nomo		time given [in error] as 7:53; felt generally on island of Hawaii; dismantled instruments in Kona, Hilo, and Kilauea; felt as slight and prolonged tremor at Kilauea, more strongly in Hilo, Olaa, and Kona; vertical seismograph indicates origin NW of HVO	VL 349, p. 3 [15 mi from hvo; 30 mi from Hilo]
6/30/31	0:3	3:00				mauna 10a					24.0	Str	5.00							3.00	nomo	1 V	Hon notes: registered at 6:53:17; local; dur 6 min,	VE 349, p. 3 [13 iii iioiii iivo, 30 iii iioiii 1iiio]
8/30/31	6:5	3:00				do	,				do	do	do							5.00	nomo	do	amplitude not given; Warshauer notes: Hilo and north Kona were rocked by a sharp earthquake at 6:54 a.m. Sunday; felt very light in volcano and Olaa; Jaggar says deep under n slope of Mauna Loa	Peters, 1931; HTH, 8/31/1931
																							Hon notes: registered at 10:22:36; local; amplitude not given; dismantled seismographs; persons near Mauna Iki reported noise seemingly from Mauna Loa progressing underfoot and heard rocks falling	
12/8/31	10:2	2:00				kaoiki?					22.4	m	4.43							4.43	nomo	V	down cracks	Peters, 1931; VL 364, p. 4; not found in HTH
4/26/32	1:5	9:00 19	36.50	155	38.50	ml nf	8.0	8.0		44.1	46.9	f-felt	4.23							4.23	nomo	IV-V	23 mi from Kealakekua, 32 mi from HVO, 42 mi from Hilo; saddle between Mauna Loa and Hualalai; felt-Haina, Honomu, Hilo, Kamuela, Kohala, Waikii, hnp	VL 384, p. 3; Note: distances from three stations incompatible; lat and long at center of intersection given; Honolulu records unavailable; HVO, unpub
																							Waikii-4, buildings creak, hanging objects swung; Kohala-3, wakened; Kamuela-4, wakened;	
4/26/32	1:5	9:00 do	do	do	do	do					do	do	do							4.23	nomo	do	Honomu-3, felt standing; Honokaa-3	HVO, unpub
6/14/32	4:5	1:45 19	28.00	155	22.00	kaoiki	13.0	13.0		11.2	17.1	m	4.25							4.25	nomo	(W&K) ; III R-	felt generally Hawaii island, Maui; Warshauer notes: severe earthquake recorded at 4:55 a.m.; dismantled both seismograph components, strong vertical motion; felt by practically everyone in Hilo and volcano, not felt in Kona; no damage, 9 mi from hvo	VL 388; HTH, 6/14/1932 [kl sf better fits felt reports?]; not found in MN
6/14/32	4.5	1:45 do	do	do	do	do	do	do		do	do	do	do							4.25	nomo	do	Naalehu-4, felt generally, bldg creak; Pahala-4; Ookala-office/store bldg shook; Haina-4; Kukuihaele-4; Hakalau-6, bldg creak; Kealakekua- 4, sharply felt; Honomu-5, felt by many; Hilo (Puueo)-5, bldgs creak, objects swing, wakened; Hookena-3, bldg creak	HVO, unpub
7/3/32			do	uo	do	maui?	do	uo		uo	240.0	vf									nomo		distance 150 mi	1 event (vf), no date or time; VL 388
7/7/32	22:2	5:00				kl sf?	,				16.0	m?	4.20							4.20	nomo	felt	Warshauer notes: An earthquake, the strongest in Hilo in many months, rocked a section of the Big Island at 10:25 p.m. last night. No damage was reported from any districts. Felt most strongly at Hilo, also felt at volcano, slight at Puu Waawaa and Kapoho	not in VL; HTH, 7/8/1932; Warshauer notes cont.: apparently not felt at Hamakua, Kau and Kohala.
7/7/32	22:30	0:49 19	18.80	155	15.90	kl sf	9.6	9.6	12.8	13.3	16.4	m	4.22							4.22	nomo	V?	8 mi s of HVO; felt generally Hawaii island, Oahu; [kcaldeep?]; Warshauer notes: Hilo shaken Thursday night by an earthquake which lasted a full minute at 10:29 p.m.; 15 mi from HVO in the direction of Hilo; similar intensity to event of 6/13; no damage	VL 389; HTH, 7/8/1932; not found in MN
		0:49 do				1.	da														nomo		Pahala-3; Kukuihaele-5, sudden shk; Haina-5; Hilo 5, objects swayed, building creak, objects not disturbed; Pahoa-5; hnp-4, shook buildings, waked; 27 mile-5, banged furniture next to walls, nothing fell, waked; Honomu-6, felt by many, had to hold	HVO, unpub
1/1/32	22:3	0:49 do	do	do	do	do	do	do	do	do	do	do	do					\vdash		4.22	nomo	uo	3 mi n of Keahole pt and 2 mi at sea; felt-Kona,	
8/19/32	12:3	0:00 19	47.00	156	4.70	hualalai os	19.2	19.2		94.0	95.9	f-felt	4.40							4.40	nomo	felt	Kohala; Hawi-4; Hilo-felt lying in bed; Kukuihaele 3	VL 390; time given by felt reports (12:25-12:41 PM); HVO, unpub
8/31/32	23:5	9:00				kona?	,				72.0	t	2.72							4.06	nomo		eqs: 30 tremors 30-60 mi distance; preferred magnitude calculated a nomogram magnitude multiplied by number of events	no specific date or time between 8/29 and 8/31/1932; VL 391

	T:	me L	o4 1	Lat I	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	мм	M vert	Mhor		M other	м	M pref			
Date	HS					min	Region	depth			Dist		Mag class						M other			source	I max	Location/felt report	Comment
1/11/33	12:0	0:00					kona os?				320.0	320.1	vf	4.23							4.23	nomo		A very feeble shock, about 200 mi west to southwest of Hawaii, preceded [the event at 12:45]. This shock was probably in the vicinity of a large submarine mountain. Note: Loihi distance about 53 km from Kilauea's summit	VL 395
1/11/33	12:4	5:00 2	20	0.00	154	49.50	mauna kea?				78.2	78.7	f	4.00							4.00	nomo		location uncertain; 20-30 mi NE of Hilo; preceded, during the noon hour, by four foreshocks or tremors at unknown distance.	VL 395
2/4/33	6:1	7:00 1	18 4	2.00	155	15.00	kl kuer sf os deep?		40.0		81.3	90.6	f-felt	4.69	4.62	no trace					4.83	aver	IV	felt-Holualoa, Hakalau, Hilo, hnp; Honaunau-2; Hakalau-4; hnp-windows rattled, pheasants squawked; Holualoa-4; preferred magnitude calculated as average of Honolulu and nomogram	50 mi due s of HVO; recorded at three stations; Honolulu amplitude average of two readings; VL 396; HVO unpub.
6/29/33	0:4	4:00 1	9 4	0.00	155	48.00	hualalai	1.0	1.0		62.6	62.6	s	4.43	no trace						4.43	nomo	VI	reported at three or more stations-moved furniture; damaged stone walls; Puu Ulaula-5, awakened campers, dur 4-5 sec, dishes moved; Honomu-4, long and feeble; Kealakekua-6, building shuddered violently 3-4 sec; Hookena-4, objects moved, stone wall down	VL 400; HVO, unpub [intensities-arabic numerals- in remarks column refer to HVO postcards]; postcard data cont.; Holualoa-4, reported from north and south Kona; Hilo-3
7/31/33							kaoiki				27.4	31.8	s	4.44	4.76	no recon					4.76	hono		felt sharply Kapapala ranch; Pahala, Naalehu, Hookena, HNP; Hookena-2, water agitated in tank; Honokaa-2, slight; Naalehu-4, stone wall down?; Paauilo-4, building shook, windows rattled; Kapapala-house shook strongly	
		0:00 1					hilea	8.0	8.0		61.5	62.0	f	4.10							4.10	nomo			VL 403
9/7/33	14:4	0:00 1	9 1	8.00	155	27.00	hilea	40.0	40.0		24.7	47.0	s	4.45	<4.37	<4.37	,				4.45	nomo	III	felt-HVO, Hilo; Hilo-2, slight shaking and creaking of building	felt report; VL 403; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
9/26/33	21:1	5:00 1	9 4:	2.00	155	23.00	ml nf	10.0	10.0		32.6	34.1	f-felt	4.01							4.01	nomo	v	felt-Honomu, Hakalau, Hilo, Pahala, Olaa, Papaikou; Warshauer notes: slight quake, felt in some parts of Hilo; Papaikou-4, hanging objects shook, felt all Onomea; Hakalau-6; Olaa-3, jolt, also felt in Pahala; Hilo-3, mirror swung; Honomu- 6, strong	VL 403; HTH, 9/27/1933; HVO, unpub [intensities- arabic numerals-in remarks column refer to HVO postcards]
10/13/33	3:0	01:00 1	19 1	5.00	154	23.00	kl ler sf os?		10.0		94.7	95.2	m	5.20	<4.80	<4.66	ó				4.50	hono	felt	lightly felt; Kealakekua-prolonged gentle swaying east to west; Hilo-2, felt in Kaumana; preferred magnitude estimated from Honolulu data, consistent with felt report	closer?; slight?; VL 404; HVO, unpub.; not found in HTH
10/19/33	5:5	7:00					ml nf?			28.0	28.0	29.4	s-felt	4.13	<4.40	<4.32	2				4.13	nomo	V	felt-Hilo, Honomu; Warshauer notes: sharp temblor rocked Hilo; Hilo-2, III, mirror swung, building creaked slightly, dur 15-20 sec; Honomu-2-3; Papaikou-3, building creaked	given as 5:37-corrected from felt reports; VL 404; HTH, 10/19/1933; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
10/21/33	9:1	0:00 1	9 2	1.50	155	31.50	kaoiki	3.2	3.2		29.0	29.2	m	4.62	4.76	4.76	6				4.76	hono	V?	felt all Hawaii island; Warshauer notes: severe shock felt all island, equally severe shock few sec later; felt all Hilo, v strong at Kapapala; additional felt data in HVO unpub	VL 404; HTH, 10/21; 23/1933; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
10/21/33	9:1	1:00 1	9 2:	5.00	155	30.00	kaoiki	14.0	14.0		25.2	28.9	m	4.61	4.82	4.55					4.68	hono	V?	above; Honomu-5 (first), VI (second), dur 3 sec, felt by everyone; Kealakekua-4, building creak, window rattle; Kapapala-4, felt 4 quakes (aftershocks at 6:30, 9:19, 10:20 PM 10/21 and 4:37 am 10/22)	VL 404; HTH, 10/21; 23/1933; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
																								eruption begins in Mokuaweoweo at 05:43; tremor accompanies earthquakes; felt Hilo, Kona; Warshauer notes: Three strong earthquakes occurred at 6 a.m. coincident with eruption in Mokuaweoweo; felt severely at ml [Red Hill] rest	
12/2/33		5:00	9 2	8.50	155	37.00	ml mok			34.0	34.0		s		<4.50						4.28		(VL)	house west rim of Mokuaweoweo; felt with alarm, ml [Red Hill] rest house; Warshauer notes: see above; Hilo-very slight (6:03 am)	VL 406, p. 2; HTH, 12/2/1933 VL 406, p. 2; HTH, 12/2/1933; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
12/2/33							ml mok				35.8		s		<4.50								VI	3 mi NE of n end of Mokuaweoweo; felt with alarm, ml [Red Hill] rest house, lightly at Hilo; Warshauer notes: see above	VL 406, p. 2; HTH, 12/2/1933

	Ti	me La	t Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M hor		M other	М	M pref			
Date		ST deg				Region	depth			Dist		Mag class						M other	source		source	I max	Location/felt report	Comment
																							felt-Hookena, Kapapala, Pahala, HVO; Hilo-slight,	
														no	no	,							dur 15 sec; Hakalau-4 (time 4 am); Pahala-3, buildings shook; Hilea-sharp quake, dur 6 sec;	VL 407; HVO, unpub [intensities-arabic numerals-
1/9/34	1:5	9:00 19	12.5	0 155	44.00	hilea	5.0	5.0		55.6	55.8	s-felt	4.35	trace		,				4.35	nomo	V	Honaunau-3, awakened; Hookena-2 (3 am)	in remarks column refer to HVO postcards]
																							felt generally Hawaii island; Hakalau-6; Pahala-3,	
																							building shook/windows rattle; Holualoa-4, long double quake, felt all north and south Kona; hnp-4,	Honolulu amplitude average of two readings;
						kl kuer sf os																	window/door rattle acc by rumble, decided jolt,	moderate?; not mentioned in W&K VL 407; HVO,
1/13/34	13:3	35:00 1	11.0	0 155	11.00	deep?	16.0	40.0	27.0	28.7	49.2	s-felt	4.75	5.46	5.11					5.28	hono	V	then 2nd lesser; Honaunau-3, windows rattle	unpub
																							felt sharply Kapapala ranch; felt-Hookena,, HVO; Pahala-3, building creak and shake, Wood valley-	
														no	incom	1							cane thrashing, horse disturbed; Hookena-4, dur 6	VL 408; HVO, unpub [intensities-arabic numerals-
2/9/34	9:5	9:00 19	13.0	0 155	33.00	hilea				38.7	39.7	s	4.34		plete					4.34	nomo	IV	sec, building creak, hanging objects moving	in remarks column refer to HVO postcards]
															recor								felt-HVO, Hakalau, Honokaa; Honokaa-3, slight	VL 408; HVO, unpub [intensities-arabic numerals-
2/24/34	17:3	1:00 19	46.0	0 155	42.00	mauna kea	16.0	16.0		59.5	61.6	f-felt	4.10	<4.35		l				4.10	nomo	IV	shock; hnp-felt at summer camp; Hakalau-4	in remarks column refer to HVO postcards]
																							felt generally Hawaii island; Warshauer notes: see	
																							bib; Pahala-2; Honomu-3, rocking, dur 1 sec, west to east; Hilo-felt strongly by person lying down, e-	VL 408; HTH, 3/2/1934; HVO, unpub [intensities-
3/1/34	22.2	2:00 19	33.0	155	35.00	ml nf				36.5	37.6	s	4.30	<4.55	trace					4.30	nomo	v	w followed by n-s; Kona-felt; Hakalau-5	arabic numerals-in remarks column refer to HVO postcards]
			-	100																			felt- Kohala, Hilo, Maui; Kohala-short, sharp	,
																							earthquake; Kamuela and Kawaihae-felt; central	
														no	no	,							Maui-felt by many; Hilo-slight;-felt; n Kohala-5 quakes between 1 and 8 am (no. disputed), slight,	VL 410; HVO, unpub [intensities-arabic numerals-
4/9/34	2:0	6:00 20	9.0	0 155	53.00	kohala				103.4	103.8	vf-felt	4.19	trace						4.19	nomo	IV	finishing sharp, severe, short; Honokaa-3	in remarks column refer to HVO postcards]
																							less widely felt; Kohala-short, sharp earthquake;	
																							Kamuela and Kawaihae-felt; Honomu-felt by many, 2 shocks (9:15 am), trembling, dur 2 sec;-	
														no	no	,							felt; n Kohala-short, heavy shock acc by rumble;	VL 410; HVO, unpub [intensities-arabic numerals-
4/9/34	8:2	1:00 20	6.0	0 155	43.00	kohala				88.6	89.0	f-felt	4.08	trace		+				4.08	nomo	IV	Honokaa-4	in remarks column refer to HVO postcards]
4/14/34	19:5	51:00 1	37.5	0 154	43.00	kl ler os		5.0		61.3	61.5	s	4.64	no trace		1				4.64	nomo	felt	felt-Olaa, Hilo	closer?; VL 410
4/14/04	10.5		27.5	154	42.00	do				61.3	62.0		4.65	-4.02	<4.70					1.55	nomo	III?	felt-Olaa, Hilo; Hilo (7:52:40 PM, 7:50 PM)-felt by several in at least two locations, slight shock	VL 410; HVO, unpub [intensities-arabic numerals- in remarks column refer to HVO postcards]
4/14/34	19:3	1:00 19	37.3	0 154	43.00	do				01.3	62.0	5	4.65	\4. 72	<4.7C	1				4.65	пошо	1111	felt all Hawaii island, Maui; Warshauer notes: a	in remarks column refer to Trv O postcards]
																							strong, slow earthquake, felt severely Hilo, people	
																							ran into the streets; felt slightly at Kona; much less	
5/10/34	10:0	9:00 19	38.0	0 155	23.00	ml nf?	25.0	25.0		25.9	36.0	m-st	>5.04	5.80	5.60					5.70	hono	VI	at Kapapala than Hilo and volcano; minor damage in n Kohala, duration 26 sec, beg light, end sharp	damage report given]; HTH, 5/10; 14 [see below]/1934; additional felt reports in HVO, unpub
2.10,54	-0.0		20.0	100							2 3.3	50	2.07							2.75			felt-HVO, Hilo,; Warshauer notes: Hilo rocked by	3, anpao
																							2 shocks 3 minutes apart, 2nd more feeble;	
															no								generally felt, strongly in Kohala, minor damage; Hilo-3-4, building rocked, felt moderately,	VL 411; HTH, 5/14/1934; HVO, unpub [intensities- arabic numerals-in remarks column refer to HVO
5/13/34	15:2	3:00 19	22.5	0 155	22.50	kaoiki	20.0	20.0		13.5	24.2	s	4.25	4.45						4.45	hono	V	furniture rattled; Honokaa-4	postcards]
															overe									aftershock; VL 411; HTH, 5/14/1934; HVO, unpub
5/13/34	15:2	25:00 19	13.0	155	39 00	hilea	4.0	4.0		47.4	47.6	s	4.24	det.?	xpose					4.24	nomo	III	felt-HVO, Hilo; Warshauer notes: see above; Hilo- 2-3, v short, hnp-felt	[intensities-arabic numerals-in remarks column refer to HVO postcards]
3/13/34	13.2	2.00 1,	15.0	133	37.00	inica	4.0	4.0		47.4	47.0	3	7.24	uc						7.27	nomo		felt-Hilo,, HVO; more detail given in HVO unpub;	Fasterias j
(10.5.10.	10.	7.00	12.0			1.1 6 0	16.0	16.0		2	22.5		,	4.77	4.75							v	Warshauer notes: felt strongly in some parts of	VI 412 INO
6/26/34	19:0	07:00 1	12.0	U 155	5.00	kl mer sf os?	10.0	10.0		31.8	33.3	m	4.71	4.75	4.75	<u>'</u>	\vdash			4.75	hono	V	Hilo, and more generally on the island; no damage	VL 412; HVO unpub; HTH, 6/27. 1934 VL 415; HVO, unpub [intensities-arabic numerals-
9/17/34	11:5	6:00 19	2.0	0 155	13.00	loihi	17.0	17.0		44.5	47.6	f-felt	4.24							4.24	nomo	II	felt-HVO, Honomu; Honomu-2, dur 1 sec	in remarks column refer to HVO postcards]
																							felt generally Hawaii island; Warshauer notes: The	
																							entire island rocked by an earthquake, duration 30 sec, no damage; felt widely in Kona, also at	
																							Waimea, and the Hamakua Coast; motion gentle	VL 416; HTH, 10/15/1934; extensive felt reports in
10/13/34	19:1	4:00 19	28.0	0 155	30.00	mauna loa deep	65.0	65.0		25.5	69.8	m	5.22	5.22	5.18	3				5.20	hono	V	swaying, two parts with long intervals between	HVO, unpub
																							felt generally Hawaii island; Warshauer notes: earthquake of moderate intensity rocked the Big	VL 416; [some aftershocks evidently not recorded a
															no	,							island, hard enough in Hilo to awaken sleepers, no	Whitney vault]; HTH, 10/19/1934; extensive felt
															recor	-							damage; 3 sharp quakes felt in Waimea, followed	reports in HVO, unpub [felt reports give date as
10/19/34	0:2	0:00 19	30.0	0 155	40.00	mauna loa deep	60.0	60.0		43.5	74.1	f-felt	4.22	<4.32	d	l				4.22	nomo	V	by several of slighter intensity	10/19]

	Т	Γime 1	Lat	Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	м м-	M vert	M hor		M other	М	M pref			
Date			deg		deg	min	Region	depth			Dist		Mag class				SPN		M other	source		source	I max	Location/felt report	Comment
																								felt generally-Hawaii island, objects fell in Hilo,	
																							VI	landslide at Halemaumau; Warshauer notes: felt all island, least in Kohala; two waves, slight, then	intensity V in Kau and Kona incorrect); depth
																							(W&K)	heavy; bottles, pictures broken in Hilo; pref mag	changed to improve magnitude agreement,
1/2/35	_	5:47:17	10	25 50	155	17.00	1-11 -1								4.75	4.00			5.90	W&K S&C			; V	calculated as weighted average of WK(1) and Hono(2)	consistent with felt reports; VL 419; HTH, 1/2/1935; additional felt data in HVO unpub
1/2/33	0	0:47:17	19	25.50	155	17.00	kl cal deep	3.0	30.0		2.4	30.1	m	4.64	4.75	4.80			5.90	S&C	5.15	aver	(C&S)	H000(2)	not separately reported in VL 420, but included in
																									table; time from Hon film record; HVO, unpub
																								Haleakala-4, movement up and down, cement	[intensities-arabic numerals-in remarks column refer
3/3/35	. 0.	.12:00					maui?					240.0	vf-felt	4.03	4.27	4.43					4.35	hono	v	cornice of building fell off; Wailuku-not very strong; felt all Maui, Oahu and in Kohala	to HVO postcards]; Maui/Molokai consistent with Hon mag and felt reports
3/3/30		.12.00										2.0.0													VL 424; HVO, unpub [intensities-arabic numerals-
c/5/05		55.00	10	20.00	1.55	10.00	1	240	24.0		57.0	61.0	6.6.14	4.10	.4.63	.456					4.10		,,,,	fold III/O and Hannelson Hannelson fold a light abole	in remarks column refer to HVO postcards];
6/5/35	6:	:55:00	19	28.00	155	48.00	Kona	24.0	24.0		57.0	61.8	1-felt	4.10	<4.62	<4.53					4.10	nomo	III	felt-HVO and Honokaa; Honokaa-felt a light shake island, dismantled seismographs; Anuhea-3,	stronger trace on Kona seismograph
																								building creaked; Honokaa-quite a shock; hnp-	!
																								wakened many, quite hard at kmc; Puu Ulaula-	
6/25/35	5 0	:45:00	19	26 50	155	16 50	kl cal 10-20	5.0	15.0		1.9	15.1	m	4.16	<4 37	<4.42					4 16	nomo	v	wakened party at rest house; Papaikou-felt, Hilo- many awakened	greater depth assumed consistent with felt reports; VL 424; HVO unpub
5,25,35	T			_0.00	100	10.00	M CM 10 20	5.0	15.0		1.7	15.1		4.10	V.1.57						7.10	nomo	,	felt-north Kona, Puu waa waa; Warshauer notes:	
																								While the Kona district yesterday morning [June	
																								27] experienced one of the worst quakes in the past six years, the entire district being rocked;	
																								dishes knocked off in Kona, felt hard at Puu	looked for, not found on Hon film record; VL 424;
6/27/35	8:	:14:00	19	40.00	156	0.00	hualalai				82.2	82.7	vf-felt	4.03	<4.07	<4.07					4.03	nomo	V	waawaa.	HTH, 6/28/1935
																							ул. ул	dismantled seismographs; some damage in Hilo; felt generally Hawaii island; extensive felt reports	1
																								in HVO, unpub; Warshauer notes: hard in	isoseismal map in W&K [location given in VL
																								Hilo/Kapoho, less in Kona//Kohala; preferred	(19.6, 155.18-Mauna Loa NE rift) disagrees with
6/28/35		:00:00					kl sf?	8.0	10.0		19.2	21.6	m-st	4.69	5.71	5.82			5.6; 5.7	GUTE; W&K	5.76	aver	(USE)	magnitude calculated as an average of GUTE, W&K, and Honolulu	felt reports which strongly favor kl sf]; VL 424; HVO, unpub; HTH, 6/28/1935
0,20,33	1	.00.00						0.0	10.0		17.2	21.0		1.07					,		5.70		(0.02)	felt generally Hawaii island; Warshauer notes: felt	, , , , , , , , , , , , , , , , , , , ,
9/30/35		26.00	10	22.00	155	20.50	ml swr	45.0	45.0		42.5	61.9	m	4.90	4.70	4.80					4.75	hono	IV	locally (long, swaying), one of 4 shocks felt island- wide, no damage	seismogram pictured in VL 444, p. 3; VL 428; HTH, 10/1/1935
9/30/33	22:	:36:00	19	22.00	155	39.50	IIII SWI	45.0	45.0		42.5	61.9	111	4.90	4.70	4.60					4./5	попо	1 V	volcano (1 of 4 shocks), Kapapala (Kau-1 of 8	H1H, 10/1/1955
																								shocks), Hilo-2, 4-building shook (1 of 6 shocks),	!
0/20/25		:36:00	10	22.00	155	20.50	do	45.0	45.0		12.5	61.9	m	4.90	4.70	4.80					4.75	do	do	less strong at Kona, Puu Waawaa and Kohala, Hakalau-slight, felt by all; Honomu-very feeble	HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
9/30/33	22:	:36:00	19	22.00	155	39.50	uo	45.0	45.0		42.5	61.9	111	4.90	4.70	4.00					4./5	do	uo	Trakarau-sugut, teit by an, Honomu-very recore	seismogram pictured in VL 444, p. 3, E-W labeled
																									m-dismantled, p. 5, n-s labeled slight; assume drum
																							V: IV	felt all Hawaii island, some damage in Hilo; Warshauer notes: strongest of series; felt Hilo,	moves at 60 mm/min, amp >142 mm E-W, 95 mm N-S [st, as measured]; VL 428; HTH, 10/1/1935;
9/30/35	23:	:58:00	19	38.70	155	26.30	ml nf	26.0	26.0		30.3	39.9	m-st	5.61	5.46	5.79					5.62	hono		volcano, Kau, Kona; no damage	additional felt reports in HVO, unpub
																								Warshauer notes: Jaggar concludes quake series	
																								was off Puna [contradicts VL locations]; Hilo-2, quite a heavy shock; Hilo-6, building shook;	HTH, 10/2/1935; HVO, unpub [intensities-arabic
																								Holualoa-5, rather heavy and long; Honomu-	numerals-in remarks column refer to HVO
9/30/35	23:	:58:00	19	38.70	155	26.30	ml nf	26.0	26.0		30.3	39.9	m-st	5.61	5.46	5.79					5.62	do	do	strong; Hookena-hanging objects swung	postcards]
															lost in	lost ir								felt as a continuation of M5.6 eq; location uncertain; Warshauer notes: felt Hilo, Volcano,	VL 428; HTH, 10/1/1935; HVO, unpub [intensities- arabic numerals-in remarks column refer to HVO
10/1/35	0:	:02:00	19	38.70	155	26.30	ml nf?				30.3	31.6	m	4.67	ms			$oxed{oxed}$			4.67	nomo	felt	Kau, Kona (Holualoa-light shock); Honomu-felt?	postcards]
10/1/25		24.00	10	20.70	1.55	26.26	1 .00				20.0	21.		4.10							4.16		6.16	associated with preceding two quakes; Warshauer	VI 429, HTH 10/1/1025
10/1/35	0:	:34:00	19	38.70	155	26.30	ml nf?				30.3	31.6	S	4.18							4.18	nomo	felt	notes: felt Hilo, not volcano	VL 428; HTH, 10/1/1935 Honolulu data average of two readings; VL 428;
																									HVO, unpub [intensities-arabic numerals-in remarks
10/1/35	10:	:22:00	19	38.30	155	19.20	ml ner				23.9	25.5	m	4.29	<4.63	4.15					4.15	hono	II	Hilo-2	column refer to HVO postcards]
																								felt-Waikiki (Oahu), Hana (Maui), Kapapala ranch, dur 90 sec, items off shelves, window broke;	, isoseismal map in W&K seismogram pictured in VL 444, p. 1, assume drum moves at 60 mm/min,
																								Warshauer notes: see bib; extensive felt reports in	amp 210 mm N-S [st, as measured]; seismogram s-p
11.22.55			10		,,,	21.50	1		اريا		00.1	20.5	(10°)		5.00	F.00				1370 77	ا ـ ا			HVO, unpub; preferred magnitude calculated as	agrees with VL distance; HTH, 11/21/1935; HVO,
11/21/35	1:	:11:00	19	31.00	155	31.50	ml ner	5.0	5.0		29.4	29.8	m (st?)	5.64	5.03	5.05	1		5.60	W&K	5.43	aver	(S&C)	average of Honolulu, Whitney as read, and W&K	unpub-see bib

	Ti	me Lat	Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M hor		M other	м	M pref			
Date		ST deg		deg		Region	depth					Mag class						M other	source		source	I max	Location/felt report	Comment
																								Mauna Loa eruption begins, from north bay of Mokuaweoweo to Red Hill, 4 miles down Mauna
11/21/35 11/21/35			-			ml ner ml ner		5.0	34.0 34.0	34.0 34.0		S	4.01							4.01	nomo		do do	Loa northeast rift zone; VL 429 VL 429
11/21/33	10	+2.00				III IIO		5.0	34.0	34.0	54.4		4.01							4.01	nomo		a.	7.5 (2)
2/5/36	12:0	00:00 19	35.80	155	41.30	ml nf deep	33.6	33.6		48.7	59.1	f-felt	4.07	<5.22	<5.22 no					4.07	nomo	felt	5 mi NW of Puu Koli; felt-Hilo, hnp	VL 432, p. 2; time not given
3/21/36	15:5	50:00				hualalai			77.0	77.0	77.5	f	4.26	<4.77	trace					4.26	nomo		w slope Hualalai	VL 433, p. 3
4/15/36	0./	27:00 19	24.0	155	15.00	kl cal deep	20.0	20.0		3.6	30.2		4.64	4.72	4.60					4.66	hono	IV	felt generally Hawaii island, specific reports from Olaa, Hookena, and Hamakua coast; felt rather strongly in volcano; e-w component dismantled; Hookena-3, building creaked	VI 424 = 2, HVO penul
4/13/30	0.2	27:00 19	24.0	133	13.00	ki cai deep	30.0	30.0		3.0	30.2	m	4.04	4.72	4.00					4.00	попо	(KOHA)	felt-Hookena, Kamuela; Warshauer notes: The	VL 434, p. 2; HVO, unpub
1/31/37	7:3	33:00 19	45.50	155	55.30	hualalai	28.8	28.8		78.6	83.7	s	4.63	<4.77	<4.77					4.63	nomo	IV	entire island was rocked by an earthquake at 7:34 a.m. Sunday; estimated to originate in Hualalai direction.; Hookena-4 (7:02 am-same event?), building creaked, hanging objects moved	VL 444, p. 6; HTH, 2/1/1937; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
4/0/27	7.	20.00 10	162	1.55	12.20	1-1 1	11.0			10.7	21.0			.4.65	.4.01									VIII AAC :: 7
4/9/37	/:2	29:00 19	10.3	155	12.20	kl kuer sf	11.2	11.2		18.7	21.8	m	4.42	<4.65	<4.81					4.42	nomo		Hualalai; felt-volcano, Hilo, Kamuela, Puu waawaa	VL 446, p. 7
																							(strong); Warshauer notes: felt sharply throughout	VL 446, p. 7; HTH, 4/19/1937; HVO, unpub
4/18/37	4.1	10:00 19	41.70	155	52.20	hualalai				70.8	71.3	f-felt	4.20	<4.35	-4.47					4.20	nomo	IV	island, more in Waimea and Kohala; v strong at Waikii; additional felt reports in HVO, unpub	[intensities-arabic numerals-in remarks column refer to HVO postcards]
		40:00 19								24.5		m I-Ieit	_		4.20					4.24			near Puu Ulaula	VL 449, p. 7
1/22/38	22:0	03:00 21	12.00	156	6.00	maui				215.7	215.9	m-st	6.29	>6.2	>6.2			6.75	GUTE	6.75	do	Cox); VII	description of earthquake and damage in bib (Jaggar, 1938-VL 457) and newspapers; recorded at Fordham University at 2:45 and 2:53 a.m. EST Jan. 23 [time disagrees, should be one hour later?].	seismogram from "low magnification" instrument pictured in VL 457, p. 3, assume drum moves at 60 mm/min, amp 42 mm N-S; assumed gain of 33 yields agreement with GUTE magnitude of 6.8; HTH, 1/24-28/1938
1/22/38	22:0	03:00 21	12.00	156	6.00	do				215.7	215.9	m-st	6.29	>6.2	>6.2			6.75	GUTE	6.75	gute	Cox); VII	felt throughout the Hawaiian chain; Warshauer notes: a quake, duration 90 sec, felt in every section of the Big island, also on Maui, Oahu and Kauai; channel between Maui and Kohala; maximum damage (broken dishes and rearranged furniture) in both places	isoseismal map in W&K Neumann/1940a [Hon station dismantled]; VL 455, p. 6-7 [damage report given]; Jaggar/1938 [damage reports from all islands]; HTH, 1/24-28/1938; extensive felt reports in HVO, unpub
															no								felt strongly in Kona and hnp, slightly by many in	numerals-in remarks column refer to HVO
2/17/38 3/7/38 5/28/38	5:5	18:00 19 56:00 19 35:00				mauna loa deep	12.8			23.9 41.5 5.1	61.0	m m s?	4.89	4.27 4.91 4.30	4.28					4.60	hono	V felt	Hilo; Kealakekua-v slight single shake, dur 3-5 sec felt-Hilo, Kona, hnp; Warshauer notes: rocked entire island; double shock in Hilo and volcano, oth prolonged; mod strong, dur 30 sec, waking many; strong at Honokaa, slight at Kohala and Puu waawaa; prolonged at Kona; HVO seismometers dismantled should be feeble if kealdeep, slight if south flank, moderate if uer; obscured by tremor? felt?	postcards] VL 457, p. 6; HTH, 3/7/1938; additional felt reports in HVO, unpub not in VL 459; kuer sf or kcaldeep? to be consistent with being recorded on Oahu
															no									
6/1/38	10:3	38:00 19	18.20	155	11.50	kl kuer sf	11.2	10.0		16.0	18.8	m	4.31	no record	recor d					4.31	nomo		Warshauer notes: A moderate shock about 10:45 a.m. Wednesday dismantled the instruments	Hon film record missing; VL 460, p. 3; HTH, 6/6/1938; not found in PCA
6/2/38	15:3	33:00 19	21.70	155	19.50	kl cal deep	24.0	24.0		10.2	26.1	s	4.05	<4.50	<4.42					4.05	nomo			VL 460, p. 3; not found in PCA
8/8/38	7:4	43:00				kl cal deep?		30.0	7.5	7.5		s?	4.16	4.55	<3.95					4.55	hono		Warshauer notes: there were 100 quakes between 2 a.m. and 7:25 a.m. Monday	not in VL 462; HTH, 8/8; 9/1938
8/8/38	23:5	59:00				kl uer		3.0	5.6	5.6	6.4	s	3.06							4.42	calc		assume uer/Koae; av depth = 3 km; average distance = 5.6 km; preferred magnitude calculated as nomogram magnitude multiplied by number of events	earthquake swarm; 31 events (slight) not separately tabulated in VL 462 or recorded in Honolulu
8/8/38	23:5	59:00				do		3.0	5.6	5.6	6.4	f	2.52							4.02	calc		assume uer/Koae; av depth = 3 km; average distance = 5.6 km; preferred magnitude calculated as nomogram magnitude multiplied by number of events	earthquake swarm; 45 events (feeble) not separately tabulated in VL 462 or recorded in Honolulu

		Τ																						
_	Time	Lat					Publ	Pref			Slant			M M-		M vert			M other		M pref	_		_
Date	HST	deg	min	deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report felt-Hilo, hnp; Warshauer notes: An earthquake,	Comment
																							classified as slight at Kilauea observatory, was	
10/25/38	12:18:00	0 19	27.8	155	9.50	kl gln deep	25.6	25.6		11.4	28.0	s-felt	4.10	<4.2	<4.2					4.10	nomo	III	sharply felt in Hilo yesterday about 12:20 p.m.	VL 462, p. 5; HTH, 10/26/1938
																							felt-Kona,; Hookena-5, sharp perpendicular shock	
																							followed by gentle side motion for 5-6 sec,	better fit if distance referenced to Kona, not
																								Whitney; shallower?; VL 462, p. 5; HVO, unpub [intensities-arabic numerals-in remarks column refe
10/27/38	18:11:00	0 19	42.0	0 155	50.20	hualalai	24.0	9.0		67.7	68.3	s (kona?)	4.00	<3.95	<4.07					4.00	nomo	V	strong shock	to HVO postcards]
																							felt strongly-Kona, Kohala; lightly-Hilo, Kau;	
																							Warshauer notes: An earthquake rocked the Kona	
																							area at 2:58 p.m. today for about 15 seconds. No damage reported; felt strongly Kona, short and	mags agree if amplitude referenced to distance from
																							sharp Kohala and Honokaa, slight in Kau, not	Kona seismometer; VL 463, p. 2; HA, 1/20/1939;
1/19/39	14:58:00	0 19	41.6	0 155	52.00	hualalai	25.6	25.6		20.8	33.0	s-felt	4.21	4.35	4.16					4.25	hono	IV	feltVolcano or Hilo.	HTH, 1/20/1939; see bib for complete felt report
																							felt-Hilo, Olaa, hnp; Hilo-3; Warshauer notes: felt	
4/12/39	4:18:00	10	27.0	156	14.00	lel ola doon	20.0	20.0		2.0	29.0	o folk	4.10	<4.32	-4 22					4.12		v	generally on Big island; awakened sleepers in Hilo:	
4/12/39	4:18:00	0 19	27.0	153	14.00	kl gln deep	28.8	28.8		3.6	29.0	s-ieit	4.12	<4.32	<4.32					4.12	nomo	V	no damage	VL 464, p. 5; HVO unpub; HTH, 4/12/1939
																							strongly felt all Hawaii island ex Kohala; strongest in Hilo (slight damage to masonry and plaster), and	
																							hnp; Warshauer notes: felt strongly in all districts	Kohala); VL 464, p. 6; additional felt reports in
																							except Kohala; minor damage in Hilo, household	HVO unpub; HTH, 5/15/1939; see HVO unpub and
5/15/39	10:28:00	0 19	22.0	00 155	8.00	kl mer st	16.0	10.0		15.2	18.2	m-st	4.74	5.06	4.73					4.90	hono	(S&C)	articles knocked from shelves, building cracks	bib for complete felt report
																							felt generally Hawaii island; all seismographs on	isoseismal map in W&K Cox, 1986; Honolulu records suggest this quake has a different source
																							island dismantled; Warshauer notes: Felt in all	than 5/24/39 kl cal deep; mag agreement ok for
																							districts except Kohala; strong like last week;	Kaoiki quake at depth given; VL 464, p. 6; HTH,
																					.		Kona, Hilo and volcano stronger than last week;	5/23; 24/1939; additional felt reports in bib and
5/23/39	14:14:00	0 19	28.5	0 155	22.00	kaoiki	19.2	19.2		12.2	22.7	m-st	4.72	4.88	5.07			4.80	W&K	4.97	hono	VI	Kau strong; duration 30 sec; many aftershocks	HVO, unpub
																							felt entire Hawaii island, dismantling all instruments; Warshauer notes: felt in all districts of	
																							Hawaii island, also Oahu [denied, HTH May 26];	
																							objects knocked from shelves in volcano district;	Honolulu amplitude average of two readings; VL
5 /2 4 /20	12 50 0		25.0		1,400	,,,,,								5.00							١, ١	3.77	duration 15 sec (felt), 6 min (instr.); deep Kilauea	464, p. 6; HTH, 5/24; 26/1939; see also HVO unpub
5/24/39	12:59:00	0 19	25.0	153	14.00	kl cal deep	24.0	30.0		3.3	30.2	m-st	4.92	5.26 no	_					5.39	hono	VI	origin	and bib for additional felt reports
5/24/39	13:09:00	0 19	25.0	0 155	14.00	kl cal deep	32.0	32.0		3.3	32.2	s	4.19							4.19	nomo		hnp-felt, caused landslide in Halemaumau	VL 464, p. 6; HVO, unpub
																							felt widely-Oahu, Maui; 20-30 mi deep, 90 mi s. of	
																							Lanai; Warshauer notes: felt sharply throughout	
																							Oahu, not felt on Hawaii; 150 mi from Honolulu, duration 10 sec (felt), 5 min (instr.); recorded at	attenuated at Whitney?; VL 464, p. 6; HTH, 5/30/1939; HA, 5/30/1939; additional felt reports in
5/29/39	19:15:00	0 19	30.0	0 156	50.00	lanai se	40.0	40.0	1	66.0	170.7	vf-felt	4.53	4.91	4.78					4.85	hono	V	HVO; felt on Oahu, Maui and Hawaii	bib and HVO, unpub
																								Honolulu amplitude average of two readings; VL
5/31/39	15:10:00	0 19	18.5	0 155	14.50	kl kuer st	17.6	10.0		13.8	17.0	m-st	4.52	4.71	4.63					4.67	hono	V	hnp-6	464, p. 6; HVO unpub
																							felt-Hilo, hnp; Warshauer notes: generally felt throughout volcano and by a few persons in Hilo;	VL 464, p. 6; HTH, 6/1/1939; HVO, unpub [intensities-arabic numerals-in remarks column refe
5/31/39	20:38:00	0 19	37.5	0 155	15.50	ml nei	19.2	19.2		21.6	28.9	s-felt	4.12							4.12	nomo	V	hnp-6	to HVO postcards]
		T																					felt all Kau, Hilo, all island, strong at hnp;	
																							Warshauer notes: v hard in volcano and all Hilo,	
																							windows and doors rattled; dur >30 sec; slight in Kohala and Kona; hnp-6; Paauhau-3, quite sharp,	shallower?; VL 464, p. 6; HTH, 6/1/1939; HVO, unpub [intensities-arabic numerals-in remarks
5/31/39	20:51:00	0 19	34.0	0 155	10.50	kaoiki	17.6	17.6		17.6	24.9	m-st	4.78	4.45	4.60					4.52	hono	v	dur 5 sec; Hilo-slight, felt by most	column refer to HVO postcards
5,51,57	20.01.00	+ 1	54.0	133	15.50	, audiki	17.0	17.0		27.0	24.7	50	,0	5						52			felt generally-Hawaii island, strongest in Hilo and	
																							hnp; Kealakekua-short tremor, slight shake, short	Honolulu amplitude average of two readings;
																							tremor; hilo-mod, wakened many; hnp-3, wakened	possible surface waves noted on the Honolulu
																							persons; Warshauer notes: Hilo-wakened person, prolonged rattling of windows/doors; dismantled	seismogram; VL 464, p. 6; HVO unpub; HTH, 6/12/1939; weaker than earlier 4 shocks; felt dur 30
6/12/39	1:11:00	0 19	21.0	0 155	17.00	kl cal deep	20.8	20.8		9.3	22.8	m-st	4.72	4.64	4.65					4.65	hono	V	instruments	sec
	11.00	T .	1	1	1					7.0	0	1	2										felt-Hilo, hnp; Hilo (time 3:38:15-same event?), 2	
																							mild waves, slight, felt by a few; Warshauer notes:	
																							slight to moderate quake was generally felt in the	
6/19/39	3:49:00	0 10	25 3	155	15.00	kl cal deep	240	24.0		1.6	24.1	m	1.25	<4.60	-4 53					4.25	nomo	III	Hilo and volcano districts at 3:48:45 a.m. In Hilo felt as a prolonged shock, not strong	time changed to agree with newspaper and postcard data; VL 464, p. 7; HVO unpub; HTH, 6/19/1939
0/17/39	J.47.00	J 15	43.3	J 135	13.00	, Ki cai ueep	24.0	24.0		1.0	44.1	111	4.23	\ →.00	\ - 1.J3					+.23	пошо	111	Terr as a prototiged shock, not strong	ана, т. тот, р. т, 11 т О ширио, 11111, 0/13/1939

Date	Time HST	Lat	Lat min	Lon deg	Lon min	Region	Publ depth		Publ dist	Calc Dist	Slant dist	Mag class	M	M M-		M vert SPN		M other	M other source		M pref source	I max	Location/felt report	Comment
7/1/39						kl cal 10-20?		•	uist	9.0	19.8	m m					IVL	IVI OTHER	source	4.39	hono		awakened many in Hilo and hnp, dism seis; hale Pohaku (Mauna Kea)-fairly sharp quake, dur 3-4 sec, wakened most sleepers; hilo-3, wakened; Warshauer notes: felt all Hilo and volcano dist; dur ~6 min, felt ~15 sec; rattled windows, awakened many, no damage	Honolulu amplitude average of two readings; VL 464, p. 7; HVO unpub; HTH, 7/1/1939
																			W&K			v; v	felt generally-Hawaii island; intensity greatest in Kau, Puna; sleepers wakened in Hilo, hnp; unusually strong at Pahoa; Warshauer notes: felt entire island, strongest in Puna and volcano district; sleepers awakened and windows rattled but no	Honolulu amplitude average of two readings; isoseismal map in W&K (mag too high?); VL 465, p. 5; HTH, 7/14/1939; see HVO unpub and bib for
7/14/39	3:51:00	19	19.50	155	7.00	kl mer sf	8.0	8.0		19.2	20.8	m-st	4.66	4.99	5.08			5.50	S&C	5.04	hono	(S&C)	damage done. felt-Holualoa, Hookena; Hookena-2; Kau and Kona	complete felt report
8/5/39	13:46:00	19	31.00	156	2.00	hualalai?	12.8	12.8		82.0	83.0	vf-felt	4.03							4.03	nomo	IV	rather sharp and short, single shake with vertical motion; Holualoa-5	numerals-in remarks column refer to HVO postcards]; not found in HTH
8/17/39	5:57:00	19	19.50	155	6.50	kl mer sf	12.8	10.0		20.0	22.3	m	4.43	4.26	4.46					4.36	hono		no intensity reports!	Honolulu amplitude average of two readings; VL 465, p. 6; not found in HTH
8/17/39	6:18:00	19	21.50	155	7.00	kl mer sf	6.4	6.4		17.2	18.4	m	4.30	<4.46	<4.46					4.30	nomo		no intensity reports!	VL 465, p. 6; not found in HTH
	17:32:00											s-m (f-s?)		<4.27						4.12		v	felt-Hookena, Kealakekua, hnp; Kealakekua-slight	feeble-slight?; shallower?; VL 468, p. 12; HVO,
6/16/40	23:56:49	21	0.00	155	18.00	maui east				174.5	174.8	st	6.14	off scale	off scale			6.00	GUTE	6.00	gute	VI; V (S&C)	felt generally hi chain, particularly on Oahu, Maui, Hawaii; Warshauer notes: At least 2 sharp earthquakes felt in Honolulu; first lasted several sec, windows rattled, houses creaked; also Hilo, Maui, Molokai (articles off shelves); no damage	isoseismal map in W&K VL 468, p. 12 [detailed felt report given]; HSB; HTH; HA, 6/17/1940; additional felt reports in HVO, unpub
6/17/40	0:14:00	21	0.00	155	18.00	maui east				174.5	174.8	s	5.37	lost in						5.37	nomo	IV		VL 468, p. 12; HSB; HTH, 6/17/1940; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
												m										v	aftershock of 6/16/40 earthquake; felt-Hawaii,	Honolulu data average of two readings; nomogram agrees only if earthquake is "feeble"; error in VL?;
6/17/40	7:47:00	21	0.00	155	18.00	maui east				174.5	174.8	(feeble?)	4.82	4.59	4.72					4.65	hono		Maui, Oahu; Warshauer notes: a moderate quake	VL 468, p. 12; HSB; HTH, 6/17/1940
7/4/40	12:39:00 15:55:00	20	4.90	154	42.20	maui east mauna kea os				174.5 93.2	174.8 93.7 80.6	s f	5.37 4.12 4.61	5.42 4.05 4.78	4.00					5.20 4.03 4.78		III (hamak ua)	aftershock of 6/16/40 quake; felt-Hawaii, Maui, Oahu; Warshauer notes: another aftershock bet slight and moderate; Hakalau-moderate; Kealakekua-v slight shake of 2 sec dur, felt by few; Paauhau-3, 2 sec med vib, 2 lighter vibs; Wailuku-3, shook windows 40 mi NE of Hilo offshore 12 mi NE of Ookala	[intensities-arabic numerals-in remarks column refer to HVO postcards] VL 469, p. 5
//9/40	19:30:00	20	8.60	155	9.10	mauna kea os		-		80.0	80.6	I	4.61	4./8	4./8					4./8	nono		mainshock: felt-all islands ex Kauai; Warshauer	VL 469, p. 5
7/15/40	16:48:00	20	54.00	155	8.00	maui east				163.9	164.2	m	5.82	5.90	5.91			5.60	GUTE	5.90	hono	V; V (S&C)	mainsnock: reit-an islands ex Kadai; warshader notes: strong at Kohala, lasting for 30 sec; slight in Hilo, felt by many; Paauhau-3, single brief very noticeable vibration; Ulupalakua (Maui)-light shock, dur 20 sec, visible bouncing of bed mattresses	W&K report M 5.5-not derived from felt area; VL 469, p. 5; HTH, 7/16/1940; HA, 7/18/1940; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
7/15/40	21:13:00	20	54.00	155	8.00	maui east				163.9	164.2	vf-felt	4.51	4.52	4.52					4.52	hono		aftershock of 7/15/40 earthquake; felt-Paauhau, Maui (Ulupalakua); Ulupalakua (Maui)-extremely slight, horizontal e-w motion, double shake with half sec separation; Paauhau-2, single vibration, brief and very weak	VL 469, p. 5; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
9/1/40	22:15:00	21	0.00	155	16.00	maui east				174.5	174.7	m	5.62	5.58	5.20			5.60	GUTE	5.39	hono	IV (S&C); V (USE)	felt generally Hawaii island	W&K report M 5.5-not derived from felt area; VL 469, p. 5; not found in HTH

	Time	Lat	Lat 1	Lon	Lon		Publ	Pref	Publ	Calc	Slant		M	M M-	M M-	M vert	M hor		M other	M	M pref			
Date	HST			deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source		source	I max	Location/felt report	Comment
																							felt strongly Puu waawaa; also, Kailua, Hookena,	
																							Hilo; Puu waa waa ranch-6, buildings shook quite	
																							hard, some objects fell off shelves; Hookena-2,	VL 471, p. 4; not found in HTH; HVO, unpub
1/17/41	7.20.0	00 10	40.30	156	3.50	hualalai	22.4	22.4		88.2	91.0	s-felt	4.91	4 77	3.93					4.77	hono	VI	building shaken; Waimea-rattled windows, dur 15	[intensities-arabic numerals-in remarks column refer to HVO postcards]
1/1//41	7:30:0	00 19	40.30	130	3.30	nuararar	22.4	22.4		00.2	91.0	5-1CI	4.91	4.//	3.73					4.//	HOHO	V 1	15 mi n of Papaaloa near earthquakes of summer	to 11 v o postcards)
1/18/41	9:34:0	00 20	12.30	155	13 20	mauna kea os				86.2	86.6	f	4.33	4.62	4.44					4.53	hono		1940	VL 471, p. 4; not found in HTH
2/8/41	9:19:0		10.20		0.00	mauna kea os				86.7	87.1	f	4.34	4.56						4.62				VL 471, p. 4; not found in HTH
	21:56:0		34.00			kohala os				134.7		f	4.37	4.13						4.07				VL 471, p. 4
2/18/41	11:53:0	00 19	41.00	155	39.00 1	nauna loa deep	48.0	48.0		49.7	69.1	S	4.72	4.56	4.56					4.56	hono			VL 471, p. 4; not found in HTH
																							felt-hnp, Kau, Kona, Hilo; Warshauer notes: A	
																							moderate earthquake felt throughout East Hawaii	
																							dismantled instruments at HVO and Halemaumau;	VI 472 2 HTM 4/21/1041 HWO 1 5
4/20/41	10:46:0	00 10	22 00	155	16.00	kl cal deep	1.6	25.0		3.7	25.3	m	4.52	4.58	4.47					4.53	hono	IV	felt duration about 30 sec; occurred at 11:46 a.m. [time off?], preceded by a series of lesser quakes	VL 472, p. 3; HTH, 4/21/1941; see HVO unpub for additional felt reports
4/20/41	10.40.0	00 19	23.90	133	10.00	Ki cai deep	1.0	25.0		3./	25.5	111	4.52	4.36	4.47					4.55	HOHO	1 V		1
																							se flank ml, 4 mi n of Kapapala ranch house; felt generally Hawaii island, by some in Honolulu;	isoseismal map in W&K strong?; Eissler and Kanamori estimate 35 km depth, not accepted by
																							Warshauer notes: felt most strongly Pahala and	W&K or us; VL 473 [includes damage report;
																						VII;	Kapapala, dishes fell, bottles broken; plaster	dismantled all seismographs, low mag instrument
																						VII	cracked in Hilo; strong at Naalehu, Kohala, Puna,	not operating], p. 3; HTH, Sept. 25, 1941; extensive
9/25/41	7:18:0	00 19	21.00	155	27.00	kaoiki	11.2	11.2		21.9	24.6	m-st	4.78	5.80	5.85			6.00		5.82	hono	(S&C)	Kona; no damage	felt reports in HVO,
																							n slope Mauna Kea near; felt generally Hawaii	
																							island; this and subsequent quakes precursory to	
																							Mauna Kea swarm starting Nov. 13; Warshauer	
10/25/41	0.54.0					mouno kao		40.0	72.0	72.0	02.2	f-felt	4.62	4.96	5.20					5.00	hono	felt	notes: felt at Hawaii National Park, Hilo, and Kohala	clight?: VI 474 p. 2: HTH 10/20/1041
10/25/41	8:54:0	00		-+		mauna kea		40.0	73.0	/3.0	83.2	1-1611	4.63	4.90	3.20					5.08	попо	ien	52 mi from HVO; felt-Waimea; Warshauer notes:	slight?; VL 474, p. 3; HTH, 10/30/1941
												f-felt; s		3.99;	thick								felt at Waimea; felt in Waimea, Kohala, north	Hon magnitude average of two readings; VL 474, p.
11/13/41	20:07:0	00 20	4.00	155	42.00	mauna kea?		43.0	83.2	84.5	94.8	(ml)	4.40	4.61						4.30	hono	felt	Kona, Hamakua and [probably] at Kilauea	3; HTH, 11/15; 21/1941
																							52 mi from HVO; Hilo dismantled; Warshauer	
																							notes: The strongest earthquake [in a series] was	
																							reported at 6:58 a.m. today. [doesn't say whether	
																							felt!]; felt island-wide by a few and by many in	VL 474, p. 3; HTH, 11/15; 21/1941; not found in
11/15/41	6:53:0	00 20	4.00	155	42.00	mauna kea?	43.2	43.2	83.2	84.5	94.9	S	5.20	5.73	4.91					5.32	hono	felt	Kohala, north Kona and Hamakua	HA
																							52 mi from HVO; felt generally north Hawaii island; Warshauer notes: felt in northern portion of	
11/15/41	18:37:0	00				mauna kea?		43.0	83.2	83.2	93.7	f-felt	4.39	4.02	4.22					4.12	hono	felt	island and by several in Hilo	VL 474, p. 3; HTH, 11/21/1941
11/15/11	10.57.0							15.0	05.2	00.2	,,,,		1.07							2			near Waimea 52 mi from HVO; newspaper time	, p ,
																							accepted; Warshauer notes: felt in Hilo; felt at	
11/16/41	2:31:0	00				mauna kea?	43.2	43.2	81.9	81.9	92.6	f-felt	4.11	<4.10	<4.10					4.11	nomo	felt	Waimea and perhaps other places in north Hawaii	VL 474, p. 3; HTH, 11/21/1941
																							near Waimea 52 mi from HVO; felt generally	
																							Hawaii island; slight damage; Warshauer notes: fel	t
11/15/41	0.41.0		4.00	,,,	12.00		42.0	42.2	02.2	04.5	040		5.71	5.02	500					5.00	1		by many in all parts of Hawaii; no damage	VI 474 - 2 HTH 11/01/1041
11/16/41	9:41:0	00 20	4.00	155	42.00	mauna kea?	43.2	45.2	83.2	84.5	94.9	m	5.71	3.83	5.83					5.83	nono	(S&C)	reported; not felt on Oahu	VL 474, p. 3; HTH, 11/21/1941
																							near, slight damage; felt strongly Hawaii island, less on Maui; Warshauer notes: Dishes and bottles	
																							were broken at early this morning by an earthquake	
																						VI; V	also felt strongly in Hilo; approximate time of the	
11/18/41		00 20				mauna kea?	43.2	43.2		84.5	94.9	m-st	5.71	6.07						6.12			quake was 2:53 a.m.	VL 474, p. 3; HTH, 11/18/1941
11/18/41	10:30:0	00 20	4.00	155	42.00	mauna kea?		43.0	83.0	84.5	94.8	f-felt	4.72	5.05	4.50					4.72	hono	felt	felt generally Hawaii island	VL 474, p. 3
	40					, ,			0.5					4.0-	,,					l			Ch. B. W	NH 474 2
						mauna kea? mauna kea?		43.0 43.0		84.5	94.8 94.8	f-felt f-felt			<4.22 5.40			-		4.40 5.29	nomo	felt felt	felt generally Hawaii island 52 mi from HVO; felt widely	VL 474, p. 3 slight?; VL 474, p. 3
11/19/41 11/22/41			4.00			mauna kea? mauna kea?	\vdash		83.2 83.0	84.5 84.5	94.8	I-Ielt	4.72 4.13	5.17	5.40					5.29 4.13		reit	near Waimea	shght?; VL 4/4, p. 3 VL 474, p. 4
11/22/41	10:04:0	20	4.00	133	42.00	mauna Kea!	\vdash	45.0	65.0	64.3	94.8	1	4.13							4.13	пошо	V	near wannea	7 L 7/7, p. 4
11/22/41	21:23:0	00 20	4.00	155	42.00	mauna kea?		43.0	83.0	84.5	94.8	s	5.20	5.61	5.50					5.56	hono	٠,	near; felt generally Hawaii island, few on Maui	moderate?; VL 474, p. 4
11/22/41			4.00			mauna kea?		43.0		84.5	94.8	vf-felt	4.13							4.13			felt-Waimea	VL 474, p. 4
1/25/42	6:13:0					kaoiki?			25.6	25.6	27.1	s-felt	4.07							4.07	nomo	V-VI	16 mi from HVO; felt-hnp; broke dishes at KMC	VL 475, p. 2
																							8 mi SW of Hilo; felt-Hilo, hnp; Hilo seismograph	farther away? or moderate?; VL 475, p. 2; not found
2/8/42	17:48:0	00 19	38.00	155	10.00	hilo deep	48.0	48.0	24.5	24.6	53.9	s	4.81	5.15	5.23					5.19	hono	felt	dismantled	in HTH
															no								177	
2/10/42	11.00-4	00 10	25 00	155	16.60	kl cal 10-20	12.0	10.0	2.0		12.0	m	4.05	no	recor	1				4.05	no	v	n end Kilauea crater; felt-hnp, awakened many,	VL 475, p. 2
2/18/42	11:09:0	UU 19	25.80	133	10.00	KI cal 10-20	12.8	12.8	2.0	1.7	12.9	m	4.05	record	<u> </u>					4.05	nomo	V	dismantled HVO and mlo seismographs	VL 4/3, p. 2

	Time			Lon	Lon				Publ		Slant			М М-		M vert			M other		M pref			
Date	HST	Γ deg	min	deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
																							felt widely; Warshauer notes: Hilo-dishes and	
																							bottles fell, plaster cracked, parked cars shook from	
	0.44				20.00	,								< 00								X 77	2 strong quakes; dismantled seismographs, slides in	
2/21/42	8:11:	:00 19	32.00	155	28.00	ml ner	8.0	8.0	24.0	24.5	25.8	m	4.81	6.09	6.09	1				6.09	hono	VI	Kilauea crater; bottles broken at Volcano House	after 9 a.m. today" [Hawaii war time one hour later]
																							do. folt widely, enother and stronger shools	VL 475, p. 2; HTH, 2/21; 22/1942; HSB, 2/21/1942
2/21/42	0.14.	:00 19	22.00	155	20.00	ml ner	8.0	٥٨	24.0	24.5	25.8	m	4.81	6.14	6.09					6.11	hono	VI	do; felt widely; another and stronger shock occurred at about 9:14 a.m.	time given as "shortly after 9 a.m. today" [Hawaii war time one hour later]
2/21/42	6:14:	:00 19	32.00	133	28.00	IIII IICI	8.0	8.0	24.0	24.3	23.6	111	4.01	0.14	0.09	1				0.11	попо	V I	Warshauer notes: Then, at 9:37 there was another	war time one nour raterj
																							shake, strong enough to dismantle the east-west	
														no	no								component of the seismograph at the Volcano	[Times are Hawaii war time one hour later]; VL
2/21/42	8:36:	.00 19	32.00	155	28.00	ml ner	8.0	8.0	24.0	24.5	25.8	s	4.04	trace						4.04	nomo		House.	475, p. 2; HTH, 2/22/1942
2/22/42			32.00	100	20.00	ml ner?	0.0	8.0	25.6	25.6	26.8	s	4.06							4.06	nomo		16 mi from HVO	VL 475, p. 2
2/22/42						ml ner?					25.3	s	4.02							4.02	nomo		15 mi from HVO	VL 475, p. 2
3/7/42			29.40	155	35.00	ml mok		8.0	36.0	34.6	35.5	s	4.04							4.04	nomo		n end of Mokuaweoweo	VL 475, p. 2
3/15/42	9:35:	:00 19	27.20	155	35.80	ml mok		8.0	34.0	35.5	36.4	s	4.05							4.05	nomo		s end of Mokuaweoweo	VL 475, p. 2
3/16/42	21:57:	:00 19	27.20	155	35.80	ml mok		5.0	34.0	35.5	35.8	s-felt	4.04							4.04	nomo	felt	do; felt-Kona	VL 475, p. 2
3/19/42	0:17:	:00				ml mok		5.0	35.0	35.0	35.4	s	4.03							4.03	nomo		near Mokuaweoweo; E-W dismantled	VL 475, p. 2
																							SW rift; felt widely; stopped clocks in s Kona;	strong? must be deep to fit felt reports and Hon
																							Warshauer notes: deep-seated earthquake felt	magnitudes; VL 475, p. 2; HTH, 3/21/1942; time
						.																	generally in Hilo; dismantled seismic equipment;	given as "12:04 a.m. today" [daylight saving time in
3/20/42						ml swr ml swr		5.0	43.0	43.0	43.3	m f-felt	5.17	>5.67	5.88					5.88	hono	V felt	no damage SW rift: felt-s Kona	effect-see VL 476, p. 2, 1st paragraph]
3/21/42	20:14:	:00				mi swr		5.0	53.0	53.0	53.2	1-Telt	4.00	no	no					4.00	nomo	ieit	SW fift; feit-s Kona	VL 475, p. 2
3/28/42	21.55	.00				ml ner		5.0	25.0	25.0	25.5	s-felt	4.03	trace						4.03	nomo	felt	NE rift; felt-hnp, Hilo	VL 475, p. 2
4/26/42						ml ner	5.0	5.0	34.0	34.0	34.4	s-ien m		4.61						4.03			upper NE rift; felt-hnp, Hilo	VL 476, p. 7
						ml ner	5.0	5.0	34.0	34.0	34.4	S	4.73	4.01	4.70					4.24		TOIL	upper NE rift	VL 476, p. 7
4/27/42						ml ner		5.0	34.0	34.0	34.4	s	4.24							4.24			upper NE rift	VL 476, p. 7
4/27/42		_				ml ner		5.0	34.0	34.0	34.4	s	4.50	4.97	4.61					4.79			upper NE rift	deeper?; VL 476, p. 7
4/27/42	9:52:	:00				ml mok		5.0	35.0	35.0	35.4	s	4.26							4.26	nomo		near Mokuaweoweo	VL 476, p. 7
4/27/42	11:53:	:00 19	32.50	155	28.00	ml ner		5.0	25.0	24.9	25.4	s	4.03							4.03	nomo		NE rift above Puu Ulaula	VL 476, p. 7
4/27/42	14:12:	:00				ml ner?		5.0	25.0	25.0	25.5	s	4.03							4.03	nomo		record confused; no location or distance given	VL 476, p. 7
4/27/42						ml ner?		5.0	25.0	25.0	25.5	S	4.03							4.03	nomo		no location or distance given	VL 476, p. 7
4/27/42	16:44:	:00				ml ner?		5.0	25.0	25.0	25.5	S	4.03							4.03	nomo		no location or distance given	VL 476, p. 7
						1 0								< 00	light							C 1.		. 2 17 474 7 . 6 11 1771
4/27/42						ml ner?		5.0	25.0	25.0	25.5	m	4.80	6.09	trace					6.09	aver	felt	felt strongly-Puu Ulaula; instruments dismantled no location or distance given	strong?; VL 476, p. 7; not found in HTH VL 476, p. 7
4/29/42	11:10:	:00				mi ner?		5.0	24.0	24.0	24.5	S	4.00							4.00	nomo		· ·	VL 4/6, p. /
																							in ocean n of Kohala; felt strongly-Kohala;	
																							Warshauer notes: An earthquake between slight and moderate was recorded at 3:59 a.m. [daylight	
																							saving time in effect]; dismantled seismograph, felt	
7/9/42	3:00:	:00				kohala os			115.0	115.0	115.4	s	5.34	5.92	5.50					5.71	hono	IV	strongly in district, also in Hilo	moderate?; VL 477, p. 3; HTH, 7/9/1942
10/11/42			29.40	155	35.00	ml mok			34.0	34.6	35.8	s	4.26							4.26	nomo		n end of Mokuaweoweo	VL 478, p. 3; not found in HTH
														no	no								SW rift near source of 1868 flow; felt-Hilo to s	
12/6/42	12:08:	:00 19	6.00	155	41.30	ml swr			59.0	58.2	58.9	s-felt	4.39	trace	trace	:				4.39	nomo	felt	Kona	closer?; VL 478, p. 4; not found in HTH
																							preferred magnitude calculates as nomogram	3 slight events on December 21 not separately
12/21/42		_				kl mer?		2.0	16.0	16.0	16.1	s	3.71							4.15	calc		magnitude multiplied by number of events	tabulated; VL 478, p. 4
1/9/43						ml swr?		\rightarrow	59.0	59.0	59.7	f-felt				-		-		4.07	nomo		felt-s Kona	VL 479, p. 5
1/17/43				\vdash		ml ner		-	24.0	24.0	25.6	s-felt				_	-	-		4.03	nomo	felt	NE rift; felt-hnp	VL 479, p. 5
1/19/43	2:48:	:00				ml ner?			24.0	24.0	25.6	s-felt	4.03							4.03	nomo	felt	felt-hnp, Hilo	VL 479, p. 5
																							[on p. 3 time given as 5:10 April 8-probably the	
														no	no								same quake given a daylight saving time correction and a misprint of the month]; near Mokuaweoweo;	
5/8/43	4:10:	.00				ml mok			35.0	35.0	36.1	s-felt	4.27	trace						4.27	nomo	felt	felt generally east Hawaii island	VL 480, p. 3, 4; not found in HTH
5/0/45	7.10.	.50				an mok			55.0	55.0	50.1	5 1011	7.21	auce						7.27		1011	g	closer?; Calc mag accepted on the basis that there
																								5/have been high background noise on the Honolulu
														no	no									seismogram preventing the earthquake from being
6/14/43	21:38:	:00 20	4.00	155	42.00	kohala?				84.5	85.0	s-felt	4.64	trace						4.64	nomo	felt	near; felt widely Hawaii island	seen; VL 480, p. 4; not found in HTH
10/16/43						mauna kea			45.0	45.0	45.9	s-felt								_	nomo		e slope Mauna Kea; felt-hnp, Hakalau	VL 482, p. 2
																						VI; VI		
																						(USE);		
																						V	felt widely southern half Hawaii island; stone walls	
																						, ,	thrown down SW of Pahala; dismantled	
11/10/43	16:22:	:00]				hilea?			43.0	43.0	43.9	m	4.90	4.88	4.88					4.88	hono	S&C)	instruments	VL 482, p. 2; not found in HTH

Process Proc																								
1.00 1.00																								
122-22 122-	Date	HST d	leg	min de	g min	Region	depth o	depth	dist	Dist	dist	Mag class	nomo			SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
1.75.24 1.45.00 1.75	12/22/42	10.50.00				ml corre	.		45.0	45.0	45.0	c folt	4.21		l .					4 21	nomo	folt	SW clope Moune Log: felt han Hile	alocar? or feeble?: VI 482 p. 2: not found in HTH
2014			19 3	32.00 1	55 28 0			\rightarrow	45.0					пасе	trace					_		-		
1972-04 1972-00 198 198 199 19			1) .	,2.00 1.	20.0				90.0			f		4.74	4.92									
101704 15400	772711	20.10.00							70.0	70.0	, , , ,		11.50							11.00				
1979-14 1979-16 1979	10/2/44	17:27:00	20	1.00 1	55 17.0	0 mauna kea		40.0		65.2	76.5	s	4.79	<4.50	4.40					4.40	hono		deep focus, near Ookala	shallower?; VL 486, p. 3; not found in HTH
1979-14 1979-15 1979	10/17/44	13:54:00				mauna kea			55.0	55.0	55.7	f-felt	4.03	<4.32	<4.02					4.03	nomo	felt	Mauna Kea; felt-Hilo	VL 486, p. 3
11/244 45-60 10 2.00 15 17.0 11 ral idep 14 180 4 5 10 180	10/29/44	17:17:00				mauna kea			55.0	55.0	55.7	f-felt	4.03							4.03	nomo	felt	Mauna Kea; felt-hnp, Hilo	
11/244 45-09 10 200 15 170 11-01 140 140 150																						V	SW of Halemaumau; felt widely-s half Hawaii	
Part	11/12/44	4:56:00	19	24.00 1	55 17.7	0 kl cal deep?	14.4	30.0	4.5	5.0	30.4	m	4.65	4.58	4.58					4.58	hono			
Part																							e edge Mokuaweoweo; felt widely Hawaii island.	
122744 32-00 15 15 15 15 15 15 15																								
1277-14 3-2-50 19 200 15 8-30 m mod 24 24 24 24 24 24 24 2																							stone fences down in Hilea; dismantled	
122744 34200 19 2900 15 3500 mt mod 240 240 345 420 s 4.51 mre 578 5.60 GUTE 578 born 5860 mpconeced in lap V4.486, p. 3.HTH, 1227/1944																								
1,271.44 5.46.00 10 20.00 155 35.00																								
2.774 2.460 10 2.00 15 3.00 min to 2.40 2.40 3.4 4.20 4.80 more 4.30 m	12/27/44	3:42:00	19 2	29.00 1:	55 35.0	0 ml mok	24.0	24.0		34.5	42.0	st	5.15	trace	5.78			5.60	GUTE	5.78	hono	S&C)		
127744 54600 9 2000 15 5500 mil mod 24,0 24,0 34,5 42,0 m 51,5 550 mil mod 24,0 24,0 34,5 42,0 m 51,5 550 550 550 mil mod 24,0 24,0 34,5 42,0 m 51,5 550 550 mil mod 24,0 24,0 34,5 42,0 m 51,5 550 550 mil mod 24,0 24,0 m 24,0																								
1272144 129044 92100 185 18500 ml mol & 240 24.0 34.5 42.0 ml mol & 19.0 24.0 34.5 42.0 ml mol & 24.0 24.0 34																								
17.00 19 19 10 10 10 10 10																								
173144 11-000 19 15.00 19 15.00 15 25.90 Initial 20.8 20.												S												
1945 195700 9 2501 155 16.0 10 250 251 10 250 251 250 251 250 251 2																				61.6			1	
1.244 10.3800 19 25.00 158 16.20 14 16 16 17 17 17 17 17 17			19	0.20 1	28.9		20.8	20.8	25.0					4.73	3.00	1								
SW fit; for widely Hawaii island; stopped clocks Sw f			19	25.00 1	55 16 2		20.0	21.0	33.0					4 32	4 33									
3.7124 19-00-00 19 19.00 15 2.00 1st lawer str. 10.0 28.0 27.2 28.9 m 4.38 4.47 4.32 4.38 nono fet dismanded seismograph nocean off Puna-Kau boundary; felt-lmp, find consistent with finor consistent wit	1/2 // 13	10.50.00	1,	20.00	10.2	o in car deep	20.0	21.0		1.7	21.1	***	4.57	11.02	11.55					4.52	nono	1010		
Decision onshore would be more consistent with moder entation and give better mag agreement with from centago and give better mag agreement. VL 487, p. 6; not found in HTH	3/5/45	0:00:00				ml swr	.		45.0	45.0	45.9	m	4.93	4.91	5.04					4.97	hono	V		
Section Sect																								location onshore would be more consistent with
3/12/45 19/00/00 19 19/00 155 200 18/16/16 18/16/1																								
Signature Sign																								
Signature Sign	3/12/45	19:00:00	19	19.00 1	55 2.0	0 kl kuer sf?		10.0	28.0	27.2	28.9	m	4.38	<4.47	<4.32					4.38	nomo		dismantled seismograph	found in HTH
5/1945 1-4800 1																								
Signature Sign	1																							
5/29/45 18-45-00 19 31.00 155 32.40 kaoiki 20.8 20.8 30.9 37.3 s 4.29 race trace 4.29 nomo felt 5 mi SW of Puu Ulaula; felt-hip, Hilo, s Kona VL 488, p. 3	5/19/45	1:48:00	_		_	Kaoiki	-	\rightarrow	20.0	20.0	21.9	m	4.70							5.30	hono	S&C)	slightly on Oahu	deeper?; VL 488, p. 3; not found in H1H
6/14/45 19:46:00 19 11.30 155 28.70 hilea	5/20/45	19.45.00	10	21.00	22.4	n kaniki	20.0	20.0		20.0	27.2		4.20							4.20	nomo	folt	5 mi SW of Pun Illanda: falt.hpp Hilo s Kona	VI 488 p. 3
Coast SW of Kalapana; felt widely-e half Hawaii island; dismantled e-w component. Warshauer notes: Residents in several sections of Hilo felt an earthquake which some describe as "fairly strong" at 3:15 AM (daylight saving time); duration over 5 minutes VL 489, p. 4; hTH, 7/13/1945	3/29/43	18:43:00	19 .	51.00 1.	32.4	0 Kaoiki	20.8	20.8		30.9	31.3	3	4.29	tracc	tracc					4.29	пошо	icit	3 iii 3 w of 1 du Oladia, felt-iiip, ffilo, 3 kolia	VL 466, p. 5
Second S	6/14/45	19:46:00	19	1.30 1:	55 28.7	0 hilea				35.4	36.5	s	4.28	<4.45	4.07					4.07	hono	felt	near Pahala; felt-hnp, Pahala	VL 488, p. 3
Second S																							coast SW of Kalapana; felt widely-e half Hawaii	
The color of the																								
7/13/45 2:15:00 19 20.00 155																								
7/13/45 2:15:00 19 20.00 155 kl mer sf 8.0 8.0 29.6 30.6 m 4.65 4.98 4.60 4.79 hono IV minutes VL 489, p. 4; HTH, 7/13/1945 9/19/45 5:33:00 ml nf 36.0 36.0 37.1 s 4.29 4.38 3.89 4.14 hono (USE) island VL 489, p. 4; not found in HTH 12/16/45 20:30:00 v kaoiki 20.0 20.0 21.9 s 4.18 5.41 4.96 5.19 hono felt felt-hnp, Pahala, Hilo; e-w deeper, farther away? or moderate?; Honolulu mag to ome per, farther aw																								
9/19/45 5:33:00 ml nf 36.0 36.0 37.1 s 4.29 4.38 3.89 4.14 hono (USE) island VL 489, p. 4; not found in HTH Number VL 491, p. 5 VL 491		2.15.00	10										,	4.0-						,				NH 400 4 HTTH 5/12/22/2
9/19/45 5:33:00 ml nf 36.0 36.0 37.1 s 4.29 4.38 3.89 4.14 hono (USE) island VL 489, p. 4; not found in HTH	7/13/45	2:15:00	19	20.00 1	22	kl mer sf	8.0	8.0		29.6	30.6	m	4.65	4.98	4.60	1		\vdash		4.79	hono	_		
12/16/45 20:30:00 20:00	9/19/45	5:33:00				ml nf			36.0	36.0	37 1	e e	4 20	4 38	3 89					4 14	hono			
12/16/45 20:30:00 Raoiki 20:00 21.9 s 4.18 5.41 4.96 5.19 hono felt component dismantled too high for felt report?; VL 490, p. 3	7/17/43	5.55.00	\dashv	-				-	50.0	30.0	37.1	,	4.27	7.50	3.37					7.14	110110	(CDE)		
2/6/46 4:45:00 19 8.00 155 28.70 hilea	12/16/45	20:30:00				kaoiki			20.0	20.0	21.9	s	4.18	5.41	4.96	i				5.19	hono	felt		
2/14/46 9:03:00 ml swr 48.0 48.8 s 4.26 trace trace 4.26 nomo middle SW rift VL 491, p. 5 2/23/46 22:44:00 kohala? 60.0 60.7 s 4.41 trace trace trace 4.41 nomo felt felt-n Kona, s Kohala closer? or feeble?; VL 491, p. 5 4/8/46 8:58:00 ml mok deep? 40.0 35.0 35.0 53.2 s-felt 4.32 trace trace 4.32 nomo felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 Honolulu record, felt report, and magnitude suggests ler sf; ed assumed for mag agreement; VL 492, p. 7 5/19/46 18:36:00 kl ler sf? 10.0 60.0 60.8 s-felt 4.63 4.73 4.72 4.72 hono felt felt-np, Hilo 492, p. 7			19	8.00 1:	55 28.7				,			s-felt												
2/14/46 9:03:00 ml swr	2/8/46	6:15:00				ml ner			30.0	30.0	31.3	s-felt	4.17	4.37	4.37					4.37	hono	felt	NE rift; felt-hnp, Pahala, Hilo	VL 491, p. 5
2/23/46 22:44:00 kohala? 60.0 60.7 s 4.41 no no trace trace 4.41 no no felt felt-n Kona, s Kohala closer? or feeble?; VL 491, p. 5 4/8/46 8:58:00 ml mok deep? 40.0 35.0 35.0 53.2 s-felt 4.32 trace trace 4.32 no no felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 Honolulu record, felt report, and magnitude suggests ler sf; ed assumed for mag agreement; VL 472 hono felt felt-np, Hilo 492, p. 7								T	Ţ	Ţ					l			7]				
2/2/3/46 22:44:00 kohala? 60.0 60.0 60.7 s 4.41 trace 4.41 nomo felt felt-n Kona, s Kohala closer? or feeble?; VL 491, p. 5 4/8/46 8:58:00 ml mok deep? 40.0 35.0 53.2 s-felt 4.32 no no felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 5/19/46 18:36:00 kl ler sf? 10.0 60.0 60.8 s-felt 4.63 4.72 hono felt felt-n Kona, s Kohala closer? or feeble?; VL 491, p. 5 4/8/46 8:58:00 ml mok deep? 40.0 35.0 53.2 s-felt 4.32 no no felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 5/19/46 18:36:00 kl ler sf? 10.0 60.0 60.8 s-felt 4.63 4.72 4.72 hono felt felt-nh, Kina, s Kohala closer? or feeble?; VL 491, p. 5 4/8/46 8:58:00 ml mok deep? 4.00 53.2 s-felt 4.32 t	2/14/46	9:03:00	_	\perp	+	ml swr			48.0	48.0	48.8	S	4.26							4.26	nomo		middle SW rift	VL 491, p. 5
4/8/46 8:58:00 ml mok deep? 40.0 35.0 35.0 53.2 s-felt 4.32 no no trace trace 4.32 no no felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 Honolulu record, felt report, and magnitude suggests ler sf; ed assumed for mag agreement; VL 492, p. 7 5/19/46 18:36:00 kl ler sf?	2/22/45	22.44.00				koholo 9			60.0	60.0	60.7		4.41		l					[, ,,]	nome	folt	falt n Kona a Kahala	alosar? or fachla?: VI 401 p. 5
4/8/46 8:58:00 ml mok deep? 40.0 35.0 35.0 53.2 s-felt 4.32 trace trace 4.32 nomo felt deep under Mauna Loa in VL; felt widely VL 492, p. 7 Honolulu record, felt report, and magnitude suggests ler sf; ed assumed for mag agreement; VL 4.72 hono felt felt-hnp, Hilo 492, p. 7	2/23/46	22:44:00	+	-+		Konaia !	 	-	00.0	00.0	00.7	S	4.41							4.41	пошо	ien	ICIT-II KOHA, S KOHAIA	closer; or reepler; VL 491, p. 5
Honolulu record, felt report, and magnitude suggests ler sf; ed assumed for mag agreement; VL 4.72 hono felt felt-hnp, Hilo 492, p. 7	4/8/46	8:58:00				ml mok deen?		40.0	35.0	35.0	53.2	s-felt	4.32							4.32	nomo	felt	deep under Mauna Loa in VI.: felt widely	VL 492, p. 7
5/19/46 18:36:00	1, 0, 10	5.55.55	_	-				70.0	55.0	55.5	55.2									2				
5/19/46 18:36:00 kl ler sf? 10.0 60.0 60.8 s-felt 4.63 4.73 4.72 4.72 hono felt felt-hnp, Hilo 492, p. 7																								
	5/19/46	18:36:00				kl ler sf?		10.0		60.0	60.8	s-felt	4.63	4.73	4.72					4.72	hono	felt	felt-hnp, Hilo	
8/8/46 16:28:00 ml ner? 30.0 30.0 31.3 s-felt 4.17 trace trace 4.17 nomo felt NE slope Mauna Loa; felt-hnp VL 493, p. 3																								
	8/8/46	16:28:00				ml ner?	1		30.0	30.0	31.3	s-felt	4.17	trace	trace					4.17	nomo	felt	NE slope Mauna Loa; felt-hnp	VL 493, p. 3

				Т																				
_D					Lon	ъ.	Publ		Publ		Slant		M	M M-		M vert			M other		M pref		T (C.)	
Date	HST de	eg i	min de	eg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pret	source	I max	Location/felt report the strongest quake we've had in quite awhile	Comment
																							rocked the volcano and Kau regions; felt duration	
l						, ,								no									several sec, no damage; felt in Honolulu	
9/4/46	13:21:00	+		+		ml ner?			30.0	30.0	31.3	s-felt	4.17	trace						4.12	hono	III	[unlikely?] NE slope Mauna Loa 1 mi e of Mauna Loa	VL 493, p. 3; HTH, 9/5; 10/6/1946
10/8/46	23:56:00	19 2	9.70 1	55 2	22.50	kaoiki	16.0	16.0		14.0	21.2	s-felt	3.90	trace			4.06			4.06	hono	felt	seismograph; felt-hnp, Hilo	VL 494, p. 7
																							NW coast of Hualalai; felt-Kona, Maui; Warshauer	
														obsc.	obsc.								notes: An earthquake October 10 was widely felt on Maui and scattered points on this island	
10/10/46	5:59:00					hualalai deep		40.0	90.0	90.0	98.5	vf-felt	4.15		trace		4.79			4.47	aver	felt	originated deep under the Hualalai coast	VL 494, p. 7; HTH, 11/5/1946
																								[not sure whether s-p horizontal has the same
																							e slope Mauna Loa; Warshauer notes: the earthquake of October 29, which rocked most of	characteristics as the Neumann-LaBarre instrument after Nov./1946]; Hon film time is 18:46,
																							the eastern half of Hawaii, originated deep under	nomogram magnitude accepted; VL 494, p. 7; HTH,
10/29/46	18:43:00		_	_		kaoiki deep		20.0	20.0	20.0	28.3	s	4.10	<4.37			3.59			4.10	nomo		the east slope of Mauna Loa.	11/5/1946
11/30/46	1:54:00					kaoiki deep		40.0	20.0	20.0	44.7	s	4.42	4.22	no trace					4.22	hono		e slope Mauna Loa	VL VL 494, p. 7
				1																			*	
12/22/46	7:02:00	_	_	+	-	hilo	24.0	24.0	30.0	30.0	38.4	f-felt	4.09	<4.32	<4.32		4.32	!		4.32	hono	felt	felt-e Hawaii island	VL 494, p. 7; Hon film time is 7:04
1/15/47	9:47:00					ml ner			30.0	30.0	31.3	s	4.17	4.37	<4.27		4.83			4.37	hono		NE rift; M-S magnitude accepted as preferred	N-L high?; VL 495, p. 6; Hon film time is 9:48
						,						f-felt			no								NE rift; felt generally-e Hawaii island; mag	
2/26/47	18:54:00			+		ml ner			30.0	30.0	31.3	(slight?)	4.17	<4.55	trace		<4.47			4.17	nomo	felt	calculated assuming "slight" fits felt report better	VL 495, p. 6; not found in HTH
																							deep under Mauna Loa; felt widely-Hawaii island; dismantled MLO seismometer; Warshauer notes:	
																							strong quake under Mauna Loa east slope	
												m										v	dismantled seismographs at HVO; shallower than others recently; especially strong at and Kapapala;	shallower?, or slight?; VL 495, p. 6; HTH,
3/19/47	23:06:00					ml mok deep	40.0	40.0	35.0	35.0	53.2	(slight?)	4.80	4.38	4.22		4.42			4.34	hono		felt in Hilo	3/20/1947
0.04.44	45.05.00											,		4.17			4.55						W 1.1	NATIONAL AND
3/21/47	17:37:00	19 4	14.00 1	56	3.80	hualalai				91.0	91.5	I	4.37	<4.17 no	_		4.57			4.37	nomo		Keahole pt	N-L high?; VL 495, p. 6; not found in HTH
4/12/47	1:46:00					kaoiki			20.0	20.0	21.9	s-felt	4.18	trace			trace			4.18	nomo	felt	felt-Kapapala	VL 496, p. 3
4/12/47	2:29:00					kaoiki			20.0	20.0	21.9	s-felt	4.18	no trace			trace			4.18	nomo	felt	felt-Kapapala	VL 496, p. 3
4/12/47	2:29:00			+		Katiki			20.0	20.0	21.9	5-1CI	4.10	пасс	tracc		trace			4.10	пошо	icit	moderate depth under Kilauea; felt locally and as	VL 490, μ. 3
	23:00:00			4		kl cal 10-20?		15.0	4.0	4.0	15.5	m		<4.12			4.48			4.18	nomo	felt	far as Papaikou; MLO instrument dismantled	N-L high?; VL 496, p. 3
6/19/47	5:24:00			+		kl cal 10-20?		13.0	4.0	4.0	13.6	m	4.09	4.18	4.02		3.85			4.02	hono	felt	shallow under Kilauea; felt locally; e-w dismantled deep under Kilauea; felt locally and at Naalehu; E-	VL 496, p. 3
																	no	.					W seismograph dismantled; Warshauer notes: An	
8/18/47	9:52:00			4		kl cal deep		21.0	5.0	5.0	21.6	m	4.41	4.15	4.39		record	l		4.27	hono	felt	earthquake at 9:52 AM was felt as far as Hilo.	VL 497, p. 3; HTH, 8/18; 19/1947
																							Mauna Loa in VL; felt locally and at Naalehu; Warshauer notes: strong at Naalehu and Kapapala,	
														no	no		no	.					"much stronger" than the [Kilauea] quake at 9:52	
8/19/47	6:44:00			4		kaoiki?			20.0	20.0	21.9	s-felt	4.18	trace	trace		record	l		4.18	nomo	felt	a.m. Aug. 18	VL 497, p. 3; HTH, 8/19/1947
																							deep below Humuula; felt widely-Hawaii island,	
																							few on Maui; Warshauer notes: Big Island, from to Hilo and as far west as Pahala in Kau, shook for	
																							3.5 min early Sunday; no damage; slow swaying,	Honolulu data average of 2 readings; shallower?;
9/21/47	5:50:00	19 4	2.20 1	55 2	28.00	ml nf deep	36.0	36.0		37.2	51.8	s-felt	4.52	4.35	<4.50		4.28			4.31	hono	IV	intense for 20 sec, acc by rumbling	VL 497, p. 3; HTH, 9/22/1947
																							east of Kilauea crater; felt generally-s Kona to Hilo; Warshauer notes: Roused sleepers all over	
																							island, duration > 1 min; toppled radio antenna and	
9/30/47	4:04:00					11 1	11.0	25.0	5.0		25.5	m	4.52	4.45	4.63		5.15			4.74	hono	v	caused a hole to form in Hilo; movement horizonta and vertical; dismantled all seismographs on island	
9/30/4/	4:04:00			+		kl cal deep	11.2	25.0	5.0	5.0	25.5	m	4.52	4.45 no	_		3.13			4./4	110110	v	and vertical, dismanded an seismographs on island	7/30/1747
10/17/47	0:27:00	19 1	6.80 1	55 2	27.20	kaoiki			26.0	26.3	27.8	s-felt	4.09	trace			4.11			4.11	hono	felt	near Kapapala; felt generally-e Hawaii island	VL 498, p. 3
10/21/47	2:13:00	ر اما	9 50 1	55	25 50	ml mok				35.2	36.3	m	4.53	4.43	4.33		4.11			4.29	hono	v	Mokuaweoweo; felt widely-e half Hawaii island; clocks stopped in s Kona	VL 498, p. 3; not found in HTH
10/31/47	2:15:00	19 2	0.50 1	22 3	33.30	IIII IIIOK				33.2	30.3	m	4.53	4.43	4.33		4.11			4.29	110110	ı v	ctocks stopped iii s Kolia	¥ L 470, р. 3; пот тоши ш п т п

	Tir				Lon				Publ		Slant		M	М М-		M vert			M other		M pref			
Date	HS	ST deg	min	deg	min	Region	depth	depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
																							felt-hnp, Hilo; Warshauer notes: deep earthquake 20 mi under Kilauea; rattled windows and dishes in the Hilo, Volcano and Kau districts; pronounced vertical motion; felt quite plainly in hnp region, acc. by a rumble; dismantled mlo and HVO	
12/14/47	10:1	0:00				kl cal deep	32.0	32.0		5.0	32.4	m	4.69	<4.27	<4.27		4.89			4.69	nomo	IV	seismographs Mokuaweoweo; felt-e half Hawaii island;	N-L high, M-S low; VL 498, p. 3; HTH, 12/15/1947 Honolulu data average of 2 readings; N-L mag high;
12/20/47	5:1	8:00 19	28.5	155	35.50	ml mok				35.2	36.3	s-felt	4.28	<4.17	<4.22		4.72			4.42	hono	felt	Warshauer notes: widely felt	VL 498, p. 3; HTH, 12/2/1947
12/24/47	6.3	8:00 19	21.5) 155	25.60	kaoiki				19.2	21.2	s-felt	4.16	no trace	no trace		no trace			4.16	nomo	V	e slope Mauna Loa near Ainapo; felt-hnp, Hilo,; Warshauer notes: The third earthquake to originate under Mauna Loa in five days awakened Big Island residents at 6:38 a.m. today. It was particularly noticeable in the Puueo section of Hilo.	VL 498, p. 3; HTH, 12/24/1947
12/2 // //	0.5	0.00 17	21.0	, 100	20.00					17.2	21.2		0										e slope Mauna Loa; felt-hnp; Warshauer notes:	
1/8/48	16:1	5:00				kaoiki			20.0	20.0	21.9	s-felt	4.18	no trace	no trace		4.12			4.12	hono	felt	Seismographs at Hawaii National Park registered a fairly deep earthquake southwest of Kilauea volcano at 4:30 p.m. Thursday. The quake was felt in the volcano district and parts of Hilo.	VL 499, p. 3; HTH, 1/9/1948 [time differs from VL -same quake or a separate one, possibly kl cal deep, not recorded in VL 499?]
																							NE slope Mauna Loa; felt-hnp, Hilo; Warshauer notes: a moderate [slight in] earthquake was felt at 6:16 a.m. today, lasting several seconds in the Puueo section of Hilo. It was felt, not severely, in	
1/15/48	6:1	6:00				ml ner			30.0	30.0	31.3	s-felt	4.17	<4.37	trace		<3.27			4.17	nomo	III	the volcano region and other sections of the island.	VL 499, p. 3; HTH, 1/15/1948
														no	no								NE rift; felt- to Hilo; Warshauer notes: A moderate earthquake, originating on the northeast slope of Mauna Loa, was registered at 11:02 p.m.; the earthquake was felt over a wide area, including the	
1/26/48	23:0	2:00				ml ner			30.0	30.0	31.3	s-felt	4.43	trace	trace		4.61			4.61	hono	felt	Puueo section of Hilo	N-L high?; VL 499, p. 3; HTH, 1/27/1948
3/9/48	15:4	6:00				kohala?			65.0	65.0	65.6	s-felt	4.46	no trace			4.43			4.43	hono	felt	felt from Hilo to Kona; off coast north of Hualalai; Warshauer notes: An earthquake, originating either under Hualalai or Mauna Kea, was recorded by HVO at 3:46 p.m. Tuesday. The quake was felt over a wide area, including Hilo and.	closer? or feeble?; newspaper location (approx 65 km from HVO gives better fit than location (95 km from HVO); VL 499, p. 3; HTH, 3/10/1948
3/19/48	16:1	8:00				kl cal deep		25.0		3.0	25.2	m	4.52	4.16	det		4.78			4.35	hono	IV	deep Kilauea; felt-Hilo to Naalehu; Warshauer notes: A sharp temblor shook the Big Island at 4:18 p.m. Friday, the strongest in three months; a vertical quake, strongly felt in the volcano area and in most areas of Hilo	Honolulu amplitude average of two readings; N-L
																							originated deep under Hualalai at 11:33 a.m.	
5/22/48	11:3	4:00				hualalai deep		20.0	70.0	70.0	72.8	s-felt	4.54	4.10	no trace		no record			4.10	hono	felt	Saturday. The temblor was felt in the volcano district.	closer to Kilauea? and/or shallower?; VL 500, p. 4; HTH, 5/24/1948
5/24/48	22.1	c.00				ml ner			30.0	30.0	31.3	s-felt	4.17	no trace			no trace			4.17	nomo	felt	NE rift; felt-hnp	VL 500, p. 4
		2:00 21	12.0) 157	54.00	oahu			30.0	340.8			5.61	seis	seis		seis dism.	4.80	Cox; (W&K, p.			VI; VI	Oahu; felt-Hilo; Warshauer notes: felt in Hilo and recorded at HVO; 125-150 miles away, possibly in Molokai vicinity; considerable damage in Honolulu, including houses shifted on foundations, pipes broken and lots of broken plaster and window	Cox, 1986; Cox mag too low?-even HVO location near Molokai yields M 5.4 5; wrong date6/26/48 in VL 500, p. 4; HTH, 6/28/1948; see bib for more
																							e of Kilauea crater; felt-hnp; awakened people; Warshauer notes: Residents of the volcano district were jarred by two "fairly sharp" temblors at 2:28 and 2:31 a.m. today. Both quakes were felt generally in the volcano district. No reports from	N-L low; VL 501, p. 3; HTH, 7/30/1948; HTH,
7/30/48 7/30/48		8:00 1:00		\vdash		kl cal 10-20? kl cal 10-20?		15.0 15.0		3.0	15.3 15.3	m m	4.17 4.17	4.25 4.15			3.70			4.10	hono hono	V	elsewhere.	8/5/1948 do
9/13/48							36.0		32.0	32.0	48.2	m		5.15			4.88			5.09	hono	IV	se of Mauna Kea; felt-e half Hawaii island; Warshauer notes: A heavy earthquake, felt all the way from Hilo to, rocked the southern end of the Big Island at 8:22 a.m. today. Finch said they were deep under Mauna Loa.	VL 501, p. 3; HTH, 9/13/1948
														no	no					,			*	
9/15/48	9:4	5:00 19	28.5) 155	35.50	ml mok				35.2	36.3	S	4.05	trace	trace		3.22			4.05	nomo		Mokuaweoweo	N-L low?; VL 501, p. 3

Date	Tin HS			Lon deg	Lon min	Region	Publ depth	Pref	Publ	Calc Dist	Slant dist	Mag class	M nomo		M M-	M vert SPN	M hor N-L M o		M other source		M pref source	I max	Location/felt report	Comment
							церии					mag emiss		no	no	,	no	ouiei	source			1111111	2 mi NE of Mokuaweoweo; one of the strongest	
1/6/49	15:59	9:00 19	28.50	155	35.50	ml mok		8.0		35.2	36.1	m	4.53	trace	trace	:	trace	-		4.53	nomo		quakes of the series above wood valley; Warshauer notes: Hilo this	closer? or slight?; VL 503, p. 7, 8
																							morning was rocked by a heavy earthquake at 6:40,	
															200								dismantled the e-w component of the Hilo	closer? normal Kaoiki depth?; VL 503, p. 8; HTH, 1/15; 16/1949 [time given as 12:40 a.mnewspaper
1/15/49	6:40	0:00				ml swr deep	36.0	20.0	25.0		32.0	m		4.45			4.07			4.26	hono	IV	island, particularly in Kona, Kau, Puna and Hilo.	time fits Hon time]
1/15/49	11:16	5:00				kohala os			110.0	110.0	110.4	s	4.82	4.50	4.08	3	4.78	-		4.45	hono		ocean w of Kohala	closer?; VL 503, p. 8
																							Deep; 10 mi SW of; Warshauer notes: A moderate earthquake at 2:28 p.m. Thursday originated at	
																							Kohala or the NW part of Mauna Kea; described as	
1/20/49	14:27	7:00 19	55.00	155	46.70	mauna kea deep		40.0		76.8	86,6	vf-felt	4.06							4.06	nomo	felt	"very distinct" at Honokaa; also felt at Kona and Kohala and very slightly at the volcano.	VL 503, p. 8; HTH, 1/21/1949
						mauna kea								no			no						, , ,	•
1/26/49	13:06	5:00 19	55.00	155	46.70	deep		40.0		76.8	86.6	f	4.33	trace	trace	:	trace	\rightarrow		4.33	nomo		10 mi SW of Waimea Ohaikea; Warshauer notes: a slight temblor at	VL 503, p. 8
																							11:47 p.m. originated under the east slope of	
1/26/49	22.57	7.00 10	24.50	155	22.70	kaoiki	8.0	8.0		12.6	14.9	m	4.15	4 16	4.18	,	4.38			4.24	hono	felt	Mauna Loa; plainly felt at Naalehu; [same as the moderate quake in at 11:57?]	Honolulu data average of two readings; VL 503, p. 8; HTH, 1/27/1949
1/20/49	23:37	7:00 19	24.30	133	22.70	Katiki	8.0	8.0		12.0	14.9	111	4.13	4.10	4.10	,	4.36			4.24	попо	ieit	moderate quake in at 11.57?}	Honolulu data average of two readings; VL 503, p.
1/28/49	15:50	0:00				kaoiki	8.0	8.0	20.0	20.0	21.5	m	4.41	<4.02	<4.20		4.28	_		4.28	hono		e slope Mauna Loa	8; HTH, 2/26/1949
																							NE rift 7000 ft; felt strongly-Hilo to Naalehu; Warshauer notes: the large [quake] at 1:55	
																						V	emanated from the northeast rift at an altitude of	
2/26/49	13:54	4:00 19	33.20	155	24.20	ml ner				20.3	22.2	st	4.70	4.85	4.71		5.13			4.90	hono	(USE); IV	7,000 feet; dismantled instruments at HVO and Hilo; felt from Naalehu to Hilo, perhaps wider	VL 503, p. 8; HTH, 2/27; 28/1949
														no	no									* * .
4/11/49	18:40	0:00				kaoiki			20.0	20.0	21.9	m	4.42	trace	trace		4.46			4.46	hono	felt	Kaoiki fault; felt- w slope Mauna Loa; felt-Hilo, strongly at Puu	closer? or slight?; VL 504, p. 5
																							Ulaula, Holualoa to; Kona seismograph broken;	
																						VI; V (USE;	many sleepers awakened, some rushed out-of- doors; some objects thrown from shelves-	Honolulu data average of two readings; distance given from crude isoseismal mapassumes strong
5/2/49	5:02	2:00				kona?			15.0	15.0	17.5	st	4.54	4.00	det		4.34			4.17	hono		Honaunau to Kealakekua	on Kona seismograph; VL 504, p. 5
														no	no							IV	both ml seismograph components dismantled;	
5/7/49	23:26	5:00 19	28.50	155	35.50	ml mok	19.2	19.2		35.2	40.1	st	5.12	trace		,	4.47			4.47	hono	; III	Mokuaweoweo; felt-Holualoa, Kealakekua,	closer? or moderate?; VL 504, p. 5
5/21/49	1:06	5:00				ml wf			50.0	50.0	50.8	f-felt	3.96	no trace			4.14			4.14	hono	felt	w slope Mauna Loa; felt-Holualoa	VL 504, p. 5
3/21/49	1.00	5.00							30.0	30.0	50.0	1 1011	3.70	iracc	Line					7.17	110110	1011	s slope ml near Kapapala; felt strongly-Pahala; also	72501, p. 5
																							hnp, Hookena; both comp. ml seismograph dismantled; Warshauer notes: sharp earthquake	
																						v	under Mauna Loa was also recorded on the Hilo	
5/23/49	10.24	1.00 10	16.00	155	27.20	kaoiki			26.0	26.3	27.8		4.35	3.97	det		4.16			4.07	hono	(W&K) ; IV	seismograph; The quake was felt particularly strongly at Kapapala	Honolulu data average of two readings; VL 504, p. 5; HTH, 5/23/1949
3/23/49	10:24	19	10.80	155	27.20	Kaoiki			26.0	20.3	21.8	m	4.33	3.97 no		,	no			4.07	попо	, I V	NE rift; both components of ml seismograph	3, H1H, 3/23/1949
6/8/49	14:12	2:00				ml ner	5.0	5.0	25.0	25.0	25.5	m	4.29	trace	trace		trace			4.29	nomo	III	dismantled	closer? or slight?; VL 504, p. 5
6/25/49	19:27	7:00 19	15.00	155	36.50	hilea	16.0	16.0		41.8	44.7	s	4.20	no trace			no trace			4.20	nomo		do	VL 504, p. 5
7/5/49	0:44	4:00 10	30.40	154	51.00	h1 1am a60	10.2	10.0		44.1	45.3	m	4.02	4.74	4.65		4.70			4.70	hono		e rift near Kapoho [Honolulu magnitude suggests either deep rift event or adjacent south flank]	shallow on Honolulu seismogram; VL 505, p. 3
1/3/49	0:44	+.00 19	30.40	134	31.00	kl ler sf?	19.2	10.0		44.1	45.3	m	4.92	4./4	4.03	1				4.70	попо		cities deep fitt event of adjacent south frank]	Honolulu amplitude average of two readings; VL
8/30/49	14:27	7:00 19	9.20	155	8.80	kuer sf os deep	36.0	36.0	31.5	33.1	48.9	s-felt	4.48	4.07	<4.17		4.87			4.47	hono	felt	8 mi SSE of Apua pt; felt-volcano	505, p. 4
																							Kaoiki fault 3-4 mi NE of Kapapala ranch; felt strongly-Kapapala to, weakly-volcano to Hilo,	
																							pahoehoe to Holualoa; Warshauer notes: "strong"	
9/1/49	12:53	3:00 19	19.70	155	25.70	kaoiki				21.0	22.9	m	4.45	<4.12	<4.12		4.16			4.16	hono	IV; V (W&K)	earthquake disabled mlo seismograph [otherwise repeats info]	Honolulu data average of two readings; VL 505, p. 4; HTH, 9/2/1949
2, 1, 72	12.00	17	17.70	100						21.0	7		5							0			Mauna Kea summit; felt-hunters at 10,000 ft on	
																							Mauna Kea; Warshauer notes: A rapid fire series of earthquakes in a pattern often indicative of an	
																							impending eruption occurred November 4 directly	
11/4/49	12.12	2.00	40.50	155	20 50	mauna kea	22.0	22.0		49.3	58.8	f-felt	4.06	no trace		1	no trace			4.06	nomo	felt	under the summit of Mauna Kea at a depth of 20 miles.	VL 506, p. 4; HTH, 11/18/1949
11/4/49	12:12	2:00 19	1 49.50	133	28.50	шаша кеа	32.0	32.0		49.3	38.8	1-1611	4.06	пасе	trace	1	uace			4.06	пошо	ieit	mino.	v = 500, p. 4, 11111, 11/16/1949

Date			Lat min	Lon deg	Lon min	Region	Publ denth	Pref depth	Publ dist	Calc Dist	Slant dist	Mag class	M nomo	M M- S EW		M vert SPN		M other	M other source		M pref	I max	Location/felt report	Comment
						·			uist					no	no	DIII	no		Source				Mauna Kea summit; felt-hunters at 10,000 ft on	
11/4/49	13:02:00	19 4	9.50	155	28.50	mauna kea	32.0	32.0		49.3	58.8	f-felt	4.06	trace	trace		trace			4.06	nomo	felt	Mauna Kea	VL 506, p. 4
11/25/49	7:58:00	19 2	28.50	155	33.00	ml mok	32.0	21.6		30.9	37.7	m	4.56	<4.67	<4.55	bad record				4.56	nomo	III	e slope Mauna Loa near Mokuaweoweo; felt-hnp, r Kona to Hilo; Warshauer notes: felt over most of Big island; Finch placed the quake 12-15 mi below Mauna Loa's summit [20 mi in]; dismantled one component HVO, both components mlo seismographs	
3/25/50	5:43:00					kaoiki	28.0	10.0	27.0	27.0	28.8	st	4.89	4.50	4.50	4.36	4.67	,		4.51	hono	v	5000 ft east slope Mauna Loa; felt widely-Hawaii island; quake awakened many on Big island; particularly strong at Naalehu, Hilo and hnp; described as "moderate to strong", dismantled seismographs at Mauna Loa, Hilo and HVO (one component)	shallower?, closer? or moderate; VL 507, p. 4; HTH, 3/25/1950
5/29/50	15:17:00	19 3	30.00	156	0.00	kona			70.0	78.3	78.8	st	5.59	no record		no	no record	,		6.32	aver	VII; VII (S&C)	upper SW rift; widely felt; all instruments dismantled; damage to water tanks, stone walls, in Kona; Warshauer notes: quake rocked Big Island; duration >5 min; Hilo-broke china, lamps swung; Kona-bottles off shelves; Kona/Hilo seis dism; felt offshore	isoseismal map in W&K [W&K prefer Kona location, which we accept]; VL 508, p. 12; additional felt reports in HTH, 5/30; 6/1/1950
6/2/50						ml swr?		5.0		30.0	30.4	s?	3.93		<3.97	4.00	<3.27			4.00				seismogram pictured in VL 509, p. 4; measured amp fits slight, but caption gives wrong day; Honolulu data average of two readings; not separately listed in VL 508
														no	no								preferred magnitude calculated as average of	
6/4/50	10:13:00					ml swr?		5.0		30.0	30.4	m?	4.41	trace	trace	3.92	3.42			4.04	aver		Honolulu and nomogram preferred magnitude calculated as nomogram	not separately listed in VL 508 earthquake swarm; 2 events (s), not separately listed
6/4/50	23:59:00	_	_	_		ml swr?		5.0		30.0	30.4	s	4.15							4.43	calc		magnitude multiplied by number of events	in VL 508, p. 12
6/4/50	23:59:00					do		5.0		30.0	30.4	f	3.61							4.15	calc		preferred magnitude calculated as nomogram magnitude multiplied by number of events	earthquake swarm; VL 4 events (f), not separately listed in VL 508, p. 12
6/5/50	22:50:00					ml swr?		5.0		30.0	30.4	f	3.61							4.04	calc		preferred magnitude calculated as nomogram magnitude multiplied by number of events	earthquake swarm; 3 events (f), not separately listed in VL 508, p. 12
																							Warshauer notes: A series of tremors recorded by HVO were punctuated sharply by a heavy earthquake at 3:09 a.m. and another at 9 a.m. yesterday. The first one was sufficient intensity to dismantle the instrument and the second was strong	3
6/5/50	3:08:21	-				ml swr? ml swr?		5.0		30.0	30.4	m? m?	4.65 4.41	4.80						4.87		felt	enough to be felt	not separately listed in VL 508; HTH, 6/6/1950
6/6/50						ml swr?		5.0		30.0		m?			4.07					4.04				Honolulu data average of two readings; not separately listed in VL 508; should be "moderate", according to table at top of p. 12, VL 508; nomogram magnitudes high unless closer to Kona station?
																							preferred magnitude calculated as nomogram	earthquake swarm; 2 events (s), not separately listed
6/6/50	25:59:00	+	\dashv	\dashv	_	ml swr?		5.0		30.0	30.4	S	4.15				_			4.43	calc		magnitude multiplied by number of events preferred magnitude calculated as nomogram	in VL 508, p. 12 earthquake swarm; 1 events (s), not separately listed
6/7/50	23:59:00	\perp		_		ml swr?		5.0		30.0	30.4	s	4.15							4.15	calc		magnitude multiplied by number of events	in VL 508, p. 12
6/8/50	6:25:00					ml swr?		5.0		30.0	30.4	m?	4.41	4.22		no trace	trace			4.22	hono			not separately listed in VL 508; should be "moderate", according to table at top of p. 12, VL 508; nomogram magnitudes high unless closer to Kona station?
6/8/50	6:37:00					ml swr?		5.0		30.0	30.4	m?	4.41	4.07	no trace	no trace				4.07	hono			do
6/9/50						ml swr?		5.0		30.0		m?		3.97						4.09				not separately listed in VL 508; should be "moderate", according to table at top of p. 12, VL 508; nomogram magnitudes high unless closer to Kona station?
																							Warshauer notes: Two rather strong earthquakes	
6/11/50	15:43:00					ml swr?		5.0		30.0	30.4	m?	4.41	4.40	4.40	4.40	4.27			4.37	hono		were registered at the Hawaiian volcano observatory Sunday [June 11]	not separately listed in VL 508; HTH, 6/13/1950
6/11/50	23:59:00					ml swr?		5.0		30.0	30.4	s	4.15							4.15	calc		preferred magnitude calculated as nomogram magnitude multiplied by number of events	earthquake swarm; 1 events (s), not separately listed in VL 508, p. 12

Date	Time HST			Lon	Lon min	Region	Publ depth	Pref	Publ	Calc Dist		Mag class	M	M M-		M vert SPN		M other	M other source		M pref source	I max	Location/felt report	Comment
6/13/50	3:01:0		min	aeg	min	ml swr?	deptn c	5.0	dist	30.0	30.4	mag class	4.41					vi otner			hono	1 max	Location/feit report	not in VL 508
0.20.00																							Warshauer notes: Two strong earthquakes were	
																							registered yesterday [June 13], one at 2:05 p.m. and	
																							a second at 7:30 p.m. both originating under the	
6/13/50	14:04:0	00				ml swr?		5.0	37.0	37.0	37.3	m?	4.55	4.58	4.50	4.52	4.47			4.52	hono		southern rim of Mokuaweoweo, the Mauna Loa summit crater	not separately listed in VL 508; HTH, 6/14/1950
0/13/30	14.04.0	50						3.0	37.0	37.0	31.3		4.55			record	,			4.32	110110		Jumini Oruce	US C&GS location given as latitude 20° N;
																disturb								Longitude 155. 5° W; wrong?; not separately listed
6/13/50	19:47:4	47		_		ml swr?		5.0	37.0	37.0	37.3	st?	5.07	5.12	5.21	ed	5.03			5.12	hono		do	in VL 508; HTH, 6/14/1950
														no	no	no							e slope Mauna Loa; felt widely-most of Hawaii island; preferred magnitude calculated as average	
10/11/50	20:06:0	00				kaoiki deep		40.0	20.0	20.0	44.7	s-felt	4.20	trace		trace	3.88			4.04	aver	felt	of Honolulu and nomogram	VL 510, p. 4
																							•	calculated mag low; strong signal lost in swarm?, or
12/0/50	5.42.0	00				,,,	7.0	7.0	12.0	12.0	140		4	.4.47	.4.47	no	4.40			4 40	1	6.1	e of Mauna Iki; felt widely; Warshauer notes: see	deeper?; Honolulu amplitude average of two
12/9/50	5:43:0	00	_	-		kl koae	7.2	1.2	12.0	12.0	14.0	m	4.11	<4.47	<4.47	trace	4.40			4.40	hono	felt	above near Kamakaia hills; felt widely; Warshauer notes:	readings; VL 510, p. 4; HTH, 12/9/1950
																								calculated mag low; strong signal lost in swarm?, or
12/9/50	20:45:0	00 19	19.00	155	22.00	kl koae?	7.2	7.2	15.5	16.9	34.4	m	5.01	5.09	5.28	5.05	5.06			5.12	hono	felt	in Hilo and Kau	deeper?; VL 510, p. 4; HTH, 12/11/1950
12/0/50	22.50.0	00				1-1 1															1 .		nomogram magnitude multiplied by number of	Kilauea caldera-Koae earthquake swarm VL 510, p.
12/9/50	23:59:0	00		-		kl koae		4.0		6.7	7.8	S	3.21							4.12	calc		events if slight, must be kcaldeep; Warshauer notes:	4, col. 1; 10 slight events
																							dismantled HVO and ml seismographs; felt in Kau,	
12/10/50	0:42:0	00				kl koae?		7.2	16.0	16.0	17.5	s?-felt	4.03	4.64	4.68	4.79	4.68			4.70	hono	IV?	most strongly at Kapapala, and probably in Hilo	not in VL 510; HTH, 12/11/1950
																							near Kamakaia hills; Warshauer notes: dismantled	
12/10/50	5:57:0	00 19	19.00	155	22 00	kl koae?	7.2	7.2	15.5	16.9	18.4	m	4.30	4.44	4.74	4.85	4.78			4.70	hono	IV?	HVO and ml seismographs; felt in Kau, most strongly at Kapapala, and probably in Hilo	calculated mag low; strong signal lost in swarm?, or deeper?; VL 510, p. 4; HTH, 12/11/1950
12/10/30	3.37.0	00 17	17.00	133	22.00	KI KOAC:	1.2	7.2	13.3	10.9	10.4	111	4.30	4.44	4.74	4.03	4.76			4.70	попо	1 7 :	below Kamakaia hills; Warshauer notes:	deeper:, v.E. 510, p. 4, 11111, 12/11/1550
																							dismantled HVO and ml seismographs; felt in Kau,	calculated mag low; strong signal lost in swarm?, or
12/10/50	8:23:0	00 19	18.00	155	22.00	kl koae?	7.2	7.2	17.0	18.3	19.7	m	4.35	5.02	5.13	4.79	4.96			4.98	hono	IV?	most strongly at Kapapala, and probably in Hilo	deeper?; VL 510, p. 4; HTH, 12/11/1950
																							Kamakaia hills; Warshauer notes: dismantled HVO and ml seismographs; felt in Kau, most strongly at	calculated mag low; strong signal lost in swarm?, or
12/10/50	17:29:0	00 19	19.00	155	22.00	kl koae?	7.2	7.2	17.0	16.9	18.4	m	4.57	4.60	4.71	4.79	4.68			4.70	hono	IV?	Kapapala, and probably in Hilo	deeper?; VL 510, p. 4; HTH, 12/11/1950
																							Kamakaia hills; felt widely; Warshauer notes:	
12/10/50	21.25.0	00 10	19.00	155	22.00	1-1 1 0	7.0	7.2	17.0	16.0	18.4		4.57	5.21	5.37	5.31	5.15			5.26	hono	V?	strongest of series; dismantled HVO, ml and Hilo	calculated mag low; strong signal lost in swarm?, or deeper?; VL 510, p. 4; HTH, 12/11/1950
12/10/50	21:25:0	00 19	19.00	155	22.00	kl koae?	7.2	1.2	17.0	16.9	18.4	St	4.57	5.21	3.37	5.51	5.15			5.26	hono	V !	seismographs; felt in Kau and Hilo nomogram magnitude multiplied by number of	Kilauea caldera-Koae earthquake swarm VL 510, p.
12/10/50	23:59:0	00				kl koae		4.0		6.7	7.8	s	3.21							4.22	calc		events	4, col. 1; 13 slight events
10/11/50	10.50.6	00 10	15.50	1.55	25.20	11 00								2.05	205	4.41	4.24				,		GW. '61.1	Honolulu amplitude average of two readings; VL
12/11/50	12:55:0	00 19	15.50	155	25.30	kl swr sf?	7.2	7.2		25.6	26.6	m	4.55	3.93	3.95	4.41	4.34			4.16	hono		SW rift below upper end of 1823 flow south of Kilauea Iki; felt widely; Warshauer notes:	510, p. 4
																							A plainly felt earthquake accompanied by a loud	
																							rumble and a roar startled many Hilo and volcano	
12/26/50	2.55.0	00 10	24.50	155	15.00	kl cal 10-20?	12.0	15.0	2.0	2.0	15.3		4.17	4.12	<4.32	4.20	4.85			4.16	hono	V	residents out of their sleep early this morning; preferred magnitude calculated without N-L	N.I. bish, VI. 510 - 4, UTU 12/26/1050
12/20/30	2:33:0	00 19	24.50	133	13.00	Ki cai 10-20?	12.8	15.0	3.0	2.8	15.5	m	4.17	4.12 no	(4.32 no	4.20 no	4.63			4.16	попо	v	SW rift 8000 ft; Warshauer notes; felt in Hilo and,	N-L high; VL 510, p. 4; HTH, 12/26/1950
1/6/51	4:58:0	00 19	17.00	155	43.00	ml swr			51.0	50.8	51.6	s	4.30	trace		trace	4.05			4.05	hono		no report from Volcano, probably deep	VL 511, p. 4; HTH, 1/6/51
						1 1	210					s-felt; m		-4.07	.4.07		-2.27					6.1	NE -if Deer Hilade Cale Hills 4-	
2/16/51	7:26:0	JU 19	32.00	155	28.00	ml ner deep	24.0	24.0	24.5	24.5	34.3	(ml)	4.01	<4.07	<4.07		<3.27	-		4.01	nomo	felt	NE rift near Puu Ulaula; felt-Hilo to	ml mag VL 4.0-4. 5; VL 511, p. 4
																							e rift 7 mi S15E from Glenwood; felt-Kapapala, volcano to Hilo; Warshauer notes: a moderate	Honolulu amplitude average of two readings; mag agreement improved if shallower (20 km or less);
																							earthquake which originated on the east rift of	epicenter estimated non-instrumentally, its location
4/22/51	4.50	52 10	24.50	155	6.00		22 -	,,		1.5.5	25.			.4.00		no	4.2.					177	Kilauea about five miles south of Glenwood and at	only approximate; VL 512, p. 2, 4; HSB, 4/24/1951;
4/22/51	4:53:5	53 19	24.50	155	6.80	kl cal deep	33.6	33.6	9.0	15.8	37.1	m	4.55	<4.20	<4.27	trace	4.21			4.21	hono	III	a depth of 31 miles; Hilo-3	HVO unpub
																							felt-entire island, Maui, Oahu; Hilo-5, n-s, objects onto floor, clock stopped; Warshauer notes: Little	isoseismal map in W&K e rift near Kilauea crater; VL 512, p. 4; damage report on p. 1-3; HVO unpub;
																						VII;	damage, Hilo-buildings swayed/dishes broke, glass	HTH, 4/23/1951; HA, 4/23/1951; HSB, 4/24/1951;
																		6.5:	Pasadena;			VII (USE:	cracked, water main broke; hnp-damage to roads, new cracks, some subsidence, landslides in	preferred magnitude calculated as weighted average
4/22/51	14:52:0	00 19	24.50	155	13,30	kl cal deep	44 0	35.0	4.0	4.9	35.3	vst	6.27	6.31	5.95	5.72	5.79	/	Berkeley; W&K	6.23	aver	,	new cracks, some subsidence, landslides in Halemaumau	of Milne-Shaw av (1), Berkeley, Pasadena and W&K (all 1)
., 22, 31			250	200	20.00	in can accep	77.0	22.0	7.0	7.7	33.3	st	0.27	0.51	3.73	5.72	5	, 0		3.23	4,01	200)	e rift near Makaopuhi crater; felt-volcano;	strong classification inconsistent with indicated
												(moderate											Warshauer notes: An earthquake described as	hypocenter, absence of a record in Honolulu, and
4/26/51	2.50	00 10	22 40	155	9 20	1-1	10.2	10.0	11.5	12.7	17.0	?); s	4.00	-1.47	<4.47	-2.00	<3.85			4.00	nomo	foli.	"strong" was recorded on HVO and Hilo [slight] seismographs at 3:57:44 this morning.	limited felt reports; Hilo (s) yields calculated mag 3.90-4.38; error in VL 512, p. 5?; HTH, 4/26/1951
4/26/51	3:38:0	υυ 19	25.40	100	8.30	kl mer	19.2	10.0	11.5	13.7	1 /.0	(hilo)	4.00	<4.47	<4.47	< 5.90	<3.85			4.00	nomo	relt	seismographs at 3:57:44 this morning.	3.90-4.38; error in VL 312, p. 5?; H1H, 4/26/1951

	Time			Lon	Lon		Publ Pre			Slant			M M-		M vert			M other		M prei			
Date	HST	deg	min	deg	min	Region	depth dep	th dist	Dist	dist	Mag class	nomo			SPN	N-L	M other	source	pref	source	I ma		Comment
6/11/51	8:33:0	10	29.80	155	2.10	ld ala	11.2 10		24.9	26.9	s-felt	4.07	no trace		no trace	no trace			4.07	nomo	III	6 mi w of Pahoa; felt-Hilo to volcano; Hilo-2, typical local quake, one short quick jerk	VL 512, p. 5; HVO unpub
6/11/51	8:33:0	JU 19	29.80	155	2.10	Ki gin	11.2 10	0.0	24.9	26.9	s-ieit	4.07	trace	trace	trace	trace			4.07	nome) 111	1	VL 512, p. 5; HVO unpub
8/21/51	0:57:0		30.00	155	57.00	kona		72.0			st	5.54	5.87				6.75; 7.0; 6.9	PAS; BERK; GUTE			s&C		of description are 19 29. 5 and 155 58.3 offshore; VL 513, p. 6; HTH, 8/21/1951; HVO, unpub; see also bib for detailed felt reports
8/21/51	8:03:0	00				kona		10.0	10.0	13.5	m (kona)	4.08	4.40	4.48	4.24	3.84			4.24	hono)	S1: W	closer? or moderate at Kona; VL 513, p. 6
8/21/51	9:57:0	00				kona		10.0	10.0	13.5	st (kona)	4.36	4.24	4.10	3.97	3.92			4.06	hono	felt	felt-Kona to volcano; Kapapala ranch (10:00 am)- slight earthquake	numerals-in remarks column refer to HVO postcards]
	10:12:0					kona		10.0		13.5	st (kona)	4.36	4.18		4.27				4.28	hono		felt?; Kapapala ranch (11:15 am-time off by one	numerals-in remarks column refer to HVO postcards]
8/21/51						kona		10.0			st (kona)		4.30						4.36			nour // origin curriquite	VL 513, p. 6
																						felt-Kona to volcano; Capt. Cook (Greenwell	numerals-in remarks column refer to HVO
8/21/51	22:48:0	00				kona		10.0	10.0	13.5	st (kona)	4.36	4.78	4.70	4.87	5.01			4.84	hone	V !	diary)-big shaker felt-Kona to Kapapala; Kapapala ranch (6:20 am)-	postcards] closer? or moderate at Kona; VL 513, p. 6; HVO,
8/22/51	6:38:0	00				kona		10.0	10.0	13.5	m (kona)	4.08	4.40	4.24	4.09	4.22			4.24	hono	III	slight earthquake; Capt. Cook (Greenwell diary)-0630, good one	unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
8/22/51						kona		10.0					4.74	4.70	4.49	4.76			4.67	hono	o IV	felt-Kona to volcano; Kapapala ranch (5:18 PM)- medium earthquake	numerals-in remarks column refer to HVO postcards]
	12:29:0					kona		60.0			f; s (kona)				,				4.09			Kealakekua fault; Capt. Cook (Greenwell diary)- PM, fair one	Kona mag 3.8-4.3 if s part of fault; VL 513, p. 6; HVO, unpub [intensities-arabic numerals-in remark column refer to HVO postcards]
9/16/51	1:43:0	00 19	19.00	155	25.90	kaoiki		21.:	5 22.0	23.8	st	4.75	4.87	5.22	4.94	4.93	5.00		4.99	hono		Kaoiki fault 3 mi NE of Kapapala; felt-Kona to Hilo; felt-Hilo-3 to IV; Hilo-3 to IV [date given as 9/15]; Warshauer notes: shook the Big Island; dismantled HVO and ML seismographs; strong in ; Hilo, Volcano. Pahala, and Kona; no serious damage	
9/25/51	1:23:0	00 19	43.60	155	55.80	hualalai		77.0	77.8	78.3	s-felt; m (kona)	4.59	no trace	no trace	3.58	4.07			4.17	avei	r felt	do; felt generally-n Kona; Warshauer notes: see above; preferred magnitude calculated as average of Honolulu and nomogram	Kona mag VL 4.3-4.8; closer to Kona?; preferred magnitude averages Whitney, Kona and two Honolulu magnitudes; VL 513, p. 6; HTH, 9/25/1951
10/9/51	4:45:0	00				kona		60.0	60.0	60.7	s	4.63	no trace	no trace	no trace	3.62			4.12	avei	r IV	central Kona; assume 10 km from Kona; felt-Kona to Hilo; Kealakekua-strong and short; Hilo-2, very light; preferred magnitude calculated as average of Honolulu and nomogram	VL 514, p. 4; HVO, unpub [intensities-arabic
40.45.54			22.50		12.10	hilo				40.4	s-felt; m-	40.5	no	l .	no						o felt	3000 ft NE rift; felt-volcano, Hilo	ml mag 3.9-4. 4; VL 514, p. 4
10/17/51	9:34:0		9.00			ml swr		60.0			ml st	5.39	5.62						5.63		VI; V	4500 ft SW rift; felt-s Hawaii island; Warshauer notes: "strong" quake shook Big Island; no damage; felt all island; Kona dur 30 sec; Kahuku I Ranch-stone fences down, concrete sidewalks ; cracked, few dishes broken; additional felt reports	VL 514, p. 5; HTH, 11/8; 9/1951; HVO, unpub [intensities-arabic numerals-in remarks column refe to HVO postcards]
											s-felt; m		no	no	no	no						Kealakekua fault 5 mi w of Napoopoo; felt-central	Kona mag 3.8-4.3; location wrong-se of Napoopoo?; or feeble at Whitney?; Kona magnitude
11/23/51	8:22:0	00 19	28.50	155	59.80	kona		75.0	77.7	78.2	(kona)	4.59		trace					4.00	nome	felt	Kona to Kahuku	preferred; VL 514, p. 5
12/6/51	20:19:0	00 19	25.00	155	1.00	kl mer sf?	5	.0	25.8	26.3	st (m?)	4.55	<4.52	<4.52	<4.0	4.53			4.53	hono	o IV	e rift 7 mi SW of Pahoa; felt-Kapapala to Hilo and east Puna; Warshauer notes: A strong earthquake was felt all over the Hilo and Volcano districts at 8:19 last night	Honolulu amplitude average of two readings; [moderate?, or closer to summit?; probably kl sf rather than rift]; VL 514, p. 5; additional felt data in HVO unpub; HTH, 12/7/1951
2/2/52 3/13/52	1:16:0		2.40	155	6.20	hilo deep		3.0 31.0	31.0 46.5		m st		4.90 5.37						4.67	hono		nearly under Kaumana [Hilo]; felt-most of Hawaii island, strongly at Hilo; Warshauer notes: A short strong earthquake jerked some Hiloans awake at 1:16 this morning, but no damage reported.; Captain Cook-4; Hilo-2 to III, rattled windows; Kukuihaele-5 off south shore; felt-volcano to Naalehu	location reasonable?; VL 515, p. 6; HTH, 2/2/1952; HVO, unpub [intensities-arabic numerals-in remark column refer to HVO postcards] VL 515, p. 6
3/13/52						kl mer st os kl mer sf os	10		46.5		st st		5.37							hono		off south shore; felt-volcano to Naalehu off south shore; felt-Hilo to Kapapala	VL 515, p. 6 VL 515, p. 6
3/14/32	10.21:0	JU 19	2.60	133	4.00	KI IHEF SI OS	10	.01	40.8	47.9	St	3.24	5.43	3.07	3.21	3.43			3.19	HOH	ı ieit	он зови моге, теп-тию ю карарата	1 t L J 1 J, p. 0

												1	Т	1								
	Time	Lat	Lat	Lon	Lon		Publ Pref	Publ	Calc	Slant	l M	ММ	- M M	- M veri	M hor		M other	м	M pref			
Date	HST				min	Region	depth depth		Dist		Mag class non					M other			source	I max	Location/felt report	Comment
Dute	1101	deg		ueg		region	асран асран	unst	Dist	uist	Triang Chass Hon	U D L	, D.10	0	11.2	- Other	Source	prer	bource	V: V	felt-Naalehu; small tsunami at Kalapana;	VL 515, p. 7; HTH, 3/18/1952; see also bib;
													reco	or or						(USE;	Warshauer notes: tsunami at Kalapana; earthquake	
3/17/52	17:58:	00 19	7.50	155	2.00	kl mer sf os?	10.0		41.6	42.8	st 5.1	6 5.8		d 5.50	5.63	5.00	USE?	5.67	hono		not felt there.	through 3/28
3/11/32	17.50.	00 17	7.50	133	2.00	Ri ilici si os.	10.0		41.0	42.0	30 3.1	0 5.0		u 5.50	3.0.	3.00	CDL.	3.07	nono	bac)	not left there.	unough 3/20
3/18/52	9:02:	00				kl kuer sf os						<4.2	7 <4.2	7 <4.05	4.28			4.28	hono		off south shore	not in VL 515
	10:53:		0.10	155	19.80	kl kuer sf os	10.0		48.3	49.3	m 4.7							4.71		folt	off south shore; felt-Naalehu	VL 515, p. 7
3/16/32	10.55.	00 17	0.10	133	17.00	KI KUCI SI OS	10.0		46.3	49.3	111 4.7	3 4.7	0 4.0	5 4.75	4.0.			4./1	nono	icit	on soun shore, icit-ivaaichu	Honolulu amplitude average of two readings; VL
3/18/52	13:01:	00 19	6.10	155	20.50	kl kuer sf os	10.0		37.6	38.9	m 4.5	8 <4.2	7 <4.2	7 <4.05	4.30			4.30	hono		off south shore	515, p. 7
3/18/52					24.70	kl swr sf os	10.0		42.5	43.6	st 5.1	_						5.56			off south shore	VL 515, p. 7
3/19/52				155		kl mer sf os?	10.0		43.4	44.5	st 5.1							5.50		felt	off south shore; felt-Naalehu	VL 515, p. 7
3/19/32	2.33.	00 19	0.50	133	1.60	KI IIICI SI OS:	10.0		43.4	44.3	St 3.1	9 3.4	_		3.4.	1		3.30	попо	ien	off south shore, felt-Natient	VE 313, p. 7
													n									
3/19/52	14.15.	00				kl kuer sf os	10.0	47.0	47.0	48.1	s? 4.7	3 4.6	reco	d 4.65	4.48			4.58	hono		off south shore	not in VL 515
3/19/32	14:13:	00				KI KUEI SI OS	10.0	47.0	47.0	48.1	8: 4.	3 4.0	_		4.40	-		4.58	попо		off south shore	HOURI VE 313
													n									
3/19/52	15.51.	00 19	2.00	155	20.10	kl swr sf os	10.0		44.9	46.0	st 5.2	1 5.5	reco	or d 5.36	5.29	,		5.39	hono		off south shore	VI 515 7
3/19/32	13:31:	00 19	2.00	133	20.10	KI SWI SI OS	10.0		44.9	46.0	st 5.2	1 3.3	_	_	3.25			5.39	попо		off south shore	VL 515, p. 7
													n									
2/20/52	1,00	00 10	2.20	155	10.50	ld loss f	100		40.0	4			reco			,		ا ۔ ۔ ۔ ا	L		off cough chora	VI 515 - 7
3/20/52					18.50	kl kuer sf os			43.9	45.1	st 5.2			d 5.25				5.36	hono	6.1	off south shore	VL 515, p. 7
3/20/52	9:51:				14.70	kl kuer sf os	2010		42.0	43.2	st 5.1							5.37	hono		off south shore; felt-Naalehu	VL 515, p. 7
	20:16:				23.70	kl swr sf os	10.0	_	43.8	44.9	m 4.6							4.52		felt	off south shore; felt-Naalehu	VL 515, p. 7
3/20/52	23:48:	00 19	2.20	155	23.60	kl swr sf os	10.0		46.0	47.1	m 4.7	1 4.4	9 4.4	3 4.70	4.43			4.51	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
											l .	_										mag agreement improved if moderate rather than
3/21/52	4:35:	00 19	2.70	155	13.90	kl kuer sf os	10.0		43.0	44.2	st 5.1	8 4.7	8 4.7	8 4.83	4.78			4.79	hono	felt	off south shore; felt-Naalehu	strong; VL 515, p. 7
																						Honolulu amplitude average of two readings; not in
3/21/52	10:55:	00				kl kuer sf os	10.0	40.0	40.0	41.2	s? 4.6	2 4.5	6 4.5	4 4.70	4.40			4.55	hono		off south shore	VL 515
																						mag agreement improved if closer to shore; VL 515
3/21/52					14.30	kl kuer sf os	10.0		40.0	41.3	m 4.6							4.36			off south shore	p. 7
3/22/52	2:02:	_			12.10	kl kuer sf os	2010		43.7	44.9	st 5.1							5.06	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
3/22/52	6:19:			155	0.40	kl mer sf os?	10.0		42.9	44.0	m 4.6							4.48			off south shore	VL 515, p. 7
3/22/52	19:20:	00 19	6.40	155	3.90	kl mer sf os?	10.0		41.6	42.8	m 4.6	5 4.7	0 4.7	5 4.70	4.70			4.71	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
																						Reconciliation of the weekly tabulation (VL 515, p.
																						5) with the earthquake list on p. 7 (including those
																					sf offshore; preferred magnitude calculated as	identified at Honolulu) shows 111 (f) unaccounted
																					nomogram magnitude multiplied by number of	for between 3/16 and 22/1952, assuming all belong
3/22/52	23:59:	00				kl kuer sf os?	10.0	42.0	42.0	43.2	f 3.8	5						5.71	calc		events	to the swarm
																						Reconciliation of the weekly tabulation (VL 515, p.
																						5) with the earthquake list on p. 7 (including those
																					sf offshore; preferred magnitude calculated as	identified at Honolulu) shows 483 (vf) unaccounted
																					nomogram magnitude multiplied by number of	for between 3/16 and 22/1952, assuming all belong
3/22/52	23:59:	00				do	10.0	42.0	42.0	43.2	vf 2.8	3						5.27	calc		events	to the swarm
				ΙП																		Reconciliation of the weekly tabulation (VL 515, p.
														1								5) with the earthquake list on p. 7 (including those
																					sf offshore; preferred magnitude calculated as	identified at Honolulu) shows 79 (s) unaccounted
																					nomogram magnitude multiplied by number of	for between 3/16 and 22/1952, assuming all belong
3/22/52	23:59:	00		<u> </u>		do	10.0	42.0	42.0	43.2	s 4.4	0						6.12	calc		events	to the swarm
																					off south shore, felt at Naalehu and Pahala; Pahala-	
														1							3 to V, shook house, rattled windows, house and	
3/23/52	6:52:	00 19	11.70	154	55.00	kl mer sf os?	10.0		44.8	45.9	m 4.7	0 4.7	0 4.7	0 4.80	4.70			4.73	hono	V	bed moved	VL 515, p. 7; HVO unpub
3/23/52	15:05:	00 19		155		kl kuer sf os	10.0		42.8	43.9	m 4.6							4.60	hono	felt	off south shore, felt at Naalehu and Pahala	VL 515, p. 7
3/24/52	2:02:	00 19	8.00	155	1.70	kl mer sf os?	10.0		41.2	42.4	m 4.6	4 4.5	3 4.5	3 4.80	4.70			4.64	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
															no							
3/24/52	13:29:	00 19	6.30	155	2.40	kl mer sf os?	10.0		43.1	44.2	st 5.1	8 4.8	3 4.9	2 4.88	record	ı		4.88	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
															no							Honolulu amplitude average of two readings; VL
3/25/52	0:30:	00 19	1.30	155	17.00	kl kuer sf os	10.0		45.6	46.7	m 4.7	1 <4.2	7 3.7	0 4.59	record	ı		4.25	hono		off south shore	515, p. 7
															no							Honolulu amplitude average of two readings; VL
3/25/52	7:04:	00 19	4.30	155	5.80	kl kuer sf os	10.0		43.6	44.7	st 5.1	9 4.7	0 4.7	8 4.68	record	ı		4.72	hono	felt	off south shore; felt-Naalehu	515, p. 7
3/25/52	9:17:	00 19	5.20	155	5.10	kl kuer sf os			42.5		st 5.1	-		0 5.20	5.18			5.19	hono	felt	off south shore; felt-Naalehu	VL 515, p. 7
							10.0				"	1	1	1	1			,,				Honolulu amplitude average of two readings; VL
3/26/52	4:40:	00 19	3,30	155	13.80	kl kuer sf os	10.0		41.9	43.1	m 4.6	5 <4.4	7 <4.4	7 <3.95	4.10			4.10	hono	felt	off south shore; felt-Naalehu	515, p. 7
3/27/52		00 19				kl kuer sf os			42.5				0 4.6					4.66			off south shore; felt-Naalehu	VL 515, p. 7
3/2//32	7.21.	JU 17	5.10	100	12.00	KI KUCI SI US	10.0		+4.3	43./	111 4.0	υ _Ι τ./	~ Ψ.0	υ Ψ./.	7.00	1		4.00	110110	1 ICIT	orr south shore, for remotiu	1 · , P· /

	Time	ne Lat	Lat	Lon	Lon		Publ Pref	Publ	Calc	Slant		М	M M-	M M-	M vert	M ho	r	M other	M	M pref			
Date	HST	T deg	min	deg	min	Region	depth depth	dist	Dist		Mag class	nomo	S EW	S NS	SPN	N-L	M other	source	pref	source	I max	Location/felt report	Comment
															no							off south shore; felt-Naalehu, Pahala; Pahala-shook house, rattled windows; 4, shook bed; Warshauer notes: The quake at 10:43 p.m. was reported by a Naalehu resident as "quite strong" and was felt	
3/27/52	22:44:	4:00 19	2.20	155	13.90	kl kuer sf os	10.0		44.0	45.1	m	4.68	4.78	4.60	trace	4.4	8		4.68	hono	IV	rather longer than usual.	VL 515, p. 7; HVO unpub; HTH, 3/28/1952
3/28/52	11.57	7:00 19	3 3(155	11.50	kl kuer sf os	10.0		42.4	43.6	m	4.66	-1 17	<4.42	4.48	4.2	Q		4.38	hono	felt	off south shore; felt-Naalehu	Honolulu amplitude average of two readings; VL 515, p. 7
3/29/52			5.50	, 133	11.50	kl kuer sf os?		42.0			m		4.65						4.72		felt	off south shore; felt-Naalehu	VL 515, p. 7
3/29/52	23:59:	9:00				kl kuer sf os?	10.0	42.0	42.0	43.2	vf	2.83							5.10	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 313 (vf) unaccounted for between 3/23 and 29/1952, assuming all belong to the swarm
3/29/52	23:59:	9:00				do	10.0	42.0	42.0	43.2	f	3.85							5.50	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 66 (f) unaccounted for between 3/23 and 29/1952, assuming all belong to the swarm
3/29/52						do	10.0				s	4.40							6.17			sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 90 (s) unaccounted for between 3/23 and 29/1952, assuming all belong to the swarm
																						off south shore; Warshauer notes: Quakes off south coast total 2995. The only heavy earthquake in the	
3/30/52	13:53:	3:00				kl kuer sf os?	10.0	42.0	42.0	43.2	st	5.17	4.84	4.87	4.75	4.7	8		4.81	hono	IV	past 24 hours came at 1:53 p.m. Sunday.	VL 515, p. 7; HTH, 3/31/1952
3/30/52	16:03	3:00				kl sf os	10.0	42.0	42.0	43.2	m?	4.65	4.40	4.30	no trace	4.30	0		4.33	hono		off south shore	not in VL 515
		0:00 19	2.20	155	13.40	kl kuer sf os			44.0		st		4.78				~		4.78		felt	off south shore; felt-Naalehu	VL 515, p. 7
4.7.70					40.50								no	l .	no	ne							
	21:04:	4:00 19	22.60		10.50 8.80	kl mer kl mer		11.5	11.5 13.5	14.6 14.4	m m		trace 4.60		trace 4.60	trac			4.14	nomo hono		e rift near Makaopuhi crater e rift near Napau crater	could be shallow; VL 516, p. 7 could be deeper; VL 516, p. 7
							5.0	13.3	13.5	17.7		4.40			no				4.50				
4/5/52	14:16:	5:00		\vdash		kl kuer sf os	10.0	42.0	42.0	43.2	m	4.65	4.40	4.40	trace	4.4	0		4.40	hono		off south shore	closer to shore?; VL 516, p. 7
4/5/52	23:59:	9:00				kl kuer sf os?	10.0	42.0	42.0	43.2	vf	2.83							5.00	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 242 (vf) unaccounted for between 3/30 and 4/5/1952, assuming all belong to the swarm
4/5/52	23:59:	9:00				do	10.0	42.0	42.0	43.2	s	4.40							5.82	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 37 (s) unaccounted for between 3/30 and 4/5/1952, assuming all belong to the swarm
4/5/52	23:59:	9:00				do	10.0	42.0	42.0	43.2	f	3.85							5.25	calc		sf offshore; preferred magnitude calculated as	Reconciliation of the weekly tabulation (VL 515, p. 5) with the earthquake list on p. 7 (including those identified at Honolulu) shows 55 (f) unaccounted for between 3/30 and 4/5/1952, assuming all belong to the swarm
AICIEO	14:57	7.00				ld love e	40 -	42.5	42.5	40.5	. ā	4	4 4 4	-157	-400	4.0			4.22	la e e		off cough shore	Honolulu amplitude average of two readings; not in
4/6/52 4/6/52	14:57:			\vdash		kl kuer sf os kl kuer sf os			42.0 42.0	43.2 43.2	s? m	4.40	4.44	<4.57 4.48					4.32 4.48			off south shore	VL 516 VL 516, p. 7
				П																	***	off south shore; Kealakekua (Greenwell diary-3:30	
4/6/52						kl kuer sf os?	10.0	42.0	42.0	43.2	s?	4.40	4.40		off	of	f		4.45		IV (Cox; S&C); V	PM)-4, very good shake offshore bet Molokai and lanai; felt widely on Oahu, houses creaked, windows rattled, fixtures rocked; short quake centered on Oahu or offshore was felt widely in Honolulu, also felt lightly on Maui and Kauai. Rated as intensity IV and not damaging.	not in VL 516; HVO unpub Cox, 1986; not recorded at Whitney vault; VL 516, p. 7; HTH, 47/1952
4/7/52	12:53:	3:00 19	22.00	155	10.50	kl mer sf?	19.2 10.0	11.5	11.5	15.3	st	4.44	4.69	4.65	4.63	4.9	0		4.72	hono	III	e rift near Makaopuhi crater; felt-Naalehu to volcano; Warshauer notes: A quake at 12:54 p.m. was lightly felt in the national park area.	VL 516, p. 7; HTH, 4/8/1952

			Lat Lo					Pref	Publ		Slant		M	M M-		M vert			M other		M pref			
Date	HST d	eg	min de	g mi	n	Region	depth	depth	dist	Dist	dist	Mag class	nomo	SEW	S NS	SPN	N-L	M other	source	pret	source	I max	Location/felt report	Comment Honolulu amplitude average of two readings; VL
4/7/52	13:00:00					kl kuer sf os		10.0	42.0	42.0	43.2	m	4.65	4.30	4.48	<4.20	4.40			4.39	hono		off south shore	516, p. 7
4/7/52	23:55:00	19	22.10 15	5 12.	00	kl uer	11.2	11.2	9.0	9.5	14.7	m	4.14	no trace		no trace				4.14	nomo		e rift near Alae crater	VL 516, p. 7
4/10/52	16.56.00	10	10.00 14	. 10	10	1.1 1								4.20	4.20	no	4.20					6.16	Hilina fault at Poliokeawe pali 3.5 mi N45W of	VII. 516 - 7
4/10/52			18.80 15 23.30 15			kl kuer sf kl cal 10-20	20.8	10.0 15.0	15.5 5.0	16.3 5.1	19.1 15.8	m st	4.33	4.20		trace 4.53				4.20	hono	felt felt	Kaena pt; felt-Naalehu e rift 1 mi NW of Heake; felt-Naalehu, Kapapala	VL 516, p. 7 moderate? or shallower?; VL 516, p. 7
4/12/52	6:22:00		20.00 10	1		kl kuer sf os	20.0	10.0		44.7	45.8	m	4.69	4.40		det				4.40			off south shore	VL 516, p. 7
4/12/52	19:40:00	19	22.50 15	5 12.	50	kl cal deep?		30.0	8.5	8.3	31.1	s-felt	4.17							4.17	nomo	III	e rift near Puu Huluhulu; felt-volcano; Kealakekua (Greenwell diary-7:45 PM)-slight, long jiggle; Honokaa-5; Warshauer notes: A quake at 7:50 p.m. Saturday was felt in the Hilo and Volcano area.	depth assumed consistent with felt reports; VL 516, p. 7; HVO unpub; HTH, 4/14/1952
4/12/52	23:59:00					kl kuer sf os?		10.0	42.0	42.0	43.2	s	4.40							5.30	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 10 (s) unaccounted for between 4/6 and 12/1952, assuming all belong to the swarm
4/12/52	23:59:00					do		10.0	42.0	42.0	43.2	f	3.85							4.80	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 11 (f) unaccounted for between 4/6 and 12/1952, assuming all belong to the swarm
4/12/52	23:59:00					do		10.0		42.0	43.2	vf	2.83							4.61	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 90 (vf) unaccounted for between 4/6 and 12/1952, assuming all belong to the swarm
4/16/52	7:08:00					kl kuer sf os		10.0	42.0	42.0	43.2	m	4.65	4.40	4.48	4.53	4.40			4.45	hono		off south shore	VL 516, p. 7
4/19/52	23:59:00					kl kuer sf os?		10.0	42.0	42.0	43.2	f	3.85							4.12	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 2 (f) unaccounted for between 4/13 and 19/1952, assuming all belong to the swarm
4/19/52	23:59:00					do		10.0	42.0	42.0	43.2	vf	2.83							4.24	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 35 (vf) unaccounted for between 4/13 and 19/1952, assuming all belong to the swarm
4/19/52	23:59:00					do		10.0	42.0	42.0	43.2	s	4.40							4.94	calc		sf offshore; preferred magnitude calculated as nomogram magnitude multiplied by number of events	Reconciliation of the weekly tabulation (VL 516, p. 7) with the earthquake list on p. 7 (including those identified at Honolulu) shows 4 (s) unaccounted for between 4/13 and 19/1952, assuming all belong to the swarm
4/21/52	17:45:00	19	1.90 15	5 13.	70	kl kuer sf os		10.0		44.5	45.6	m	4.69	4.54	4.65	det	_			4.58	hono		off south shore 16 mi S10W of Apua pt	VL 516, p. 7
5/3/52	18:16:00	19	12.50 15	5 20.	80	kl swr sf os		10.0		26.4	28.2	m	4.59	4.43	4.43	trace				4.47	hono		off south shore	VL 516, p. 7
5/10/52	19:14:00				\perp	kl cal 05-10	11.2	8.0	3.0	3.0	8.5	st	4.04	<4.12	<4.20	<3.98	<3.70			4.04	nomo	felt	Kilauea crater; felt?	VL 516, p. 7
5/19/52	1:16:00	19	2.70 15	5 7.	20	kl kuer sf os		10.0		45.4	46.5	s	4.22	<4.17	<4.27	<4.30	<3.78			4.22	nomo		off south shore	VL 516, p. 7
5/19/52	4:08:00		20.20 15		90	kaoiki			20.0	25.5	27.1	s	4.07	4.32	4.19	<3.71	<3.24			4.19	hono		se slope Mauna Loa	VL 516, p. 7
5/21/52	17:13:00	19	8.10 15	5 28	30	kaoiki			20.0	26.5	27.9	m	4.35	4.33	4.25	4.11	3.94			4.16	hono	II	se slope Mauna Loa; Kapapala ranch-2	numerals-in remarks column refer to HVO postcards]
	12:13:00					kona	9.6	9.6	20.0	76.4	77.0	st	5.57	5.61				6.00	S&C (Pas)			VI; VI	felt-all Hawaii island, some on Maui; Warshauer	isoseismal map in W&K Kealakekua fault 3. 5 mi w of Napoopoo; VL 516, p. 8 [damage report on p. 6]; HTH, 5/24/1952; additional felt reports in HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
6/11/52	8:01:00	19	0.70 15	5 16	30	kl kuer sf os	10.0	5.0		46.6	46.9	8	4.23	<4.17	<4.27	<4.05	<3.70			4.23	nomo		off south shore	VL 516, p. 8
	5:17:00					kl kuer sf os	10.0	10.0		44.6		s	4.44		4.40						hono		off south shore	VL 516, p. 8

	T:	T	T	T	T		D. I.I	D6	DI-1	Colo	C1		М	MM	мм	M	Mhaa		Madaa	M	M			
Date	Time HST	Lat deg		Lon deg	Lon min	Region	Publ depth	Pref depth				Mag class		M M- S EW		M vert SPN		M other	M other source		M pref source	I max	Location/felt report	Comment
	16:03:00				21.20	kl cal deep?			12.5					4.83						4.86			SW rift 0.5 mi NE of Mauna Iki, shallow	Honolulu amplitude average of two readings; "shallow" designation in VL 516 unlikely; Honolulu records consistent with deep origin; Honolulu amplitude average of two readings; VL 516, p. 8
						ki cai deep?	2.0	25.0	12.5	12.9	28.1	St	4.87	4.63	4.90	4.80	4.79			4.80	HOHO		SW THE 0.5 IIII NE OF Mauria IKI, Sharrow	amplitude average of two readings; VL 316, p. 8
6/19/52	16:27:00	19	19.00	155	22.00	kl swr		5.0	17.0	16.9	17.6	m	4.03	<4.12	<4.12	<4.10	<3.75			4.03	nomo		SW rift near Kamakaia hills	VL 516, p. 8
7/6/52	22:56:00					mauna kea?			67.0	67.0	67.6	f-felt	4.16	4.17	4.17	3.87	4.00			4.05	hono	IV	Hilo; Warshauer notes: 2 quakes were recorded last night, one at 10:56 p.m. and the other at 4:42 a.m. Both were felt in Hilo; Kukuihaele-5, rumbling noise followed by quake, buildings shook, objects rattled	VL 517, p. 6; HTH, 7/7/1952; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
7/7/52	4:43:00					mauna kea?			67.0	67.0	67.6	s-felt	4 48	4.45	4.25	4.57	4.62			4.47	hono	v	felt-Kukuihaele, Hilo; assume epicenter bet Kukuihaele and Hilo; Warshauer notes: see above; Kukuihaele-5, buildings shook, awakened persons	
	13:38:00					kona			60.0	60.0		m; st (kona)		3.97						4.38	aver			time 13:53; Honolulu records record event at 13:38; our calculated mags are 4.9 (Whitney); 4. 5 (Kona);
9/0/52	10:31:00					mauna kea?			48.0	48.0	48.8	f; s (ml; hilo)								4.07	nomo		assume mk summit; 37 km from ml, 43 km from Hilo, 48 km from Whitney	hilo mag 3.9-4. 4; ml mag 3.8-4.2; VL 517, p. 6
	14:08:00					kl kuer sf os		10.0	44.7	44.7				<4.17	<4.17	<4.25	4.88			4.44		felt	off south shore; felt-volcano, Kapapala, Naalehu	Honolulu amplitude average of two readings; N-L high; VL 517, p. 6
	21:07:00					kl kuer sf os			44.7				4.69			4.35				4.34		Ten	off south shore	VL 517, p. 6
9/2/52	4:45:00					kl cal deep?		30.0	4.0	4.0	30.3	f folt	2.60	<4.20	-1.02	<3.8	4.63			4.10	aver	IV	Kilauea crater; felt-Glenwood, volcano, Naalehu, Hilo; Capt. Cook-3, slight rattle of windows; preferred magnitude calculated as average of Honolulu and nomogram	N-L high; VL 517, p. 7; HVO unpub
									4.0			1-1010										1 4		
11/16/52	2:41:00					kl kuer sf os		10.0		44.7	45.8	s	4.21	4.27	<4.17	<4.25	<3.85			4.27	hono		off south coast	VL 518, p. 12
11/27/52	22:14:00	19	29.00	155	38.00	ml mok				39.7	40.7	s-felt	4.13	no trace	no trace	no trace				4.13	nomo	III	felt-Kona; Capt. Cook-2, rumble preceded quake, appeared to come from mauka, longish tremor as though a wave passed through the house, soft noise acc quake, dog disturbed and anxious before and during quake	VL 518, p. 12; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
1/9/53	21:10:00	19	24.00	155	33.00	kaoiki	22.4	22.4		30.7	38.0	st (m?)	4.56	<4.37	<4.37	4.01	3.81			4.24	aver		felt strongly-Kahuku,; moderately at Kapapala, volcano, Hilo, Kona; slightly Kukuihaele; Warshauer notes: strongly felt s part of Big island, less at Kukuihaele; preferred magnitude calculated as average of Honolulu and nomogram	Honolulu data average of two readings; depth 23 km; moderate?, shallower?; VL 519, p. 6; HTH, 2/8/1953; additional felt reports in HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
									545	54.6	1			no	no	no	no					6.1		date from felt report (1/13 in VL); closer?; VL 519,
1/12/53						hilea os kaoiki deep	24.0	24.0	54.5		32.7	s		trace		faint trace	faint	5.20	S&C (Bkl)		nomo	felt VI; V (S&C)	awake, small shake acc by roaring on Oahu; Warshauer notes: strong earthquake near Kapapala ranch headquarters. Objects upset and knocked from shelves as far away as Hilo; residents of south Hawaii wakened; also felt on Oahu	p. 6; HVO, unpub VL 519, p. 6; HTH, 2/8/1953; extensive felt reports in HVO, unpub; preferred mag calculated as average of M-S (2) and Berkeley (1)
3/25/53	18:19:00	19	12.00	155	39.00	hilea				48.4	49.2	m	4.98	<4.32	<4.37	3.69	3.98			4.41	aver		strong at Naalehu, Kapapala; slight-most Hawaii island; Warshauer notes: strong at Naalehu, Kapapala; Kukuihaele-2; Hilo-2; Kalahiki-2; Capt. cook-2, v slight quiver, window rattle; preferred magnitude calculated as average of Honolulu and nomogram	Honolulu data average of two readings; closer? or slight; VL 519, p. 6; HTH, 3/26/1953; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
4/24/53	1:42:00	19	20.00	155	47.00	ml swr				56.1	56.8	f-felt	4.04	no trace	no trace	no trace				4.04	nomo	IV	felt-volcano, s Kona, Kohala; Kalahiki (Kona)-4; Capt. Cook-2, awakened, gentle window rattling, strong at beginning gradually becoming weaker, dur 10 sec or more; Hawi-2	VL 520, p. 4; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
5/24/53	2:44:00	19	26.00	155	27.00	kaoiki				19.9	21.9	m	4.42	4.66	4.76	4.11	4.46			4.50	hono	V	felt-most Hawaii island n to Kukuihaele; Hilo-2; Capt. Cook-4, awakened, dogs barked, tremors built to climax then tapered; very strong jolt at Honokahau, quite severe at Kona hospital; Kukuihaele-2; Kalahiki (Kona)-3; Kealakekua- longer than May 25	VL 520, p. 4; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]

Time Lat Lat Lat Lon Lon deg min Region Publ Pref Publ Calc Slant Mag class nomo S EW S NS SPN N-L Mother source				
Date R51 deg iiiii deg iiiii Regioii depiii dist Dist dist wag ciass iioiiio 3 Ew 3 N5 3FN N-L Woulei Source	a prei soui		I anation/falt manant	Comment
	1.	irce I max	Location/felt report felt-cen, s Kona,, volcano; preferred magnitude	Comment Honolulu data average of two readings; Kona mag
			calculated as average of Honolulu and nomogram;	>4.1; VL 520, p. 4; HVO, unpub [intensities-arabic
s; st			Kealakekua-5, quite strong, started with bump,	numerals-in remarks column refer to HVO
5/29/53 4:59:00 19 29.00 155 56.00 kona 71.1 71.7 (kona) 4.52 <4.01 <4.04 3.42 4.00	4.12 a	iver IV	windows rattled	postcards]
			n slope Hualalai near Puu waa waa; felt-all Hawaii island, Maui, Honolulu; Warshauer notes:	
			"moderate" to "strong" quake felt widely; Hilo	
s; st (ml;		X7 X7	variable, light fixture unhinged; Kona (strong-	deeper? from felt reports; mag Kona >5.0, mag Hilo
8/21/53 19:47:00 19 46.50 155 50.50 hualalai 20.0 73.0 72.2 74.9 hilo) 5.02 5.28 4.98 4.96 5.01	5.06 ho		rattled items),, Kapapala, Volcano, Kohala, Hamakua and Hilo	>5. 4, mag ml >5.0; VL 521, p. 5-6; HTH, 8/22/1953; extensive felt reports in HVO, unpub
		(,		Honolulu data average of two readings; if
			(strong), and Kapapala (moderate), volcano	referenced to Kona station; VL 521, p. 5-6; HTH,
			(slight); Warshauer notes: quakes felt in Volcano, Hilo, Kapapala, and Kona; stronger than event two	8/24/1953 [newspaper reports "strong" on HVO and
8/23/53 0:53:00 19 37.30 155 55.40 hualalai 12.1 15.1 st (kona) 4.44 3.98 4.12 4.14 4.45	4.17 ho	ono IV	days ago in volcano, less strong in Kona	extensive felt reports in HVO, unpub
			Hualalai 9 mi e of Hainoa crater; felt-Kona; Capt.	
			Cook-4, objects rattled, dur 15 sec, dogs barked, small shock then big one, Kealakekua-2 strong	
				Honolulu data average of two readings; ml mag 4.3-
f-felt; m			swayed, Capt. Cook mauka coffee land-large trees	4.9; closer to ml or slight at ml?; VL 522, p. 3;
10/8/53 9:22:00 19 41.70 155 44.20 ml wf? 57.0 58.1 58.8 (ml) 4.06 <4.12 <4.02 <3.83 4.31	4.31 ho	ono VI	shook	additional felt reports in HVO, unpub
			e rift near Alae crater; felt-volcano; volcano-slight; Warshauer notes: no mention of earthquake being	checked paper records w. bob k 8/96-all four quakes look the same; VL 522, p. 4; HTH, 10/27; 28/1953;
10/27/53 4:30:00 19 22.10 155 12.00 kl kuer sf? 10.0 9.0 9.5 13.8 st 4.37 4.38 4.44 4.65 4.55	4.51 ho	ono III	felt; volcano-slight	HA, 10/28; 29/1953; HVO unpub
				lack of Honolulu signature suggests shallow uer
				closer to summit than location given, or moderate; checked paper records w. bob k 8/96-all four quakes
				look the same; VL 522, p. 4; HTH, 10/27; 28/1953;
10/27/53 6:20:00 19 22.10 155 8.80 kl kuer sf? 5.0 13.5 8.0 9.4 st (m?) 4.11 <4.22 <4.22 <4.25 <4.25 <3.90 no	4.11 no	omo	mention of earthquake being felt	HA, 10/28; 29/1953 depth assumed consistent with Honolulu magnitude
11/28/53 15:38:00 kl cal 05-10 8.0 5.0 9.4 m 3.83 trace trace trace 4.03	4.03 ho	ono felt	near Kilauea crater; felt-hnp	and felt report; VL 522, p. 4
			Warshauer notes: shook Hilo home sharply,	
			intensity 3; hit Hilo with a joggly sharpness, se- NW; heavy shock then lighter; sustained motion	Honolulu amplitude average of two readings; VL
			that rattled windows and doors vigorously; depth	522, p. 4; additional felt reports in HVO unpub;
11/29/53 20:43:00 19 22.60 155 8.80 kl mer st? 2.0 10.0 13.5 16.8 st 4.51 <4.52 <4.42 4.30 4.49	4.40 ho	ono IV	10 mi (change VL?)	HTH, 11/30/1953]
			about 15 mi deep between e rift and Kalapana; felt- entire Hawaii island; Hilo-5, dishes off shelves;	
				VL 523, p. 5, 7; HVO unpub; HTH, 3/30/1954; HA,
3/30/54 6:40:00 19 21:00 155 kl mer sf 24.0 10.0 29.0 30.6 st 4.93 6.06 6.13 5.91 6.01			notes: see bib for damage report in Hilo	3/31/1954; HSB, 3/31/1954
3/30/54 6:57:00 19 21.00 155 kl mer sf 24.0 10.0 29.6 29.0 30.6 s 4.16	4.16 no	omo	aftershock; Hilo-light aftershock	VL 523, p. 7; HVO unpub
		VII;	felt-entire Hawaii island, parts of Maui; shaking most intense in Puna, water tanks thrown down,	
		VII	stone fences damaged; extensive damage in Hilo.	
	17.	(USE); VI	broken windows, houses moved or thrown down;	isoseismal map in W&K VL 523, p. 5, 7; additional
3/30/54 8:42:00 19 21.00 155 kl mer sf 24.0 10.0 29.0 30.6 st 4.93 6.50 6.51 6.39 6.41 6.5; 6.0 PA			Warshauer notes: see bib for complete damage report in Hilo	felt reports in HVO unpub; HTH, 3/30/1954; HA, 3/31/1954; HSB, 3/31/1954
			epicenter closer to Kilauea's summit than the	
3/31/54 16:00:00 kl mer sf 24.0 10.0 15.0 15.0 18.0 m 4.05 <4.22 <4.30 <4.2 4.03	4.03 ho	ono	mainshock	VL 523, p. 7
4/1/54 15:56:00 kl ler 2.0 35.0 35.0 35.1 s-felt 4.03 <4.27 <4.27 poor <3.70	4.03 no	omo felt	east Puna; felt-Puna	VL 524, p. 10
			e rift near Alae crater, felt generally s half Hawaii	
			island, accompanied and followed by numerous rockfalls on seaward face of Puu Kapukapu;	
		VI	Warshauer notes: int 4, felt in Hilo, Volcano and	
	vo	(W&K	Kapapala, items off shelves; detailed felt reports in	
7/3/54 11:52:35 19 22.10 155 12.00 kl mer sf? 12.0 10.0 9.5 13.8 st 4.37 4.83 5.02 5.21 5.24 5.40 (S&	:C) 5.24 a	iver S&C)	HVO unpub	7/4/1954; HVO unpub
8/2/54 13:40:33 kl uer 15.0 2.0 9.0 9.2 st 4.09 <4.17 <4.17 <3.85 <3.75	4.09 no	omo felt	e rift Alae crater; felt-hnp	mag agrees if shallow; VL 525, p. 7

	Ι,	Pian a	Lat	Lat	Lon	Lon		Publ	Dunf	Publ	Calc	Slant		M	мм	M M-	M vert	Mhon		M other	м	M masf			
Date		Γime HST	Lat deg	Lat min	Lon deg		Region		depth		Dist		Mag class						M other			M pref source	I max	Location/felt report	Comment
8/7/5	4 14	1:26:17	7				kl cal deep	25.0	25.0	4.0	4.0	25.3	st	4.80	5.16	4.45	4.98	5.42			5.00	hono	v	Kilauea crater; felt generally-central Hawaii island; Kamuela-5, vigorous shake, rumbling, windows rattle; Capt. Cook-3 to 4, 2 distinct, 2nd stronger, comb dur 1 min, swaying, felt by persons walking outdoors; Honokahau-window rattle	VL 525, p. 7; additional felt reports in HVO unpub
8/30/5				22.0	155	10.50				11.5				4.03	4.12		3.78	4.35			4.08			e rift Makaopuhi crater; felt-hnp	Honolulu amplitude average of two readings; mag agreement best for shallow depth; VL 525, p. 7
10/7/5	4 18	3:43:22	19	22.5	155	13.70	kl uer	10.0	10.0	7.0	7.1	12.3	m	4.02	no trace		no trace				4.02	nomo		e rift near Pauahi; Warshauer notes: slight shock at 6:43 p.m.; hnp (time 18:58)-set off buzzer	VL 526, p. 5; HTH, 10/8/1954; HVO unpub
10/11/54	4 6	:26:33	19	23.00	155	54.20	kona				14.5	17.1	st (kona)	4.52	det.	no trace	4.07	4.28			4.28	aver	IV	w shore of Mauna Loa near Hookena; felt- Kalahiki, Capt cook, Kamuela, hnp, Hilo, Honokahau; extensive felt reports in HVO, unpub; preferred magnitude calculated as average of Honolulu and nomogram	magnitude agrees if strong referenced to Kona; VL 526, p. 5; HVO, unpub [intensities-arabic numerals- in remarks column refer to HVO postcards]
2/23/5	5 13	3:58:49) 19	22.0	0 155	10.50) kl cal deep?	25.0	30.0	13.5	14.0	33.1	s-felt (uwe, ml, pahoa; vf (hilo, naalehu, kamuela)		<4.22	<4.37	<4.23	4.08			4.08	hono	V	e rift near Makaopuhi crater; felt-hnp, volcano,; volcano-awakened; felt by several hnp/volcano, quite strong acc by a roar; Pepeekeo-felt; depth as given or deeper gives best fit to Honolulu magnitude and felt report	Honolulu amplitude average of two readings; ml mag 3.8-4.3; Pahoa mag 3.8-4.3; Hilo mag 2.2-3.4; Naalehu mag 2.30-3.5; Kamuela mag 2.6-3.8; mags reconciled if Naalehu, Kamuela and Hilo were feeble; VL 527, p. 5; HVO unpub
3/1/5	5 14	l:21:30) 19	24.3	155	4.20) kl mer		2.0	13.5	16.4	16.5	st (pahoa)	>4.17	4.35	4.43	4.70	4.55			4.51	hono	V	felt like someone shaking car; hnp-rec on experimental instrument, not felt; volcano-felt, water tank splashed; hnp-mirror thrown to floor, felt	assume strong at Whitney (VL 527, p. 4, table); M (Whitney) >4.65; VL 527, p. 5; HVO unpub
3/5/5	5 12	2:39:08	3 19	23.7	155	6.10) kl mer	2.0	10.0	20.5	19.8	22.1	st; m? (pahoa)	4.38	no record	<4.28	<3.9	<3.95			4.38	nomo	III	records at Whitney and Uwekahuna unreadable during first few hours of swarm; rift 4 km e Napau crater; felt-Hilo; Hilo-felt by many, slow and weak, dur 3 sec, many near quakes these days	closer to Pahoa?; VL 527, p. 5; HVO unpub
3/5/5	5 12	2:53:44	19	24.3	155	4.20) kl mer	2.0	2.0	13.5	16.4	16.5	st (pahoa)		poor	no trace	no trace				4.17	nomo		e rift Kalalua	closer to Pahoa?; VL 527, p. 5
3/5/5	5 10	2:58:26	19	23.7	155	6.10) kl mer			17.5			st (pahoa)		poor	4.73	4.70	4.95			4.79	hono		4 km w of Kalalua-largest quake of series; assume strong at Whitney (VL 527, p. 4, table); M (Whitney) >4.65	VL 527, p. 5
		1:22:08								13.5			st (pahoa)			no	no	no			,	nomo		e rift Kalalua	closer to Pahoa?; VL 527, p. 5
		:45:06											st (pahoa)		no trace	no	no	no			4.20			e rift Kalalua; assume moderate at Whitney (VL 527, p. 4, table); M (Whitney) = 4.13-4.65; preferred mag minimum consistent with Hon, Pahoa and Whitney	closer to Pahoa?; VL 527, p. 6
3/7/5	5 22	2:21:31	19	21.2	0 155	0.30) kl mer sf	10.0	10.0	18.0	16.8	19.6	st (pahoa)	>4.29	5.20	5.23	5.23	5.35	5.40	hvo (S&C)		aver	; IV	near Heiheiahulu; felt-s half Hawaii island; assume strong at Whitney (VL 527, p. 4, table); M (Whitney) >4.92; Note: a second strong quake listed in table on p. 4 inconsistent with Hon data; preferred mag average of Honolulu and HVO	strong at Whitney (M>4.92); location corrected to south coast of Kilauea 2 mi w of Kalapana (Macdonald and Eaton, 1964, p.146); VL 527, p. 6; detailed felt reports given in HVO unpub; mag not given in VL
3/7/5	5 22	2:57:38	3 19	21.2	0 155	0.30) kl mer sf						st (pahoa)					4.27			4.02			near Heiheiahulu; felt-Pahoa, Hilo, hnp, Capt. cook; Hilo-3, felt by many, slow and moderate, dur 15 sec, windows, doors, dishes rattled; Capt. Cook	Honolulu amplitude average of two readings; strong at Whitney (VL 527, p. 4, table) yields M>4.92, slight?; location corrected to south coast of Kilauea 2 mi w of Kalapana (Macdonald and Eaton, 1964, p.146); closer to Pahoa?; VL 527, p. 6; HVO unpub
		3:32:41											st (pahoa)		no trace	no recor	det?	no			4.00	aver		near Heiheiahulu; felt-Pahoa, Hilo, hnp; Hilo-felt by few, slow and weak, door rattled, felt in bed, slightly, just one jolt; preferred mag average of Pahoa and Whitney	closer to Pahoa?; assume feeble at Whitney (VL 527, p. 4, table); M (Whitney) = 3.33-3.92; location corrected to south coast of Kilauea 2 mi w of Kalapana (Macdonald and Eaton, 1964, p.146); VL 527, p. 6; HVO unpub lower east rift earthquake swarm; 15 events; VL
3/11/5	5 23	3:59:00					kl ler		5.0	7.0	7.0	8.6	s (pahoa)	2.95							4.02	calc		do	527, p. 6
3/30/55	5 13	:41:31	19	20.3	155	41.00	ml swr				32.3	33.5	m (naalehu)	4.15	no trace	no trace					4.15	nomo			closer to Naalehu?; VL 527, p. 6

	Time	e Lat	Lat	Lon	Lon		Publ	Pref	Publ	Calc	Slant		М	M M-	м м.	M vert	M hor		M other	м	M pref			
Date	HST			deg		Region		depth		Dist		Mag class						M other			source	I max	Location/felt report	Comment
4/1/55	4:24:	:28 19	24.3	0 155	17.70	kl cal deep	10.0	30.0	4.5	2.1	30.1	st (uwe)	4.46	4.75	4.78	5.13	5.33	5.20	hvo	5.10	aver		south rim of Kilauea crater; felt generally-Hawaii island; few on Maui, Oahu; detailed felt reports in HVO unpub; Warshauer notes: Hilo, Kona seismometers dismantled; felt Kona, Kau, Hilo. Pahoa, volcano, Glenwood-Mt. view; objects off shelves at Kapapala	depth changed to 30 km in accordance with similar felt reports over a broad area of Hawaii island; VL 528, p. 5; HVO unpub; HTH, 4/1/1955; mag not published in VL; preferred mag average of Honolulu and HVO
4/7/55	1:27:	:22				kl cal deep	25.0	25.0	15.0	15.0	29.2	s (uwe)	3.93	<3.90	<4.12	<3.75	4.25			4.25	hono		Hilina pali	Honolulu amplitude average of two readings; VL 528, p. 5
4/23/55	7.33.	:51 19	27.6	0 155	22.50	•	15.0			3.9	15.5	m (ml)	4.13	no trace	no trace	no trace	no trace			4.13	nomo	felt	10 km n of halfway house; felt-Hilo, hnp, Naalehu; Hilo-felt by two; Naalehu-felt by one	
8/7/55						kohala						st (kamuela)			5.33		light			5.21		V; V	5 km NE of Kamuela; felt-entire Hawaii island, Maui, Oahu; Hilo-2, felt by many awake, weak, du 3 sec, windows rattled; Kealakekua-5, buildings/windows shook; Olaa-gentle rolling; volcano-several felt; Pahala/Hakalau-good jolt; Waimea-strongest in 15 yr	
8/14/55						kl cal deep	25.0	25.0	15.0	12.7	28.0	st (uwe)			5.97	5.73	5.50	6, 5.7	W&K	5.84		VI; VI	Hilina fault s of HVO; felt over entire island of Hawaii, on Maui, Oahu and by a few persons on Kauai; detailed felt report in HVO unpub; Warshauer notes: dur 5 min, felt only few sec; cracked paint, plaster fall, articles from shelves at Kapapala	Isoseismal map in W&K VL 529-530, p. 12; HVO unpub; HTH, 8/14/1955; HVO mag not published; preferred mag calculated as average of Hon, HVO and W&K
9/26/55	2:16:	:00 19	13.0	0 155	44.70	ml swr			23.0	23.9	25.6	st (naalehu)	4.48	no trace	no trace	3.92	4.35			4.13	hono		SW rift near Puu Keokeo; felt-SW half Hawaii island; Kapapala-felt strongly; Naalehu-felt quite strongly; Kalapana-felt; hnp-felt; Kalahiki-3	VL 529-530, p. 12; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
10/26/55	16:55:	:45 19	29.4	0 155	35.00	ml mok			20.5	20.3	22.2	st (ml)	4.38	4.45	4.59	4.57	4.60			4.55	hono	V (W&K)	NE end of Mokuaweoweo; felt-hnp; volcano-felt throughout, gentle slow motion of dur 30 sec	numerals-in remarks column refer to HVO postcards]
3/10/56						mauna kea os	40.0	40.0		20.0		s-felt (hilo)		<3.92	<3.92	<3.47	4.27			4.27	hono	felt	offshore 20 km ENE of Hilo; felt-Hilo, Glenwood; felt in Glenwood and by several in Hilo; preferred mag average of Honolulu and nomogram	average of two readings; Macdonald and Eaton, 1956a; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
5/13/56	21:53:	:36 20	47.0	0 155	17.00	maui east	20.0	20.0		94.1	96.2	m (kamuela)	4.89	4.76	4.37	4.04	4.29	4.50	hvo	4.62	aver	V; V (S&C)	felt-hnp to Honolulu, Oahu; Kamuela-5, dur 3 sec, vigorous shaking of house, gradual diminishing; hnp-felt by few; volcano-felt by one; preferred mag average of Honolulu (wt 2) HVO, and nomogram	Latitude given as 20°17' [misprint?]; Macdonald and Eaton, 1956b; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]; HVO magnitude not published
5/27/56	15:41:	:00 19	25.0	0 155	26.00	kaoiki	5.0	5.0	10.5	9.5	10.7	st (ml)	3.87	4.15	4.39	4.11	4.31			4.24	hono	IV	5 km n of Ainapo; felt strongly-Kapapala; also from Kealakekua to Hilo; Hilo-2, felt by several, rapid, short, dur 2 sec, windows/doors rattled; Kapapala, sharp vertical bump followed by jiggling; volcano-jolt followed by sway; Hilo-felt slightly	Macdonald and Eaton, 1956b; HVO, unpub [intensities-arabic numerals-in remarks column refet to HVO postcards]
10/16/56	0:44:	:55 19	38.9	0 156	25.50	kona os	5.0	5.0	54.0	55.4	55.7	st (kona)	5.34	5.03	5.25	5.14	light trace	5.50	нуо	5.26	aver	V (S&C); IV (hilo, kona)	45 km w of Kailua, Kona; felt-all Hawaii island, Oahu; extensive felt reports in HVO, unpub; preferred magnitude calculated as average of Honolulu (wt 2) and HVO	assume 5 km depth (too shallow to fit felt reports?); Eaton and Fraser, 1956b [magnitude given to S&C not published]; HVO, unpub [intensities-arabic numerals-in remarks column refer to HVO postcards]
10/16/56	17:31:	:24 19	38.9	0 156	25.50	kona os	5.0	5.0	54.0	55.4	55.7	s-felt (kona)	4.57	4.46	4.73	4.28	4.54			4.50	hono	IV	felt-Kona; Kealakekua-very slight; Capt. Cook-3, steady vibration, dur 7 sec, rumble, similar to earlier one but shorter and weaker, persons outside heard iron roofing clanking/jiggling; Keapu/Holualoa, short steady shock, not strong	aftershock; Eaton and Fraser, 1956b; HVO, unpub [intensities-arabic numerals-in remarks column refet to HVO postcards]
1/7/57						kaoiki			13.5					no	no trace	no trace	3.76	4.30	hvo	4.00		IV	felt-hnp to Kona; hnp/volcano-slight quake, felt by several; Capt. Cook-4, not felt driving car, felt by most standing or sitting indoors; stronger in s Kona than n Kona; preferred magnitude calculated as average of Honolulu and nomogram	
1/22/57	18:35:	:24 19	24.0	0 155	50.00	kona				15.5	17.9	s-felt (kona)	3.78	no trace	no trace	no trace		4.30	hvo	4.04	aver	IV	Cook-3, "rumble the jar", a pause, then jiggly jolt from Kau-Kohala direction, other reports from area similar, short, windows rattled; preferred magnitude calculated as average of Honolulu and nomogram	central Kona; assume 5 km depth; farther from Kona seismometer?; Eaton and Fraser, 1957a; HVO, unpub [intensities-arabic numerals-in remark: column refer to HVO postcards]

Data	Tir HS			Lon deg		Danion	Publ depth	Pref	Publ		Slant dist	Mag class	M	M M-		M vert SPN		M other	M other		M pref	Lmon	I anation (falt nament	Comment
Date	HS	si deg	g mi	deg	min	Region	deptn	aeptn	dist	Dist	dist	Mag class	nomo	SEW	2 N2	SPN	N-L	M otner	source	prei	source	I max	Location/felt report 7 km w of Apua pt, felt-hnp, Kona; hnp-sharp jolt	Comment
																							like car striking house, also felt at volcano; Capt.	
																							Cook-2, gentle, quick jiggle, dur >7 sec, prob 12-	
2/11/57	14:0	3:24 19	15.7	0 155	16.00	kl kuer sf	15.0	10.0	16.5	19.1	21.5	m (uwe)	4.23	<4.07	<4.07	<4.76		4.00	hvo	4.00	hvo	IV	15 sec, pheasants cackling, felt lightly by few	HTL high; Eaton and Fraser, 1957a; HVO unpub
						,																	W 1 6 k 5 k NWI 6 d 20 40	Eaton and Fraser, 1957b; HVO, unpub [intensities-
1/5/57	22.2	8:40 20	0.0	0 155	40.00	mauna kea	30.0	30.0	2.0	2.5	20.1	(kamuela)	4.08	no	no trace	no trace				4.08	nomo	Ш	Kamuela; felt-5 km NW of; time 22:48; Kukuihaele-4, loud rumbling then shake	arabic numerals-in remarks column refer to HVO postcards]
4/3/37	22.2	0.40 20	0.0	0 133	40.00	асер	30.0	30.0	2.0	2.3	50.1	(Kumuciu)	4.00	писс	trucc	trucc				4.00	nomo	- 111	8 km SW of; felt generally-Hawaii island;	postendos
																							additional felt reports in HVO, unpub; preferred	Eaton and Fraser, 1957c; HVO, unpub [intensities-
												st										V; IV	magnitude calculated as average of Honolulu and	arabic numerals-in remarks column refer to HVO
7/4/57	0:5	3:59 19	48.1	0 155	42.10	mauna kea	15.0	15.0	24.5	24.7	28.9	(kamuela)	4.56	4.40	4.40	4.53		4.50	hvo	4.47	aver	(S&C)		postcards]
												et										IV	30 km w of Hawi; felt-Kealakekua; preferred magnitude calculated as average of Honolulu and	
7/26/57	1:40	0:30 20	14.3	0 156	7.10	kohala			54.0	52.9	53.6	(kamuela)	4.99	4.07	4.55	4.65		4.60	hvo	4.52	aver		HVO	closer to Kamuela?; Eaton and Fraser, 1957c
			1	-	,,,,,							(,										(1111)	preferred magnitude calculated as average of	latitude given in error as 23°48'; Eaton and Fraser,
8/10/57	14:4	3:43 20	48.0	0 155	28.00	maui	10.0	10.0		153.5	153.8			4.25	4.05	4.06		4.20	hvo	4.16	aver	III	Honolulu and HVO	1957c
				_																			preferred magnitude calculated as average of	latitude given in error as 23°48'; Eaton and Fraser,
8/11/57	4:39	9:26 20	48.0	0 155	28.00	maui	10.0	10.0		153.5	153.8			3.98	4.28	4.09		4.30	hvo	4.21	aver		Honolulu and HVO	1957c
																						v	felt widely-Hawaii island, Maui; preferred magnitude calculated as average of Honolulu and	latitude given in error as 23°48'; Eaton and Fraser, 1957c; HVO, unpub [intensities-arabic numerals-in
8/18/57	0:4	1:56 20	48.0	0 155	28.00	maui	10.0	10.0		153.5	153.8			5.27	5.45	4.96		5.60	hvo	5.41	aver	(S&C)	HVO; hilo-gentle, jarring quake, felt by few	remarks column refer to HVO postcards]
																							10 km n of Keaau; felt-Hilo; preferred magnitude	Eaton and Fraser, 1957c; HVO, unpub [intensities-
0.5.55							* 0.0					s-felt		no	no	no		2.20				,,,		arabic numerals-in remarks column refer to HVO
9/5/57	9:3	1:24 19	42.6	0 155	2.90	hilo deep	50.0	50.0	6.0	4.4	50.2	(hilo)	4.03	trace	trace	trace		3.30	hvo	4.03	aver	III	dur 2-3 sec, sharp shaking, chandelier swayed 17 km se of Naalehu, felt-Naalehu, Pahoa; felt at	postcards]
						kl swr sf os									no								Pahoa and Naalehu; preferred magnitude calculated	1
2/15/58	16:4	8:38 18	58.0	0 155	29.00		35.0	35.0	56.0	56.7	66.6			<4.04		4.54		3.90	hvo	4.10	aver	felt	as average of Honolulu and HVO	HTL high; Eaton and Fraser, 1958a; HVO unpub
																							5 km n of; felt-most of Hawaii island; extensive	Eaton and Fraser, 1958b; HVO, unpub [intensities-
	l			_										no	no								felt reports in HVO, unpub; preferred magnitude	arabic numerals-in remarks column refer to HVO
4/24/58	3:0	6:33 20	2.3	0 155	15.00	mauna kea	25.0	25.0		68.1	72.5			trace	trace	4.68		4.30	hvo	4.49	aver	IV	calculated as average of Honolulu and HVO	postcards]
																								deep earthquake swarm north of Kilauea caldera; 2052 events of M<2.5 with b = 1.5 whose
																							preferred magnitude calculated as Richter	magnitudes are not tabulated separately (Eaton and
7/6/58	23:5	9:00 19	28.5	0 155	12.80	kl gln deep	55.0	55.0	10.0	7.3	55.5									4.82	calc		distribution	Krivoy, 1958, p. 4)
																							10 km n of; preferred magnitude calculated as	
														no	no								average of Honolulu and HVO; Hakalau-felt; hnp- felt; Hilo-2, felt by few, rapid, weak, dur 2 sec,	Eaton and Krivoy, 1958a; HVO, unpub [intensities- arabic numerals-in remarks column refer to HVO
9/28/58	20.4	8.06 19	9 9 3	0 155	35 20	mauna loa deep	25.0	25.0		45.9	52.2			trace		4.29		3.80	hvo	4.04	aver	IV	windows rattled	postcards]
7/20/30	20.4	0.00 1,	, ,	0 133	33.20		23.0	23.0		43.7	32.2									7.04			felt-hnp to Kealakekua; hnp-felt; Pahala-felt by	· ·
																							many in Kau, very strong; Capt. Cook-felt;	
																							[postcard time 23:50-24:00-should be earlier to	
																							agree w seismic summary felt info]; preferred magnitude calculated as average of HVO and	Honolulu amplitude average of two readings; HTL
10/22/58	23:4	3:28 19	12 4	0 155	19 00	kl kuer sf os	5.0	5.0		25.5	26.0			<4.57	<4.57	4.53		4.30	hvo	4.41	aver	v	Honolulu	high; Eaton and Krivoy, 1958b; HVO unpub
																							felt-Pahala; hnp-felt; Pahala-felt by many in Kau,	7
1	l																						very strong; Capt. Cook-felt; preferred magnitude	Honolulu amplitude average of two readings; Eaton
10/23/58	12:2	3:23 19	12.5	0 155	19.00	kl kuer sf os	5.0	5.0		25.5	26.0			4.62	4.74	4.60		4.30	hvo	4.47	aver	IV	calculated as average of HVO and Honolulu	and Krivoy, 1958b; HVO unpub
																							4 km se of Uwekahuna, felt-hnp to Hilo; hnp/volcano-felt generally; Hilo-felt; Kapoho-felt,	
																							(ranch) wakened by gentle motion, e-w, 2 distinct	
																							waves dur 15 sec; Hilo-moderate, began gradually,	Honolulu amplitude average of two readings; Eaton
11/2/58	5:5	5:44 19	24.4	0 155	18.40	kl cal deep	30.0	30.0	4.5	5.1	30.4			<4.50	4.60	4.70		4.40	hvo	4.40	hvo	IV	dur 10 sec, pulsating rocking motion, felt generally	and Krivoy, 1958b; HVO unpub
																								time given as 9:17 am HST in Eaton and Krivoy,
																								1958b; observed time on Hon film record is 9:17 GMT on 12/28; Milne-Shaw magnitude agrees with
																						IV; III		hvo if Hon time accepted; Eaton and Krivoy, 1958b;
12/27/58	23:1	7:24 19	46.0	0 155	10.00	hilo deep	45.0	45.0		38.6	59.3			4.72	4.72	>4.07		4.50	hvo	4.50	hvo	(S&C)	7 km NW of Hilo; felt-Hilo to Kealakekua	HVO, unpub
										T													Capt. Cook (time 23:30)-awakened, very long,	
																							feeble but with three build-ups in intensity,	
																							loosened sections of a stone wall; hilo (time 23:17) 3 to 4, felt by most, rapid, moderate, dur 4 sec,	HVO, unpub [intensities-arabic numerals-in remarks
12/27/58	23:1	7:24 19	46.0	0 155	10.00	do	do	do		do	do			4.72	4.72	>4.07		4.50	hvo	4.50	do	do	sharp, seemed directly beneath	column refer to HVO postcards]
12,21/00	20.1	1,	10.0	- 1 100	1 20.00	uo	uo	u.o		uo	uo			,2	,2	/			0			- 20	i i i i i i i i i i i i i i i i i i i	

Date			Lat min			Region			Publ dist	Calc Dist		Mag class			M vert SPN	M other	M other source		M pref	I max	Location/felt report	Comment
1/7/59	23:59:00					kl gln deep												4.47	calc		Preferred magnitude calculated as a Richter swarm	deep earthquake swarm north of Kilauea caldera; 571 events of $M < 2.5$ with $b = 1.5$ whose magnitudes are not tabulated separately (Eaton and Krivoy, 1963a, p. 2)
2/19/59	20:00:28	19	21.00	155	9.00	kl mer sf	5.0	5.0		15.4	16.2		4.62	4.90	5.11	4.50	hvo	4.69	avei	III (S&C)		Honolulu data is average of two readings; Eaton and Krivoy, 1963a
3/6/59	16:45:15	19	44.00	156	12.00	hualalai os	15.0	15.0		103.9	105.0		no trace	no trace	4.20	4.00	hvo	4.10	avei	felt	felt-Capt. cook; preferred magnitude calculated as average of Honolulu and HVO	Eaton and Krivoy, 1963a
6/26/59	12:16:34	19	13.00	156	22.00	milolii os	15.0	15.0		118.4	119.4		no trace	no trace	4.15	4.20	hvo	4.18	avei	felt	felt-Capt. cook; preferred magnitude calculated as average of Honolulu and HVO	Eaton and Krivoy, 1963b
8/18/59	13:54:50	19	17.00	154	57.00	kl mer sf deep?	45.0	45.0		37.3	58.5		no trace	no trace	det?	4.00	hvo	4.00	hvo	felt	felt-hnp, Hilo	Eaton and Krivoy, 1963c
8/20/59	23:59:00					kl gln deep	51.5	51.5		6.5	51.9							4.75	calc	;		deep Glenwood earthquake swarm; 2358 events of M-2.5 with b = 1.5 whose magnitudes are not tabulated separately (Eaton and Krivoy, 1963c, p. 2, 10-13)
9/18/59	14:50:04	19	24.00	155	6.00	kl mer	5.0	5.0		18.0	18.7		no record	no recor d	no record	4.00	hvo	4.00	hvo	felt	felt-hnp, Hilo	Eaton and Krivoy, 1963c